

# dahua DH-T2A-PV 2MP Fixed Focal Wi-Fi Turret Network **Camera User Guide**

Home » Dahua » dahua DH-T2A-PV 2MP Fixed Focal Wi-Fi Turret Network Camera User Guide 🖫



# Contents

- 1 dahua DH-T2A-PV 2MP Fixed Focal Wi-Fi Turret Network Camera
- **2 Series Overview**
- 3 Upgrade Your Experience with DMSS
- 4 Specifications
- 5 What's in the box
- 6 Documents / Resources
  - **6.1 References**
- 7 Related Posts



dahua DH-T2A-PV 2MP Fixed Focal Wi-Fi Turret Network Camera



# **Specifications**

- Camera
  - Image Sensor: 1/3 CMOS
  - Max. Resolution: 2MP
  - Electronic Shutter Speed
  - Illumination Distance
  - Illuminator On/Off Control: Yes
  - Illuminator Number
  - · Max. Aperture
  - Field of View
- Intelligence
  - Human Detection: Support the classification and accurate detection of human
- Video & Audio
  - Video Compression: H.265
  - Video Frame Rate
  - Resolution: Clear images with sharp details
  - Video Bit Rate
  - Day/Night Motion Detection
  - Smart Illumination
- Network
  - Network Port
  - Wi-Fi
  - Storage Management Software: Micro SD Card
  - Mobile Client: DMSS App
- General
  - Certifications
  - Power Supply
  - Power Consumption
  - Operating Temperature

- Operating Humidity
- Protection: IP67
- Casing Material

2MP Fixed-focal Wi-Fi Turret Network Camera

# DH-T2A-PV

### **Series Overview**

The Turret Series, which is under the Dahua Wireless series, are cameras that are not only easy to install and operate, but also perform outstandingly and are cost-effective. They capture sharp, detailed images of scenes in high definition and offer powerful functions, such as AI human detection, to accurately trigger alarms. Information is also synchronously sent to your phone to keep you up-to-date. With its IP67 rating, these cameras are able to withstand harsh environments, making them highly suitable for use in small and medium-sized settings such as small-sized retail stores.



#### 2MP

Clear images with sharp details



#### **Al Human Detection**

Focuses on what matters and reduces false alarms



#### **Smart Dual Light**

Captures color details for post-event



#### Sound and Light Alarm

Provides instant alarms to deter



#### Two-way Talk

Communication anytime, anywhere



#### **IP67 Protection**

Withstands harsh environments



#### H.265

Advanced H.265 compression technology



# DMSS App

Easy to use



#### Micro SD Card

Low-cost storage

# **Upgrade Your Experience with DMSS**

Dahua Mobile Security Surveillance (DMSS) is a professional remote surveillance management platform that offers remote monitoring, device migration, and sharing. When connected to the internet, the platform provides real-time alerts to improve surveillance efficiency and grant flexibility in security management.







# **Specifications**

### Camera

- Image Sensor 1/3" CMOS
- Max. Resolution 1920 (H) × 1080 (V)
- Electronic Shutter Speed Auto/Manual 1/3 s-1/100,000 s
- Illumination Distance Up to 30 m (98.53 ft)
- Illuminator On/Off Control Auto
- Illuminator Number 1 (IR LED); 1 (Warm light)
- Max. Aperture F1.6
- Field of View 2.8 mm: H: 98°; V: 55°; D: 115° 3.6 mm: H: 78°; V: 41°; D: 94°

# Intelligence

• Human Detection Support the classification and accurate detection of human

# Video & Audio

- Video Compression H.264B; H.264; H.264H; H.265
- Video Frame Rate
- Main stream: 1920 x 1080@(1–25/30 fps)
  Sub stream: 640 x 480@(1–25/30 fps)
- \*The values above are the max. frame rates of each
- stream; for multiple streams, the values will be
- · subjected to the total encoding capacity.
- Resolution 1080p (1920 ×1080); 1280 × 960 (1280 × 960); 1280
- × 720 (1280 × 720)
- Video Bit Rate H.264: 32kbps ~ 4096kbps
- H.265: 12kbps ~ 4096kbps
- Day/Night Auto(ICR)/Color/B/W

- Motion Detection OFF/ON
- Smart Illumination Yes
- Image Rotation 0°/180°
- Built-in MIC Yes, built-in Mic
- Built-in Speaker Yes, built-in speaker
- Audio Compression G.711a; G.711Mu; PCM; G.726

# **Network**


- Network Port RJ-45 (10/100 Base-T)
- Wi-Fi IEEE802.11b/g/n 2.4-2.4835 GHz; 2.4 G
- Storage Micro SD card (support max. 256 GB)
- · Management Software Smart PSS; DSS; DMSS
- Mobile Client iOS; Android

### General

- Certifications
- CE-LVD: EN62368-1;
- CE-EMC: Electromagnetic Compatibility Directive
- 2014/30/EU;
- CE-RED: Radio Equipment Directive 2014/53/EU
- Power Supply 12 VDC
- Power Consumption Basic: 2 W (12 VDC)
- Max. (H.265+warm light intensity): 6.9 W (12 VDC)
- Operating Temperature –40 °C to +60 °C (–40 °F to +140 °F)
- Operating Humidity ≤95%
- Protection IP67
- Casing Material Inner core: Metal + Plastic
- · Cover: Plastic
- Product Dimensions Φ109.9 mm × 102.2 mm (Φ4.33" × 4.02")
- Net Weight 353 g (0.78 lb)

### What's in the box





# **Tools**

- Installation Position
- Map×1
- · Mounting Plate×1
- Screw Package×1
- Waterproof
- Connector x 1

# **Documents:**

- QR Code×1
- Quick Start Guide×1
- · Legal and Regulation
- Information×1

## Power:

• Power Adapter×1

© 2024 Dahua. All rights reserved. Design and specifications are subject to change without notice. The images, specifications and information mentioned in the document are only for reference, and might differ from the actual product.

# **Documents / Resources**



dahua DH-T2A-PV 2MP Fixed Focal Wi-Fi Turret Network Camera [pdf] User Guide DH-T2A-PV 2MP Fixed Focal Wi-Fi Turret Network Camera, DH-T2A-PV, 2MP Fixed Focal Wi-Fi Turret Network Camera, Fixed Focal Wi-Fi Turret Network Camera, Wi-Fi Turret Network Camera, Turret Network Camera, Network Camera, Camera

### References

- @ Dahua Technology World Leading Video-Centric AloT Solution & Service Provider
- User Manual

### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.