

dahua PFB5310C In Ceiling Mount Bracket



## dahua PFB5310C In Ceiling Mount Bracket Owner's Manual

[Home](#) » [Dahua](#) » dahua PFB5310C In Ceiling Mount Bracket Owner's Manual 

### Contents

- [1 dahua PFB5310C In Ceiling Mount Bracket](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 System Overview](#)
- [5 Technical Specification](#)
- [6 Ordering Information](#)
- [7 Packaging Information](#)
- [8 Dimensions](#)
- [9 Documents / Resources](#)
  - [9.1 References](#)



dahua PFB5310C In Ceiling Mount Bracket



## Product Information

### Specifications:

- **Accessory:** DH-PFB5310C
- **Type:** In-ceiling Mount Bracket
- **Construction Material:** SECC, PC
- **Color:** White
- **Operating Temperature:** TBD
- **Operating Humidity:** TBD
- **Storage Temperature:** TBD
- **Storage Humidity:** TBD
- **Anti-Corrosion Level:** Basic Protection

## Product Usage Instructions

### Installation:

To install the in-ceiling mount bracket, follow these steps:

- Identify a suitable location in the ceiling for mounting.
- Securely attach the bracket using appropriate screws or mounting hardware.
- Adjust the bracket to the desired angle for optimal camera positioning.

### Compatibility:

This in-ceiling mount bracket is compatible with specific camera models. Ensure compatibility before installation.

### Maintenance:

Regularly check and clean the bracket to ensure proper functioning. Avoid exposure to harsh chemicals or extreme temperatures.

FAQ:

- **Q: Can this mount bracket be used outdoors?**  
A: This bracket is designed for indoor use only. For outdoor applications, consider weatherproof alternatives.
- **Q: Is professional installation required?**  
A: While DIY installation is possible, professional installation is recommended for optimal performance and safety.
- **Q: How can I adjust the angle of the camera once mounted?**  
A: The angle of the camera can be adjusted by loosening the bracket screws and repositioning the camera as needed.

System Overview

The DH-PFB5310C supports in-ceiling mounting The bracket is designed to suit complex scenes, making it convenient to use in environments with high temperatures, humidity, and corrosivity. It is ideal for mounting cameras in temperatures ranging from −40 °C to 60 °C (−40 °F to 140 °F) and in environments with relative humidity of less than 90%.

- SECC and PC Construction
- Simple and Convenient Installation
- Compatible with 4A425DBNR

Technical Specification

Construction

Material	SECC, PC
Dimensions	238.0 mm × 78.0 mm (9.37 in. × 3.07 in.)
Color	White
Net Weight	0.35 kg (0.77 lb)
Gross Weight	0.62 kg (1.37 lb)
Load Bearing Weight	3.0 kg (6.61 lb)
Package Dimensions (L × W × H)	286.0 mm × 286.0 mm × 120.0 mm (11.26 in. × 11.26 in. × 4.72 in.)

Environment

Operating Temperature	–40 °C to +60 °C (–40 °F to +140 °F)
Operating Humidity	< 90% (RH)
Storage Temperature	–40 °C to +60 °C (–40 °F to +140 °F)
Storage Humidity	10% to 90% (RH)
Anti-Corrosion Level	Basic Protection

## Ordering Information

Type	Part Number	Description
Camera Mount	DH-PFB5310C	In-ceiling Mount Bracket


For all possible accessory combinations for this camera, please scan or click the QR code below to go to our accessory selector.



## Packaging Information

- 1 x In-Ceiling Mount Bracket
- 1 x M4 x 4 Screw
- 1 x Anti-Drop Rope
- 1 x Installation Guide

## Dimensions



[us.dahuasecurity.com](http://us.dahuasecurity.com)

© 2023 Dahua Technology USA. All rights reserved. Design and specifications are subject to change without notice.

## Documents / Resources

	<p><a href="#">dahua PFB5310C In Ceiling Mount Bracket</a> [pdf] Owner's Manual</p> <p>PFB5310C, PFB5310C, PFB5310C In Ceiling Mount Bracket, In Ceiling Mount Bracket, Ceiling Mount Bracket, Mount Bracket, Bracket</p>
--	---

## References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.