



## dals SM-PLUG Smart Plug User Guide

[Home](#) » [dals](#) » dals SM-PLUG Smart Plug User Guide 

### Contents

- [1 dals SM-PLUG Smart Plug](#)
- [2 Install your dals device](#)
- [3 Download or update the app](#)
- [4 Connect your device](#)
- [5 Have fun!](#)
- [6 Need assistance?](#)
- [7 Warranty](#)
- [8 FCC Compliance](#)
- [9 IC Compliance](#)
- [10 Documents / Resources](#)
- [11 Related Posts](#)



### dals SM-PLUG Smart Plug



### Install your dals device

Remove the device from its packaging and install it.



## Download or update the app

Visit the App Store or Google Play to download the latest version of the free Dals Connect app.



## Connect your device


Using the app, connect your product by adding a new device to your account.

- For a complete step-by-step guide, please see the WJfj Connection Guide at [www.dals.com/resources](http://www.dals.com/resources)
- This product supports WIFI/BLE dual-mode connection



## Have fun!

Use the Dals Connect app, Amazon Alexa, or Google Assistant and light up your world!



## Need assistance?

Our support team is here to help. Send an email to [info@dals.com](mailto:info@dals.com) or, call us toll-free at 1-877-430-1878

## Warranty

Dals offers a 3 year warranty from the date of purchase that covers repair or replacement of defective parts of the housing, optics, and electronics. To contact dals customer service call 1-877-430-1818 or send an e-mail to [info@dals.com](mailto:info@dals.com)


FCC Compliance

FCC Radiation Exposure Statement: This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, human proximity to the antenna shall not be less than 20cm (8 inches) during normal operation

IC Compliance

by the party responsible for compliance could void the user’s authority to operate the equipment. ISED RF Exposure statement This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the ISED radio frequency exposure limits, Human proximity to the antenna shall not be less than 20cm (7.9 inches) during normal operation

Documents / Resources

	<a href="#">dals SM-PLUG Smart Plug</a> [pdf] User Guide SMPLUG, 2AQSN-SMPLUG, 2AQSNSMPLUG, SM-PLUG Smart Plug, Smart Plug
---	---