

DANCO 10419 Lever Handle Replacement for Single Handle Faucets



## DANCO 10419 Lever Handle Replacement for Single Handle Faucets Instruction Manual

[Home](#) » [DANCO](#) » DANCO 10419 Lever Handle Replacement for Single Handle Faucets Instruction Manual 

### Contents

- [1 DANCO 10419 Lever Handle Replacement for Single Handle Faucets](#)
- [2 Specifications](#)
- [3 Instructions](#)
- [4 FAQ](#)
- [5 Documents / Resources](#)
  - [5.1 References](#)
- [6 Related Posts](#)



**DANCO 10419 Lever Handle Replacement for Single Handle Faucets**






## Specifications

Component	Description
A	Handle
B	Set Screw
C	Adapter (C)
D	Adapter (D)
E	Handle Stem Cavity

## Instructions

### Tools Required: None

1. Turn OFF the water supply to the faucet.
2. Refer to OEM instructions to safely remove the old handle from your faucet (E).
3. Danco 10419 comes with a handle (A), wrench (B) and adapters (C&D).
4. Use adapter (C) or (D) (refer to image II) and slide it into the handle stem cavity in the orientation shown on image III.  
Note: Only a single adapter should be used for assembly. Adapter D fits most American Standard models.
5. Take the handle (with adapter) and place it over the faucet stem carefully. Use the wrench (B) to tighten the set screw in the handle onto the stem.
6. If the handle (with adapter) isn't seating over your stem then simply remove the adapter and try the other adapter. If both adapters don't work, simply remove the adapter from the handle cavity and then tighten the handle directly onto the stem without the adapter. You can discard the adapters.
7. Turn ON the water supply to the faucet. CHECK FOR LEAKS.



## FAQ

- **What tools are required for the installation?**
  - No tools are required for the installation of the Danco 10419 handle.
- **What should I do if the handle doesn't fit?**
  - If the handle doesn't fit with one adapter, try the other adapter included. If neither adapter fits, you can install the handle directly onto the stem without an adapter.
- **What should I check after installation?**
  - After installation, turn on the water supply and check for any leaks.

## Documents / Resources

	<p><a href="#">DANCO 10419 Lever Handle Replacement for Single Handle Faucets</a> [pdf] Instruction Manual</p> <p>10419 Lever Handle Replacement for Single Handle Faucets, 10419, Lever Handle Replacement for Single Handle Faucets, Replacement for Single Handle Faucets, Single Handle Faucets, Handle Faucets</p>
---	---

## References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.