



Home » Danfoss » Danfoss RTD 014G0251 Ally Radiator Thermostat User Guide 📆



Contents [hide]

- 1 Danfoss RTD 014G0251 Ally Radiator Thermostat
- 2 Product Specifications
- 3 Downloading the App
- 4 How to mount the thermostat
- 5 Continue system setup in the App
- 6 Safety precautions
- 7 FAQs
- 8 Documents / Resources
 - 8.1 References



Danfoss RTD 014G0251 Ally Radiator Thermostat



Product Specifications

Brand: Danfoss

Model: AllyTM Radiator Thermostat

• Includes: Side adapters, remaining adapters to be purchased separately

Disposal: Must be disposed of as electronic waste

Downloading the App

To download the accompanying mobile application for your Danfoss AllyTM Radiator Thermostat, please follow these steps:

- 1. Refer to the manual provided with your gateway for specific instructions.
- 2. Visit the official website provided in the manual, or scan any QR code available for downloading the app.

Please use the manual provided with your gateway and follow the instructions to download the App.



How to mount the thermostat

Remove the battery cover as shown in the diagram and insert two AA batteries.




- Make sure the batteries are correctly oriented.
- Screw the Danfoss Ally™ onto the mounted adapter until a click sound appears.




- Press and hold the button for seconds.
- The temperature set point will show on the screen once the Danfoss Ally™ is mounted.

How to reset the thermostat




- 1. Remove the cover and take out one battery.
- 2. Press and hold . Keep holding while reinserting the battery.
- 3. The screen will go blank after approximately 3 seconds.

The adapters from the right side are included. Remaining adapters in the overview above must be purchased separately. Adapter code numbers can be found below each adapter illustration.




Continue system setup in the App



Download Guide



smartheating.danfoss.com



Safety precautions

SIMPLIFIED EU DECLARATION OF CONFORMITY

Hereby, Danfoss A/S declares that the radio equipment type Danfoss Ally™ complies with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: www.danfoss.com.

- The thermostat is not a toy and should not be used by children.
- Avoid leaving packaging materials within reach of children.
- Do not attempt to dismantle the thermostat, as it contains no user-serviceable parts.

The thermostat is not intended for children and must not be used as a toy. Do not leave packaging materials where children may be tempted to play with them, asthis is extremely dangerous. Do not attempt to dismantle the thermostat as it contains no user-serviceable parts.

Danfoss Ltd

Oxford Road, UB9 4LH Denham, United Kingdom Capswood Business Centre, Buckinghamshire

Homepage

www.danfoss.com

Danfoss can accept no responsibility for possible errors in catalogues, brochures, and other printed material. Danfoss reserves the right to alter its products without notice.

This also applies to products already on

order, provided that such alterations can be made without subsequent changes being necessary in specifications already agreed upon. All trademarks in this material are the property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

FAQs

Q: What should I do if I need to reset the thermostat?

A: To reset the thermostat, follow these steps:

- 1. Remove the cover and take out one battery.
- 2. Press and hold the button while inserting the battery. The screen will reset after approximately 3 seconds.

Q: Where can I find the full EU Declaration of Conformity?

A: The full text of the EU Declaration of Conformity is available at the following internet address: www.danfoss.com

Documents / Resources



Danfoss RTD 014G0251 Ally Radiator Thermostat [pdf] User Guide AN35403411071601-IT0201, RTD 014G0251, RAVL 014G0250, RAV 014 G0250, RAV 014G0252, RAVL 014G0253, CALEFFI 014G2461, GIACOM INI 014G0264, GIACOMINI 014G0263, RTD 014G0251 Ally Radiator The rmostat, RTD 014G0251, Ally Radiator Thermostat, Thermostat

References

- User Manual
- Danfoss
- Ally Radiator Thermostat, AN35403411071601-IT0201, CALEFFI 014G2461, Danfoss, GIACOMINI 014G0263, GIACOMINI 014G0264, Radiator Thermostat, RAV 014G0250, RAV 014G0252, RAVL 014G0250, RAVL 014G0253, RTD 014G0251, RTD 014G0251 Ally Radiator Thermostat, Thermostat

Leave a comment

| Your | email | address | will | not | be | published. | Requ | uired | fields | are | marked* |
|------|-------|---------|------|-----|----|------------|------|-------|--------|-----|---------|

| Comment * | |
|--|--------|
| | |
| | |
| | |
| | |
| | |
| | |
| Name | |
| | |
| | |
| Email | |
| | |
| | |
| Website | |
| | |
| | |
| ☐ Save my name, email, and website in this browser for the next time I comme | nt. |
| | |
| Post Comment | |
| | |
| Search: | |
| e.g. whirlpool wrf535swhz | Search |

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.