Manuals+ — User Manuals Simplified.

darkFlash DF98 Gasket Structure Mechanical Keyboard

darkFlash DF98 Gasket Structure Mechanical Keyboard User Manual

Contents

darkFlash

darkFlash DF98 Gasket Structure Mechanical Keyboard

Packaging Contents

1. Keyboard
2. Receiver
3. Manual
4. High quality data cable
5. Mechanical shaft*2pcs
6. Pull key shaft two in one

Keyboard Specification

- System: Mac OS X10.4 + Win XP/7 above
- Light: Non-light/ RGB colourful
- Keys num: 98
- Battery: 1200mAh / 4000mAh
- Size: 387.5*143.1*32.7±Smm (not included keycap)
- Connect: Wired+ 2.4G wireless+ BT
- Keycap: ABS two-colour injection molding

Keyboard connEction method

Rotate encoder mode.
Power off• Bluetooth mode• 2.4G mode• Wired mode

Bluetooth Connection

- Bluetooth name: (DF98 BT3.0)(DF98 BTS.0)
- Bluetooth Pairing: Rotate the encoder to the BT state.

  Short press FN+l/2/3 to switch to BT 1/2/3 mode, then long press "FN+ 1/2/3" for 3s for code pairing.

2.4G Wireless Connection

Wired Instructions

TYPE-C ⚡

Keyboard Illuminated

(OnlyforRGBVers1on)

FN	Esc	Restore default		FN	▲	Increase brightness
FN	\	Switch RGB lighting effect		FN	▼	Decrease brightness
FN	◄	Change RGB lighting direction		FN	−	Reduce RGB lighting speed
FN	►	Change RGB lighting color		FN	+=	Increase RGB lighting effect speed

Combination Function Keys

| FN | F1 ☼ | Screen dimming | FN | F5 | Calculator | FN | F9 ■ | Stop |
FN	F2 ☀	Screen lighting	FN	F6 ◄	Volume decrease	FN	F10 ◄◄	Previous track
FN	F3 ⌂	Homepage	FN	F7 ◄»	Volume increase	FN	F11 ►ll	Play / Pause
FN	F4 ✉	E-mail	FN	F8 ◄×	Mute	FN	F12 ►►l	Next track

Supplementary Explanation

System Switching

1. Short press FN+A to switch to MAC system mode, MAC indicator light on.
2. Short press FN+S to switch to WIN system mode, MAC indicator light off.

Indicator Light Indication Method

Separate indicator lights on the keyboard, including N UM light, CAPS lock light, MAC system light, and low-

voltage/charging light

1. First indicator light: Num light (white).
2. Second indicator light: Caps light (white),
3. Third indicator light: MAC system light (white) turns on when switching to MAC system, off when switching to WIN.
4. Fourth indicator light: Low voltage/charging light (white). Remains on during charging. Turns off when fully charged. Flashes slowly when voltage is below 3.3V to indicate low voltage. Flashes slowly for 5 seconds after button release when battery is low. Continuously flashes slowly until keyboard shuts down if button is kept pressed.

FCC

FCC Warning

This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure.
requirement. The device can be used in portable exposure condition without restriction.

ANY PROBLEM?
Please send to **support@darkflash.com**
Warranty: 1 Year

Documents / Resources

	darkFlash DF98 Gasket Structure Mechanical Keyboard [pdf] User Manual DF98 Gasket Structure Mechanical Keyboard, DF98, Gasket Structure Mechanical Keyboard, Structure Mechanical Keyboard, Mechanical Keyboard, Keyboard
	darkFlash DF98 Gasket Structure Mechanical Keyboard [pdf] User Manual DF98 Gasket Structure Mechanical Keyboard, DF98, Gasket Structure Mechanical Keyboard, Structure Mechanical Keyboard, Mechanical Keyboard, Keyboard
	darkFlash DF98 Gasket Structure Mechanical Keyboard [pdf] User Manual DF98 Gasket Structure Mechanical Keyboard, DF98, Gasket Structure Mechanical Keyboard, Structure Mechanical Keyboard, Mechanical Keyboard, Keyboard
	darkFlash DF98 Gasket Structure Mechanical Keyboard [pdf] User Manual DF98 Gasket Structure Mechanical Keyboard, DF98, Gasket Structure Mechanical Keyboard, Structure Mechanical Keyboard, Mechanical Keyboard, Keyboard

References

- **User Manual**