

**datacolor**

# Light Color Meter



## datacolor Light Color Meter Owner's Manual

[Home](#) » [datacolor](#) » datacolor Light Color Meter Owner's Manual 

### Contents

- 1 datacolor Light Color Meter
- 2 Product Usage
- Instructions:
- 3 Get Started
- 4 FAQs
- 5 Documents / Resources
  - 5.1 References

**datacolor**

### datacolor Light Color Meter



### Specifications

- Power Source: Two AAA batteries
- Connectivity: Bluetooth

- Mobile App: Datacolor LightColor Meter

## Product Usage Instructions:

### Installing Batteries

1. Open the case of the device.
2. Insert two AAA batteries into the designated slots.
3. Replace the lid, starting with the hook to secure it in place.

### Connecting to Mobile Device

1. Enable Bluetooth on your mobile device.
2. Download and open the Datacolor LightColor Meter app from the App Store or Google Play Store.
3. Press the button on the corner of the device to turn it on.
4. Follow the on-screen instructions on the app to connect the device to your mobile device.
5. Once connected, you can start using the LightColor Meter for color measurements.

For more detailed information on all available features of the LightColor Meter, please visit our website at [goto.datacolor.com/getlcmeter](http://goto.datacolor.com/getlcmeter) or [datacolorchina.cn/getlcmeter](http://datacolorchina.cn/getlcmeter).

## Get Started

1. Install batteries



1. Open case
2. Insert two AAA batteries
3. Replace lid, starting with the hook
2. Enable Bluetooth on your mobile device
3. Download and open the Datacolor LightColor Meter app



4. Press the button on corner of the device
5. Follow the on-screen instructions to connect
6. Click 'Done' or the back arrow for the Home screen



For more detailed information on the LightColor Meter and all available features, visit our website:

- [goto.datacolor.com/getlcmeter](https://goto.datacolor.com/getlcmeter)
- [datacolorchina.cn/getlcmeter](https://datacolorchina.cn/getlcmeter)



## FAQS


### Q: How do I change the batteries?

A: To change the batteries, follow the steps outlined in the user manual. Open the case, remove the old batteries, insert two new AAA batteries, and replace the lid securely.

### Q: How do I calibrate the LightColor Meter?

A: The LightColor Meter typically does not require calibration. If you encounter any issues with accuracy, please refer to the user manual for troubleshooting steps or contact customer support for assistance.

## Documents / Resources

	<p><a href="#">datacolor Light Color Meter</a> [pdf] Owner's Manual Light Color Meter, Light Color Meter, Color Meter, Meter</p>
---	--

## References

- [User Manual](#)

### [Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.