Manuals+ — User Manuals Simplified.

DAYTECH E-05W-O Wrist Call Button User Guide

DAYTECH E-05W-O Wrist Call Button

Contents

Dimension

Instillation

Red light flash when low battery.

Use a tool to lift the battery cover.

Replace the 3V CR2032 Lithium Coin Battery, then put the cover back to complete the battery replacement.

How It Works

FCC Statement

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and

2. This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.
This transmitter must not be located or operating in conjunction with any other antenna or transmitter.

ISED RSS Warning/ISED RF Exposure Statement

ISED RSS Warning:

This device complies with Innovation, Science and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

ISED RF exposure statement:

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Documents / Resources

DAYTECH E-05W-O Wrist Call Button [pdf] User Guide
E-05W, E-05W-O Wrist Call Button, E-05W-O, Wrist Call Button, Call Button, Button

References

- **User Manual**