

db Link DBLBT1 Bluetooth Control Module Instruction Manual

Contents

- 1 DBLBT1 Bluetooth Control Module
 - 1.1 BLUETOOTH CONTROL MODULE
 - 1.2 DB LINK DBLBT1 BLUETOOTH CONTROL
 - 1.3 HOW TO PAIR THE DBLBT1 TO YOUR BLUETOOTH DEVICE
 - 1.4 CONTROL KNOB OPERATING INSTRUCTIONS
 - 1.5 WIRING INSTRUCTIONS
 - 1.6 MOUNTING INSTRUCTIONS
 - 1.7 UNDER DASH MOUNT
- 2 Documents / Resources
 - 2.1 References
- 3 Related Posts

DBLBT1 Bluetooth Control Module



DBLBT1

BLUETOOTH CONTROL MODULE



Designed and Engineered in the U.S.A.

www.dblink.net

Contact us at: 1-800-787-0101

support@dbdrive.net

DB LINK DBLBT1 BLUETOOTH CONTROL



The DBLBT1 is an easy to operate Bluetooth Volume Control Knob.

One simple knob controls all Bluetooth functions as well as the system volume!

HOW TO PAIR THE DBLBT1 TO YOUR BLUETOOTH DEVICE

STEP 1 : Turn on DBLBT1 by turning on your 12 volt ignition or dash switch. The blue LED will indicate that the DBLBT1 is powered on.

STEP 2: Press in and hold the control knob until you see the blue indicator flashing. Once flashing, the DBLBT1 is ready to be paired with your Bluetooth device.

STEP 3: From your device's Bluetooth pairing menu, find the DB Link BT and connect to it.

CONTROL KNOB OPERATING INSTRUCTIONS



AUDIO PLAY : Start your media player or music streaming.

AUDIO PAUSE: Tap the knob once to pause, tap a second time to resume play mode.


TRACK FORWARD: Turn the knob counter-clockwise for approximately 1 second.

VOLUME UP: Turn and hold the knob Clockwise to desired volume level.

VOLUME UP: Turn and hold the knob Counter-clockwise to desired volume level.

WIRING INSTRUCTIONS

Red Wire 12v +
 Wire to 12v positive (+)
 switched ignition or dash
 switch
 Blue Wire 12v +
 Wire to amp remote
 turn on input
 Black Wire 12v Ground
 Negative (-) ground
 terminal or ground
 terminal block
 RCA Cables
 RCA inputs on amp



NOTE: To power unit on and off manually – simply push in and hold the knob until the unit powers on or off.

MOUNTING INSTRUCTIONS


Remove the surface mount portion of the controller by unscrewing the large nut on the DBLBT1 back section. Drill a 1" or 25mm hole in your desired mounting location making sure that you have checked your wires or anything else that could be affected by the drilling into the dash. Install the controller from the front and secure it with the main body nut from behind. Make sure the Bluetooth knob is correctly oriented before tightening into place.

UNDER DASH MOUNT

Use two included screws to mount controller under the dash on surface mount applications using the supplied bracket.

Notice: This unit is universal . Professional installation is highly recommended to ensure proper fit and performance. In no event shall DB Research LLP be liable for any direct, indirect, punitive, incidental, special consequential damages, to property or life, whatsoever arising out of or connected with the use or misuse of our products."

Documents / Resources

	<p>db Link DBLBT1 Bluetooth Control Module [pdf] Instruction Manual DBLBT1 Bluetooth Control Module, DBLBT1, Bluetooth Control Module, Control Module, Modul e</p>
---	--

References

-  [DB Link – Cables & More For You!](#)
-  [Manual-Hub.com - Free PDF manuals!](#)

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.