


defender SPK-22 2.0 Speaker System



defender SPK-22 2.0 Speaker System Instruction Manual

[Home](#) » [Defender](#) » defender SPK-22 2.0 Speaker System Instruction Manual 

Contents

- [1 defender SPK-22 2.0 Speaker System](#)
- [2 Product Usage Instructions](#)
- [3 Connection](#)
- [4 Functions](#)
- [5 SPEAKER SYSTEM OPERATION](#)
- [6 Features](#)
- [7 Specification](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)



defender SPK-22 2.0 Speaker System



Specifications:

- **Speaker Type:** 2.0
- **Connection:** 2 TRS (F) – TRRS (M) adapter (sold separately)
- **Power Source:** USB

Product Usage Instructions

Connection

To connect the speaker system, follow these steps:

1. Connect the audio plug to the 2 TRS (F) – TRRS (M) adapter.
2. Plug the adapter into the audio device.
3. Connect the power source via USB.

Power Source

The speaker system is powered by USB. To power the system, follow these steps:

1. Connect the USB cable to the speaker system.
2. Plug the other end of the USB cable into a USB power source.



Note: The USB charger is sold separately. It is important to connect the USB for the speaker system to work.

Frequently Asked Questions


- **Q:** What happens if I don't connect the USB?
- **A:** If you don't connect the USB, the speaker system will not work.

Connection

Connect the audio plug




Connect the power via USB*



ATTENTION: if you don't connect the USB speaker will not work!!!

Functions



SPEAKER SYSTEM OPERATION

SPEAKER SYSTEM OPERATION MANUAL

Declaration of Conformity

Operation of a device (devices) may be affected by strong static, electrical or high-frequency fields (radio installations, mobile telephones, microwaves, electrostatic discharges)/ If occurs, Try increasing the distance from the devices causing the interface.

Disposal of batteries, electrical and electronic equipment

This sign on the product, its batteries or its package indicates that the product cannot be disposed together with domestic waste. It should be delivered to an appropriate batteries, electrical and electronic equipment collecting and recycling company.

Terms and conditions of safe and efficient use of the product Usage precautions:

1. Use the product for its intended purpose only.
2. Do not disassemble. This product does not contain parts that are entitled to self-sufficient repair. On the question of maintenance and replacement of a failed item apply to a dealer or Defender authorized service center. While receiving the product make sure that it is unbroken and there are no freely moving objects inside the product.
3. Keep away from children under the age of 3. May contain small parts.
4. Keep away from humidity. Never immerse the product in liquids.
5. Keep away from vibrations and mechanical stresses, which can cause mechanical damage of the product. In case of mechanical damage, no warranties are provided.
6. Do not use it in the presence of visual damage. Do not use it when the product is obviously defective.
7. Do not use the product at temperatures below and above recommended temperatures (see the operation manual), under the conditions of humidity evaporation, as well as in a hostile environment.
8. Do not put it into the mouth.
9. Do not use the product for industrial, medical or manufacturing purposes.
10. In case the shipment of the product was conducted in subzero temperatures, then before operating, the product should be kept in a warm placement (+16-25°C or 60-77°F) within 3 hours.
11. Turn off the device each time, when it is not planned to use it for an extended period of time.
12. Do not use the device while driving the vehicle, if it is diverted attention, and in other cases when the law obliges you to turn off the device.

Features

- Compact size
- Volume control
- USB powered

Specification

- **Speaker system type:** active
- **Sound scheme:** mono, 2.0
- **Total output power (RMS):** 4 W
- **Satellite wattage (RMS):** 2 x 2 W
- **Signal-to-noise ratio:** 80 dB
- **Frequency range:** 200–18000 Hz


- **Speaker driver impedance:** 4 Ohm
- **Broadband speaker:** 2 x 2 “
- **Interface:** 3.5 mm jack (m)
- **Volume control:** on the back panel
- **Power supply:** via USB, 5V
- **Power supply cable length:** 0.7 m
- **AUX cable length:** 0.7 m
- **Cable length between satellites:** 0.6 m
- **Housing material:** plastic

Manufacturer: DIGIMAX TECHNOLOGY (DONGGUAN) CO., LTD. Address: Bldg B, No.37 Fumin Road, Xiabian Community, Houjie Town, Dongguan, China.

- Unlimited shelf life. Service life is 2 years.
- Date of manufacture: see on the package.

The manufacturer keeps the right to change package contents and specifications indicated in this manual. The latest and detailed operation manual is available at www.defender-global.com Made in China.

Documents / Resources

| | |
|---|--|
|  | defender SPK-22 2.0 Speaker System [pdf] Instruction Manual SPK-22 2.0 Speaker System, SPK-22, 2.0 Speaker System, Speaker System |
|---|--|

References

- [🌐 Defender](#)
- [📺 Defender](#)
- [📺 Defender](#)
- [📺 Defender](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.