





# **DELTA INT-KLCDS-BL Keypad For Alarm Control Panel User** Manual

Home » Delta » DELTA INT-KLCDS-BL Keypad For Alarm Control Panel User Manual



#### **Contents**

- 1 DELTA INT-KLCDS-BL Keypad For Alarm Control
- **Panel**
- **2 Product Information**
- **3 Product Usage Instructions**
- 4 pfety measures:
- 5 In the kit
- 6 Documents / Resources
  - **6.1 References**
- **7 Related Posts**



**DELTA INT-KLCDS-BL Keypad For Alarm Control Panel** 



# **Product Information**

• Product Name: INT-KLCDS-BL Keypad for Alarm Control Panel

• Brand: SATEL

• Power Supply: 12 V DC

• Current Consumption: max. 151 mA

• Operating Temperature: Suitable for normal operating temperatures

• Weight: 0.14 kg

• **Dimensions:** 114 x 94 x 24 mm

• Manufacturer: DELTA-OPTI Monika Matysiak

• Warranty: 2 years

### **Product Usage Instructions**

#### Installation

- 1. Remove the cover of the INT-KLCDS-BL keypad to access the mounting side view.
- 2. Mount the keypad securely in the desired location using appropriate mounting hardware.
- 3. Ensure the keypad is placed away from caustic, staining, andn viscous fluids to prevent damage.

#### Operation

- 1. Connect the keypad to the INTEGRA series alarm control system using the provided instructions.
- 2. Use the LCD display to view text messages and navigate through the alarm control system functionalities.
- 3. Follow the user manual for programming the alarm control system bwith ease.

#### **Maintenance**

Regularly clean the keypad using a soft, dry cloth to prevent dust accumulation and ensure proper functioning.

#### Frequently Asked Questions (FAQ)

#### Q: What is the warranty period for the INT-KLCDS-BL keypad?

**A:** The warranty for the INT-KLCDS-BL keypad is 2 years from the date of purchase.

#### Warning!

- Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.
- Only persons who read the user manual may use the device.
- The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.
- The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order.
- If the product has defects, it should not be used until it is repaired.
- The product is intended for use at home and commercial use and may not be used for other than intended use.
- The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.
- The manufacturer and the supplier are not liable for losses or damages arising out of the product, including
  financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products
  related with it indirect, incidental or consequential loss or damage.
- The above provisions apply whether the loss or damage concerns:
- 1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity;
- 2. Improper results of operation of the product or products related with it;
- 3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

#### pfety measures:

- Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.
- The device must be secured against contact with caustic, staining and viscous fluids.
- The device was designed in such a way that it restarts operation when power supply is restored after a break.
- Attention! We recommend using protections to further protect the device from possible overvoltages in
  installations. Surge protectors are effective protection against accidental pass to the device voltages higher
  than the rated. Damages caused by pass the voltages higher than specified in manual, are not under warranty.
- Turn off the device before transporting it.

• Prior to connecting the device to a power source check whether the supplied voltage is consistent with rated voltage specified in the user manual.


#### Proper product disposal:

A marking of a crossed out waste bin indicates that the product may not be disposed together with other household waste in the entire EU. To avoid possible damage to the natural environment of health due to uncontrolled waste disposal, therefore, it should be handed over for recycling, propagating in this way sustainable use of natural resources.

To return a worn-out product, use a collection and disposal system of this type of equipment or contact a seller from whom it was purchased. He will then be recycled in an environmentally-friendly way.

The INT-KLCDS-BL keypad is intended for daily operations and programming the INTEGRA series alarm control system. With the LCD display showing text messages, even advanced functionalities of the alarm control unit are simple and convenient.

| Support:              | INTEGRA  |
|-----------------------|--|
| Main features:        | <ul> <li>Blue backlight of the keys</li> <li>LEDs indicating device operation state</li> <li>Alarms: keypad hold-down PANIC, FIRE and AUX</li> <li>Bbuzzer for acoustic signaling of some system events</li> <li>2 Inputs</li> <li>Panel communication loss indication</li> <li>RS-232 port allows to programming using the PC with GUARDX softwa re installed</li> <li>Microswitch as tamper contact</li> </ul> |
| Power supply:         | 12 V DC  |
| Current consumption:  | max. 151 mA  |
| Operation temp:       | -10 °C 55 °C   |
| Weight:               | 0.14 kg  |
| Dimensions:           | 114 x 94 x 24 mm   |
| Manufacturer / Brand: | SATEL  |
| Guarantee:            | 2 years  |



View after remove the cover



Mounting side view



### In the kit



#### **PACKAGE**

Dimensions (L x W x H): 0x0x0 mm Gross Weight: 0 kg

DELTA-OPTI Monika Matysiak; <a href="https://www.delta.poznan.pl">https://www.delta.poznan.pl</a> POL; 60-713

e-mail: delta-opti@delta.poznan.pl tel: +(48) 61 864 69 60

## **Documents / Resources**



DELTA INT-KLCDS-BL Keypad For Alarm Control Panel [pdf] User Manual INT-KLCDS-BL Keypad For Alarm Control Panel, INT-KLCDS-BL, Keypad For Alarm Control Panel, Alarm Control Panel, Control Panel, Panel

# References

• <u>Monitoring, Kamery, Alarmy - sklep.delta.poznan.pl</u>

## • User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.