



DIGITAL WATCHDOG DWC-V4HWMV Hanging Mount for Snapit Vandal Dome Camera User Guide

[Home](#) » [DIGITAL WATCHDOG](#) » DIGITAL WATCHDOG DWC-V4HWMV Hanging Mount for Snapit Vandal Dome Camera User Guide 

Contents

- [1 DIGITAL WATCHDOG DWC-V4HWMV Hanging Mount for Snapit Vandal Dome Camera](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 WHAT'S IN THE BOX](#)
- [5 INSTALLATION](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)

DIGITAL
WATCHDOG

DIGITAL WATCHDOG DWC-V4HWMV Hanging Mount for Snapit Vandal Dome Camera



Product Information

Hanging Mount for Snapit™ Vandal Dome Cameras



The DWC-V4HMW hanging mount is designed for use with Snapit™ vandal dome cameras. The mount is made of durable materials that can withstand harsh weather conditions and is perfect for outdoor surveillance. The mount comes with camera mounting screws for easy installation. The hanging mount is designed to securely attach the junction box to the mount cap, and to pass wires through to make necessary connections. The cable holder at the base of the junction box helps manage the camera's cables.

Note: The camera base must be removed from the junction box before attaching it to the hanging mount.

Product Usage Instructions

1. Download all the support materials and tools needed for installation from the Digital Watchdog website (<http://www.digital-watchdog.com/resources>).
2. Remove the dome from the camera base before attaching it to the hanging mount.
3. Remove the camera base from the junction box.
4. Use the camera mounting screws (included in the box) to secure the junction box to the mounting cap.
5. Pass wires through and make all necessary connections. Use the cable holder at the base of the junction box to manage the camera's cables.
6. Connect the camera to the junction box.
7. Adjust the camera lens module's position and secure the dome cover to the camera (see the camera's QSG for camera setup information).
8. Note that touching the lenses when handling the camera modules can damage them. Follow these instructions carefully to install your Snapit™ vandal dome camera securely onto the hanging mount for optimal outdoor surveillance.

WHAT'S IN THE BOX

Camera Mounting Screws		4	Quick Setup Guide		1
------------------------	---	---	-------------------	---	---


NOTE: Download all your support materials and tools in one place.

1. Go to: <http://www.digital-watchdog.com/resources>
2. Search your product by entering the part number in the 'Search by Product' search bar. Results for applicable part numbers will populate automatically based on the part number you enter.
3. Click 'Search'. All supported materials, including manuals and quick start guide (QSGs) will appear in the results.




INSTALLATION

1. Secure the hanging mount to the pole (NTP ¾ thread).
2. Before attaching the camera to the hanging mount, remove the dome from the camera base. Remove the camera base from the junction box.
3. Use the camera mounting screws (included with the bracket) to secure the junction box to the mount cap.
4. Pass wires through and make all necessary connections. Use the cable holder, at the base of the junction box, to manage the camera's cables as needed.
5. Connect the camera to the junction box. Adjust the camera lens module's position and secure the dome cover to the camera. See the camera's QSG for camera setup information.




NOTE: Do not touch the lenses when handling the camera modules.



Copyright © Digital Watchdog. All rights reserved. Specifications and pricing are subject to change without notice.

Documents / Resources

	<p>DIGITAL WATCHDOG DWC-V4HWMV Hanging Mount for Snapit Vandal Dome Camera [pdf] User Guide DWC-V4HWMV, DWC-V4HWMV Hanging Mount for Snapit Vandal Dome Camera, Hanging Mount for Snapit Vandal Dome Camera, Mount for Snapit Vandal Dome Camera</p>
---	--

References

- [DW Digital Watchdog I Welcome](#)
- [DW Resources](#)