



**Contents** [ [hide](#) ]

- [1 DIGITUS DK-1617-005-WH UTP Patch Cord](#)
- [2 Product Specifications](#)
- [3 Product Usage Instructions](#)
- [4 CONTACT INFORMATION](#)
- [5 FAQs](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)



## DIGITUS DK-1617-005-WH UTP Patch Cord



## Product Specifications

- **Product Name:** DIGITUS CAT 6 U/UTP patch cord – LSZH
- **Part Number:** DK-1617-005/WH
- **EAN:** 4016032387657
- **Cable Type:** CAT 6 U/UTP
- **Conductor Material:** Copper (Cu)
- **Jacket Material:** LSZH (Low Smoke Zero Halogen)
- **AWG:** 26/7
- **Length:** 0.50 meters
- **Color:** White
- **DIGITUS CAT 6 U/UTP** patch cord – LSZH
- **Part no.:** DK-1617-005/WH
- **EAN:** 4016032387657
- **CAT 6 U-UTP** patch cord, Cu, LSZH AWG 26/7, length 0.50 m, color white

## Product Usage Instructions



### Safety Notes:

- When plugging and unplugging the cable, only grasp the plug and do not pull directly on the cable.
- Cables must not be kinked sharply or bent at tight angles, as this can damage the inner wires and lead to failures.
- Ensure that the cables are not under tensile load, as this can damage the insulation and the wires inside the cable.
- Ensure that cables are not laid in areas where they can be easily damaged mechanically.
- Cables should not be used in environments with extremely high or very low temperatures. Observe the product information on the maximum operating temperature of the cable
- Check cables regularly for visible damage such as cracks, kinks or signs of wear. Defective cables should be replaced immediately to avoid failures, short circuits or even electric shocks.


## CONTACT INFORMATION

- **EU responsible person**
- EU based economic operator ensuring the product complies with the required regulations.
- ASSMANN Electronic GmbH
- <https://www.assmann.com>
- Auf dem Schüffel 3
- Lüdenscheid, Germany
- **Email:** [info@assmann.com](mailto:info@assmann.com)

## FAQs

- **Q: Can this patch cord be used for outdoor installations?**
  - **A:** No, this patch cord is designed for indoor use only. For outdoor installations, use suitable outdoor-rated cables.
- **Q: What is the maximum data transfer speed supported by this CAT 6 patch cord?**
  - **A:** This CAT 6 U/UTP patch cord supports data transfer speeds of up to 1 Gbps.
- **Q: Is this patch cord compatible with PoE (Power over Ethernet) devices?**
  - **A:** Yes, this patch cord is compatible with PoE devices, ensuring both data and power transmission.

## Documents / Resources

	<p><a href="#">DIGITUS DK-1617-005-WH UTP Patch Cord [pdf]</a> Instructions</p> <p>DK-1617-005-WH UTP Patch Cord, DK-1617-005-WH, UTP Patch Cord, Patch Cord</p>
---	--

## References

- [User Manual](#)

---

# Leave a comment

Your email address will not be published. Required fields are marked \*

Comment \*

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

**Post Comment**

**Search:**

**Search**

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.