



# Display Pros 02 MODify 4-Sided Kit Instruction Manual

[Home](#) » [Display Pros](#) » Display Pros 02 MODify 4-Sided Kit Instruction Manual 

## Contents

- 1 Display Pros 02 MODify 4-Sided Kit
- 2 Product Information
- 3 Product Usage Instructions
- 4 Introduction
- 5 Features And Benefits
- 6 Dimensions
- 7 Additional Information
- 8 MODify Accessories
- 9 Tools Required
- 10 How to Apply & Remove Graphics
- 11 SETUP INSTRUCTIONS
- 12 Kit Hardware BOM
- 13 Kit Graphics BOM
- 14 Documents / Resources
  - 14.1 References



**Display Pros 02 MODify 4-Sided Kit**



## Product Information

The MODify 4-Sided Kit 02 is a cutting-edge retail merchandising display tower that is part of the MODify™ Modular Merchandising System. This system is unique and consists of interchangeable fixtures and accessories that can be easily assembled, disassembled, and rearranged to create a variety of different display configurations. The MODify system incorporates SEG push-fit fabric graphics, allowing for easy branding, promotion, and merchandise display.

The MODify 4-Sided Kit 02 features silicone-edge graphics on all four sides and can be adorned with fixtures such as shelves or hang bars. It includes a top header for prominently displaying branding for maximum visibility. The base kit includes a heavy-duty aluminum frame, steel base, steel slotted uprights, and four 36W x 117H SEG push-fit fabric graphics. The center tower can hold a multitude of fixtures for merchandising. Optional accessories for the kit include a monitor mount (32" TV shown), U bars, slatwall hooks, shelves, towel bars, faceout bars, and waterfalls.

The assembled unit dimensions are 60W x 120H x 60D (1524mm(w) x 3048mm(h) x 1524mm(d)) with an approximate weight of 135 lbs (61.235 kg). The shipping dimensions are 96L x 24H x 24D (2438.4mm(l) x 609.6mm(h) x 609.6mm(d)) with an approximate shipping weight of 216 lbs (5486.4 kg). The MODify system comes with a lifetime hardware warranty against manufacturer defects.

## Product Usage Instructions

1. Start by assembling the MODify 4-Sided Kit 02 using the included tools – MULTI HEX KEY and a Phillips

screwdriver (not included).

2. Choose the base kit color by selecting all white, black, or silver for the frame, slatwall, shelf, and base.
3. If desired, attach optional accessories such as a monitor mount, U bars, slatwall hooks, shelves, towel bars, faceout bars, or waterfalls to enhance the display.
4. To apply graphics, follow these steps:
  1. Ensure the setup area is clean by using a drop cloth, washing hands before setup, or wearing gloves.
  2. Push the SEG bead into each corner of the frame (1-4) with your thumb.
  3. Push the SEG bead into the middle of the run (5-8) and work your way around the perimeter of the frame until all beading is pushed in properly.
  4. If necessary, go around the perimeter again to ensure the beading is secure in the extrusion profile.
5. To remove graphics, gently pull the graphic from the frame using the pull tab located on the graphic, going around the perimeter.

For more detailed information on graphic sizes and specifications, refer to the related graphic templates available at <https://www.theexhibitorshandbook.com/downloads/download-graphic-templates>.

**Note:** Please refer to the product website or contact customer support for any updates or changes to specifications and color options.

## Introduction

MODify™ is a one-of-a-kind Modular Merchandising System that is made up of interchangeable fixtures and accessories that can be easily assembled, disassembled, and rearranged to create a variety of different display configurations. The MODify system incorporates SEG push-fit fabric graphics that enable you to brand, promote and merchandise with ease. MODify 4-Sided Kit 02 is a cutting-edge retail merchandising display tower that uses silicone-edge graphics on all four sides and can be adorned with fixtures such as shelves or hang bars. The top header allows branding to be prominently displayed for maximum visibility.

## Features And Benefits

### Base Kit includes

- Frame, slatwall, shelf and base colors in kit are all the same, your choice of all white, black, or silver
- Heavy-duty aluminum frame, steel base
- Steel, slotted uprights
- Center tower holds four 36"W x 117"H SEG push-fit fabric graphics and can hold a multitude of fixtures for merchandising
- Square header holds four 60"W x 18"H SEG push-fit graphics & attaches to Center tower
- Display is easy to assemble and install
- Lifetime hardware warranty against manufacturer defects

### Optional Accessories Include

- Monitor Mount (32" TV Shown)
- U bars
- Slatwall hooks
- Shelves

- Towel bars
- Faceout bars
- Waterfalls

## Dimensions

### Hardware

- **Assembled unit:** 60"W x 120"H x 60"D
  - 1524mm(w) x 3048mm(h) x 1524mm(d)
- **Approximate Weight:** 135 lbs / 61.235 kg

### Shipping

- **Packing case(s):** 1 Box
- **Shipping dimensions:** (96"L x 24"H x 24"D)
  - 2438.4mm(l) x 609.6mm(h) x 609.6mm(d)
- **Approximate shipping weight:** 216 lbs / 5486.4 kg

### Graphics

- **Graphic material:** Dye-sublimated fabric
- See graphic templates for graphic sizes.

Refer to related graphic templates for more information Visit:

<https://www.theexhibitorshandbook.com/downloads/download-graphic-templates> or click here

## Additional Information

### Powder coat color options



### Wood laminate color options



## MODify Accessories

All Accessories available in white, black, or silver


### Slotwall Accessories



MFY-SLT-HK  
4", 6", 8", 10" & 12"



MFY-SLT-FC  
6", 8", 10" & 12"




MFY-SLT-WTR-16-7

### U-Bar Accessories




MFY-TWL-FC  
6", 8" & 10"




MFY-UBR-FC  
6", 8" & 10"

### Shelf and Hanger Bars




MFY-36-12-SHELF




MFY-SLF-36-12-HB



MFY-SLT-TWL-36-3



MFY-UBR-36-12



MFY-DB-36-17

## Tools Required



MULTI HEX KEY  
(INCLUDED)




PHILLIPS SCREW DRIVER  
(NOT INCLUDED)

## How to Apply & Remove Graphics

Installation and removal of SEG graphics is easy!

### Installation



Push the SEG bead into each corner of the frame (1-4) with your thumb, then push the SEG bead into the middle of the run (5-8) and work your way around the perimeter of the frame until all beading is pushed in properly; if necessary, go around the perimeter again to ensure beading is secure in the extrusion profile.

**Note:** Keep the set up area clean by using a drop cloth, washing hands before set-up or by wearing gloves.



**Removal:** Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter.

### Graphics Storage & Care


Graphics should be folded with the graphic facing inward and stored in a zip lock /sealable plastic bag. Spot clean by wiping with a damp white cloth. If washing is necessary, use a commercial size front-loading washing machine, gentle cycle with cool water. Line dry flat. Dry cleaning is NOT recommended to prevent shrinkage.


### SETUP INSTRUCTIONS

| QTY | IMAGE                                                                               | DESCRIPTION                                                                |
|-----|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| 4   |    | 883MM (34.76in) OF SINGLE SIDED SEG EXTRUSION<br>-WITH CAM LOCKS BOTH ENDS |
| 4   |   | 5/16" x 1.6" length thread adjustable foot                                 |
| 4   |  | 2300MM (90.55in) BOTTOM UPRIGHT                                            |













| QTY | IMAGE                                                                               | DESCRIPTION                                                                |
|-----|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| 4   |  | 883MM (34.76in) OF SINGLE SIDED SEG EXTRUSION<br>-WITH CAM LOCKS BOTH ENDS |
| 4   |  | 7MM SEG PLASTIC END CAP FOR 825 EXTRUSION                                  |
| 3   |  | GALV STEEL EYEBOLT W/ SHOULDER & NUT<br>5/16"-18 THRD. 2 3/4" L            |
| 4   |  | 709MM (27.91in) TOP UPRIGHT                                                |



| QTY | IMAGE | DESCRIPTION                                                                                                                                                                                                                                                                 |
|-----|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4   |       | (39.26 w X 121.11 h total size ) 35.26 w X 117.11 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (WITH 1/4" NOTCH LEFT & RIGHT BOTTOM HORIZONTAL SIDE CORNERS) |




THEN PRESS ALONG THE PERIMETER EDGE



| QTY | IMAGE                                                                               | DESCRIPTION                                                                                                                                                                                          |
|-----|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   |  | (244.00 w X 22.00 h total size) 240.00 w X 18.00 h finish size. Custom Pillowcase Graphic, dye-sub print on 5oz. Soft Knit, opaque liner, single sided, sewn with zipper, up to 120" width (Outside) |

## SET UP INSTRUCTIONS



1. CONNECT BOTTOM AND TOP TUBES FOLLOWING THE LABELS
2. CONNECT SIDE TUBES
3. CLEAN THE FRAME AND PLACE THEM ON CLEAN PLACE
4. CAREFULLY REMOVE FABRIC COVER FROM BAG
5. PLACE COVER AROUND THE BOTTOM OF THE FRAME
6. PULL COVER CAREFULLY UP TO THE TOP
7. CLOSE ALL ZIPPERS
8. ADJUST FABRIC AROUND THE FRAME
9. CONNECT CABLE HARNESS TO THE EYEBOLTS
10. COMPLETELY TIGHTEN THREADED CONNECTORS


### **BREAK DOWN INSTRUCTIONS**

- REVERSE SET-UP STEPS TO BREAKDOWN FRAME

### **FABRIC CARE INSTRUCTIONS**

1. UNZIP COVER ZIPPERS
2. CAREFULLY REMOVE FABRIC COVER
3. CLOSE ALL ZIPPERS
4. FOLD OR ROLL NEATLY
5. PLACE FABRIC IN COVER BAG

| QTY | IMAGE                                                                             | DESCRIPTION                                                                                                                                                                                          |
|-----|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   |  | (244.00 w X 22.00 h total size) 240.00 w X 18.00 h finish size. Custom Pillowcase Graphic, dye-sub print on 5oz. Soft Knit, opaque liner, single sided, sewn with zipper, up to 120" width (Outside) |



**Kit Hardware BOM**


| ITEM                                                                                | COMPONENTS            | QTY | DESCRIPTION                                                             |
|-------------------------------------------------------------------------------------|-----------------------|-----|-------------------------------------------------------------------------|
|    | 810-883-01-01         | 8   | 883MM (34.76in) OF SINGLE SIDED SEG EXTRUSION -WITH CAM LOCKS BOTH ENDS |
|    | 825-709               | 4   | 709MM (27.91in) TOP UPRIGHT                                             |
|    | 825-2300              | 4   | 2300MM (90.55in) BOTTOM UPRIGHT                                         |
|    | 825-EC                | 4   | 7MM SEG PLASTIC END CAP FOR 825 EXTRUSION                               |
|    | EYEBOLT-5/16-18-2-3/4 | 4   | GALV STEEL EYEBOLT W/ SHOULDER & NUT 5/16"-18 THRD. 2 3/4" L            |
|   | MFY-EPIN              | 1   | MODify Tapered Extension Pin, 5/16-18 thread                            |
|  | MFY-LVL               | 4   | 5/16" x 1.6" length thread adjustable foot                              |

## Kit Graphics BOM

|                                                                                     |               |   |                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------|---------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     | MFY-4S-01-A-G | 1 | (39.26 w X 121.11 h total size ) 35.26 w X 117.11 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (WITH 1/4" NOTCH LEFT & RIGHT BOTTOM HORIZONTAL SIDE CORNERS) |
|    | MFY-4S-01-B-G | 1 | (39.26 w X 121.11 h total size ) 35.26 w X 117.11 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (WITH 1/4" NOTCH LEFT & RIGHT BOTTOM HORIZONTAL SIDE CORNERS) |
|    | MFY-4S-01-C-G | 1 | (39.26 w X 121.11 h total size ) 35.26 w X 117.11 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (WITH 1/4" NOTCH LEFT & RIGHT BOTTOM HORIZONTAL SIDE CORNERS) |
|    | MFY-4S-01-D-G | 1 | (39.26 w X 121.11 h total size ) 35.26 w X 117.11 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (WITH 1/4" NOTCH LEFT & RIGHT BOTTOM HORIZONTAL SIDE CORNERS) |
|  | MFY-4S-01-E-G | 1 | (244.00 w X 22.00 h total size) 240.00 w X 18.00 h finish size. Custom Pillowcase Graphic, dye-sub print on 5oz. Soft Knit, opaque liner, single sided, sewn with zipper, up to 120" width (Outside)                                                                        |

We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

## Documents / Resources

|                                                                                     |                                                                                                                                                                                |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <a href="#">Display Pros 02 MODify 4-Sided Kit</a> [pdf] Instruction Manual<br>is_mfy-4s-k-02.pdf, IS_mfy-4s-k-02, 02 MODify 4-Sided Kit, MODify 4-Sided Kit, 4-Sided Kit, Kit |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## References

-  [The Exhibitors' Handbook](#)
-  [Graphic Templates](#)