




Display Pros MFY-DS-K-03 MODify Double Sided Kit 03 User Guide

[Home](#) » [Display Pros](#) » Display Pros MFY-DS-K-03 MODify Double Sided Kit 03 User Guide 

Contents

- [1 Display Pros MFY-DS-K-03 MODify Double Sided Kit 03](#)
- [2 Product Information](#)
- [3 Features and Benefits](#)
- [4 Dimensions](#)
- [5 Shipping](#)
- [6 Additional Information](#)
- [7 Product Usage Instructions](#)
 - [7.1 How to Apply & Remove Graphics](#)
- [8 INTRODUCTION](#)
- [9 features and benefits](#)
- [10 dimensions](#)
- [11 additional information](#)
- [12 MODify Accessories](#)
- [13 Tools Required](#)
- [14 How to Apply & Remove Graphics](#)
- [15 Graphics Storage & Care](#)
- [16 SETUP INSTRUCTIONS](#)
- [17 Kit Hardware BOM](#)
- [18 Kit Graphics BOM](#)
- [19 Documents / Resources](#)
 - [19.1 References](#)
- [20 Related Posts](#)

Display Pros

Display Pros MFY-DS-K-03 MODify Double Sided Kit 03



Product Information

- The MODify Double Sided Kit 03 is a part of the MODify™ Modular Merchandising System. This unique system consists of interchangeable fixtures and accessories that can be easily assembled, disassembled, and rearranged to create different display configurations. The kit incorporates SEG push-fit fabric graphics, allowing for branding, promotion, and merchandising with ease.
- The Double Sided Kit 03 offers great flexibility. One side features an SEG graphic panel for color, promotion, and messaging, along with six shelves. The other side is open and designed for hanging apparel. This display is perfect for retailers who want to create visually stunning and efficient displays.

Features and Benefits

- **Base Kit includes:**
 - Frame, slatwall, shelf, and base colors in kit are all the same (white, black, or silver)
 - Heavy-duty aluminum frame and steel base
 - Steel slotted uprights
 - Side panel with SEG push-fit fabric graphics and six shelves (three shelves on each side)
 - Open section for hanging apparel and merchandise
 - Base (casters are optional)
 - Easy assembly and installation
 - Lifetime hardware warranty against manufacturer defects
- **Optional Accessories Include:**
 - Towel bars
 - Faceout bars
 - U bars
 - Casters

Dimensions

Hardware Assembled unit: 74W x 72H x 37.5D (1879.6mm(w) x 1828.8mm(h) x 952.5mm(d))

Shipping

- **Packing case(s):** 1 Box
- **Approximate Weight:** 136 lbs / 61.6886 kg
- **Shipping dimensions:** (72L x 22H x 24D) (1828.8mm(l) x 558.8mm(h) x 609.6mm(d))
- **Approximate shipping weight:** 196 lbs / 88.9041 kg
- **Graphics:** Dye-sublimated fabric

Additional Information

- Powder coat color options available
- Refer to graphic templates for graphic sizes and bleed specifications
- Wood laminate color options available for MODify Accessories
- Tools required: MULTI HEX KEY (INCLUDED), PHILLIPS SCREW DRIVER (NOT INCLUDED), 9/16 SOCKET WRENCH (NOT INCLUDED)

Product Usage Instructions

How to Apply & Remove Graphics

Installation

1. Push the SEG bead into each corner of the frame (1-4) with your thumb.
2. Push the SEG bead into the middle of the run (5-8).
3. Work your way around the perimeter of the frame, pushing the beading in properly.
4. If necessary, go around the perimeter again to ensure the beading is secure in the extrusion profile.

Note: Keep the setup area clean by using a drop cloth, washing hands before setup, or wearing gloves.

Removal:

1. Locate the pull tab on the graphic.
2. Gently pull the graphic from the frame, going around the perimeter.

INTRODUCTION

- MODify™ is a one-of-a-kind Modular Merchandising System that is made up of interchangeable fixtures and accessories that can be easily assembled, disassembled, and rearranged to create a variety of different display configurations. The MODify system incorporates SEG push-fit fabric graphics that enable you to brand, promote and merchandise with ease.
- MODify Double Sided Kit 03 is so flexible! One side includes an SEG graphic panel that allows for color, promotion and messaging; six shelves are included. The other side is open and intended for hanging apparel.

This display is an ideal choice for retailers looking to create a visually stunning and efficient display.

features and benefits

Base Kit includes:

- Frame, slatwall, shelf and base colors in kit are all the same, your choice of all white, black, or silver
- Heavy-duty aluminum frame, steel base
- Steel, slotted uprights
- Side panel features SEG push-fit fabric graphics & six shelves, three shelves on each side
- Open section used to hang apparel and merchandise
- Base (casters are optional)
- Display is easy to assemble and install
- Lifetime hardware warranty against manufacturer defects

Optional Accessories Include:

- Towel bars.
- Faceout bars
- U bars
- Casters

dimensions

- Hardware
 - **Assembled unit:**
 - 74"W x 72"H x 37.5"D 1879.6mm(w) x 1828.8mm(h) x 952.5mm(d)
 - **Approximate Weight:** 136 lbs / 61.6886 kg
- **Graphics**
 - Graphic material: Dye-sublimated fabric
 - See graphic templates for graphic sizes.
- **Shipping**
 - **Packing case(s):** 1 Box
 - **Shipping dimensions:** (72"L x 22"H x 24"D) 1828.8mm(l) x 558.8mm(h) x 609.6mm(d)
 - **Approximate shipping weight:** 196 lbs / 88.9041 kg

additional information

Powder coat color options:



white



black



silver

Wood laminate color options:



white



black



natural



gray

MODify Accessories


Slotwall Accessories



MFY-SLT-HK
4", 6", 8", 10" & 12"




MFY-SLT-FC
6", 8", 10" & 12"



MFY-SLT-WTR-16-7

U-Bar Accessories



MFY-TWL-FC
6", 8" & 10"




MFY-UBR-FC
6", 8" & 10"




MFY-CSTR-4-PK

Shelf and Hanger Bars



MFY-36-12-SHELF




MFY-SLF-36-12-HB



MFY-SLT-TWL-36-3



MFY-UBR-36-12



MFY-DB-36-17

Tools Required



MULTI HEX KEY
(INCLUDED)




PHILLIPS SCREW DRIVER
(NOT INCLUDED)



9/16" SOCKET WRENCH
(NOT INCLUDED)

How to Apply & Remove Graphics

- Installation and removal of SEG graphics is easy!
- **Installation:** Push the SEG bead into each corner of the frame (1-4) with your thumb, then push the SEG bead into the middle of the run (5-8) and work your way around the perimeter of the frame until all beading is pushed in properly; if necessary, go around the perimeter again to ensure beading is secure in the extrusion profile.
 - **Note:** Keep the set up area clean by using a drop cloth, washing hands before set-up or by wearing gloves.
 - **Removal:** Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter.












Graphics Storage & Care

Graphics should be folded with the graphic facing inward and stored in a zip lock /sealable plastic bag. Spot clean by wiping with a damp white cloth. If washing is necessary, use a commercial size front-loading washing machine,

gentle cycle with cool water. Line dry flat. Dry cleaning is NOT recommended to prevent shrinkage.


SETUP INSTRUCTIONS

QTY	IMAGE	DESCRIPTION
3		3/8-16 x 2.5-3"L bolt
1		1740MM (68.50in) MIDDLE UPRIGHT
1		1740MM (68.50in) LEFT UPRIGHT
1		947MM (37.28in) MIDDLE SUPPORT LEG
1		947MM (37.28in) LEFT SUPPORT LEG
1		947MM (37.28in) RIGHT SUPPORT LEG
1		1740MM (68.50in) RIGHT UPRIGHT



MFY-BOLT-375-16-2.5

SETUP INSTRUCTIONS



LEFT UPRIGHT

MIDDLE UPRIGHT

RIGHT UPRIGHT

STEP 1

BOLT RIGHT UPRIGHT TO FOOT

STEP 2


BOLT MIDDLE UPRIGHT TO FOOT

STEP 3


BOLT LEFT UPRIGHT TO FOOT

1


QTY	IMAGE	DESCRIPTION
4		883MM (34.76in) OF SINGLE SIDED SEG EXTRUSION WITH CAM LOCKS BOTH ENDS
1		883MM LENGTH OF PH1 EXTRUSION WITH CAM LOCKS BOTH ENDS
2		7MM SEG PLASTIC END CAP FOR 833 EXTRUSION
1		7MM SEG PLASTIC END CAP FOR 832 EXTRUSION



IMPORTANT!
MAKE A HALF TURN
TO LOCK EXTRUSIONS




LOOSEN END CAP TO ATTACH
TOP CROSS BRACE



STEP 7


LOCK CROSS BRACE
TO UPRIGHTS AND PLACE END
CAPS






SETUP INSTRUCTIONS

STEP 8



LOCK CROSS BRACE
TO UPRIGHTS AND PLACE END
CAPS




QTY	IMAGE	DESCRIPTION
4		36in WIDE X 17.25in DEEP - DROP-IN BASE PAN
2		[39.26 w X 72.60 h total size] 35.26 w X 68.60 h finish size, Dye-sub print on Eclipse Blackout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (WITH 1/4" NOTCH LEFT & RIGHT BOTTOM HORIZONTAL SIDE CORNERS)



MFY-36-17-BASE-PAN




PRESS GRAPHIC INTO CORNERS















THEN PRESS ALONG THE PERIMETER EDGE



SETUP INSTRUCTIONS




Kit Hardware BOM

ITEM	COMPONENTS	QTY	DESCRIPTION
	101-883-01-01	1	883MM LENGTH OF PH1 EXTRUSION-WITH CAM LOCKS BOTH ENDS
	824-947	1	947MM (37.28IN) LEFT SUPPORT LEG
	824-947	1	947MM (37.28IN) MIDDLE SUPPORT LEG
	824-947	1	947MM (37.28IN) RIGHT SUPPORT LEG
	832-1740	1	1740MM (68.50in) MIDDLE UPRIGHT
	832-EC	1	7MM SEG PLASTIC END CAP FOR 832 EXTRUSION
	833-1740	1	1740MM (68.50in) LEFT UPRIGHT
	833-1740	1	1740MM (68.50in) RIGHT UPRIGHT
	833-EC	2	7MM SEG PLASTIC END CAP FOR 833 EXTRUSION
	835-883-01-01	4	883MM (34.76in) OF SINGLE SIDED SEG EXTRUSION -WITH CAM LOCKS BOTH ENDS
	MFY-BOLT-375-16-2.5	3	3/8-16 x 2.5"L bolt
	MFY-DB-36-17	4	36in WIDE X 17.25in DEEP - DROP-IN BASE PAN



Kit Graphics BOM

	MFY-DS-03-A-G	1	(39.26 w X 72.60 h total size) 35.26 w X 68.60 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (WITH 1/4" NOTCH LEFT & RIGHT BOTTOM HORIZONTAL SIDE CORNERS)
	MFY-DS-03-B-G	1	(39.26 w X 72.60 h total size) 35.26 w X 68.60 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (WITH 1/4" NOTCH LEFT & RIGHT BOTTOM HORIZONTAL SIDE CORNERS)

Documents / Resources

	<p>Display Pros MFY-DS-K-03 MODify Double Sided Kit 03 [pdf] User Guide</p> <p>MFY-DS-K-03 MODify Double Sided Kit 03, MFY-DS-K-03, MODify Double Sided Kit 03, Double Sided Kit 03, Sided Kit 03, Kit 03</p>
---	---

References

-  [The Exhibitors' Handbook](#)
-  [Graphic Templates](#)