

DMP
X1 Series
Single Door
Access
Controller



DMP X1 Series Single Door Access Controller User Guide

[Home](#) » [DMP](#) » DMP X1 Series Single Door Access Controller User Guide 

Contents

- [1 DMP X1 Series Single Door Access Controller](#)
- [2 Product Usage Instructions](#)
- [3 Specialty Applications](#)
- [4 Specification](#)
- [5 XR Series System Design](#)
- [6 Integrated Applications](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)



DMP X1 Series Single Door Access Controller



Product Usage Instructions

Cloud-Based Access:

The X1 Series offers cloud-based access only for a simplified user experience. To order controllers, use the following codes:

- Single Door Controller: X1
- Multi-Door Controller: X1-8
- Elevator Controller: X1-ELEV

Fire Monitoring:

For reliable fire monitoring in single-site applications, order the following addressable fire alarm control panels:

- **XF6 Series:** XF6-100, XF6-500
- **XR Series:** XR150DNFC-R, XR550DNFC-R

Teller Machines Protection:

To provide high-level protection for teller machines, order the TMSentry products:

- TMSentry-A, TMSentry-KIT-A, TMSentry-KIT-V, TMSentry-V

FAQ:

- **Q: What is the recommended application for the XR Series?**

A: The XR Series is designed for system design in monitoring centers with network/internet connectivity and virtual keypad support.

- **Q: How many zones can the Expansion Modules support?**

A: The Expansion Modules offer support for various zone expansions, including single-zone, 8-zone, and 16-zone options depending on the model.

Specialty Applications

Cloud-Based Access Only

The X1 Series eliminates complexities while providing an unparalleled cloud-based user experience. Options include a single-door and multi-door controller, elevator controller, and more.

Order

- **Single Door Controller:** X1
- **Multi-Door Controller:** X1-8
- **Elevator Controller:** X1-ELEV



Fire

Reliable fire monitoring for single-site applications is available with this powerful line of addressable fire alarm control panels.

Target Audience:

- Commercial/Industrial

Order

- **XF6:** XF6-100 | XF6-500
- **XR150FC:** XR150DNFC-R
- **XR550FC:** XR550DNFC-R



Teller Machines

Provide your financial customers with the highest level of protection in the most compact size available on the market.

Target Audience:

- Independent ATM Providers
- Financial Institutions
- Teller Machine Manufacturers

Order

TMSentry:

- TMSENTRY-A
- TMSENTRY-KIT-A
- TMSENTRY-KIT-V
- TMSENTRY-V



Specification


Access Control											
	X1	XF6-100	XF6-500	TMS entry	XTL plus	XTL touch	XT30	XT50	XT75	XR150	XR550
Doors	1K	—	—	—	—	—	8	8	8	8	32 96 max
Event Buffer	12K	12K	12K	200	200	200	100	200	1K	12K	12K
Programmable Key Fobs	—	—	—	—	8	8	8	8	50	50	50
Entré	—	—	—	—	—	—	—	—	—	✓	✓
Fire											
Remote Annunciators	—	8	16	—	—	—	—	—	—	8	16
Intrusion											
Schedules	99	—	—	1	1	1	1	1	10	99	99
Users	10K	10	10	30	99	99	30	99	200	10K	10K
Areas	—	—	—	6	6	6	6	6	6	8	32
Hardwired Zones	—	138	570	6	—	—	42	42	92	142	574
Wireless Zones	—	100	500		99	99	32	48	100	100	500
Wireless Repeaters	—	8	8	—	8	8	8	8	8	8	8
Video											
AlarmVision Compatible	—	—	—	—	—	—	—	—	✓	✓	✓
Hardware											
Bus Devices	—	8	16	1	8	8	8	8	8	8	16

Communication

[illegible]

XR Series System Design

- XR150
- XR550



*763 Required

BUS DEVICES

Access Control

- **734** Access Control Module
- **734N** Network Access Control Module
- **734N-POE** Network Access Control Module
- **734B** BIN Code-Access Control Module
- **P-300-H-A** Cascade Proximity Reader
- **P-500-H-A** Alps Proximity Reader
- **DELTA3** Contactless Smartcard Reader
- **DELTA5** Contactless Smartcard Reader
- **DELTA6.4** Contactless Smartcard Reader w/Keypad
- **ET10-7WS** Mullion Multi-technology Reader
- **ET20-7WS** Single Gang Multi-technology Reader
- **CSR-35** Bluetooth and Contactless Smartcard Reader

Fire

- **630F-R** LCD Remote Fire Command
- **7830F-R** Touchscreen Remote Annunciator

Keypads

- **7000** Thinline Series Keypads
- **7000A** Aqualite Series Keypads
- **7800** 5-inch Touchscreen Keypads
- **7873H-W** High-Security Touchscreen Keypad
- **8860** 7-Inch Touchscreen Keypads

EXPANSION MODULES

- **708** Bus Extender
- **710** Bus Splitter/Repeater
- **711** Single Zone Expansion
- **712-8** 8-Zone Expansion
- **714** Zone Expansion Module
- **714-16** 16-Zone Class B Expansion
- **714-8** Zone Expansion Module
- **715** 4-Zone 2-Wire Smoke Expansion
- **715-8** 8-Zone 2-Wire Smoke Expansion
- **715-16** 16-Zone 2-Wire Smoke Expansion
- **716** Output Expansion, 4 Form C Relays, 4 Open Collector Outputs
- **714N-POE** Network Zone Expansion Module

WIRELESS

Access Control

- **1134** Wireless Access Control Module
- **1144-1** One-Button Key Fob
- **1144-1P-PSV** Panic Key Fob
- **1144-2** Two-Button Key Fob
- **1144-4** Four-Button Key Fob
- **1144-D** Dual-Button Key Fob

Fire

- **1164-W** Smoke Detector w/Synchronized Sounder
- **1164NS** Smoke Detector w/No Sounder

Intrusion

- **1106** Universal Transmitter
- **1122** Wireless PIR
- **1135-W** Siren

- **1154** Four-Zone Input Module
- **1158** Eight-Zone Input Module

Keypads

- **9000** Wireless Thinline Keypad
- **9862** Wireless Touchscreen Keypad

Receiver/Repeaters

- **1100XH-W** High Powered Wireless Receiver
- **1100R-W** Wireless Repeater

Integrated Applications

High Security

One integrated system with encrypted communications to manage intrusion, access control, fire and video security needs.

Target Audience:

- Commercial/Retail
- Government
- Financial Institutions
- Multi-Site Locations
- Luxury Residential

Order

- XR550: XR550DEL-G
- XR550DEL-G | XR550NL-G
- XR550DNL-G

Midrange

Flexible panels that integrate intrusion, access control, and video in one system.

Target Audience:

- Quick-Serve Restaurants
- Luxury Residential
- Small Business/Retail
- Current XT Customers
 - Needing Access Control or AlarmVision Capability

Order

- XT75: XT75
- XR150: XR150DL-G | XR150DNL-G
- XR150L-G | XR150NL-G

Small Business & Residential

Intrusion panels are designed with homeowners and small business owners in mind. Fully featured, easy to install, and easy to use.

Order

- **XTLplus:** XTL+W | XTL+WZ | XTL+N
- **XTLtouch:** XTLTOUCH-LV XTLTOUCH-LA | XTLTOUCHUSB-LV XTLTOUCHUSB-LA
- **XT30:** XT30NPKG/7872
- **XT50:** XT50NPKG/7872

Virtual Keypad

Manage your DMP panel from your computer, tablet, or smartphone.

Three Ways to Order

- [Buy.DMP.com](https://buy.dmp.com)
- 1-[866-266-2826](tel:866-266-2826)
- CustomerService@DMP.com.

© 2024 Digital Monitoring Products, Inc. | LT-1942 | 11/18/2024 DMP is a registered trademark of Digital Monitoring Products, Inc. Virtual Keypad, XR150, XR550, XT30, XT50, XTLplus, XTLtouch, XF6, TMSentry and X1 are trademarks of Digital Monitoring Products, Inc. AlarmVision® Technology — Patent Pending.

Documents / Resources



[DMP X1 Series Single Door Access Controller](#) [pdf] User Guide
X1 Series Single Door Access Controller, X1 Series, Single Door Access Controller, Access Controller, Controller

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.