

ocresources mirror assembly Instructions

Home » **DocResources** » ocresources mirror assembly Instructions

Contents

- 1 ocresources mirror assembly
- **2 USER INSTRUCTION**
- **3 FOR WALL MIRRORS AND GENERAL FRAME MIRRORS**
- 4 Documents / Resources
- **5 Related Posts**

OCRESOURCES

ocresources mirror assembly



USER INSTRUCTION

User instruction for hanging-supports

By individually sticking the hanging-supports to the back of the mirror you can the joints of the tiles in your bathroom Please make sure that there are no tubes or electrical parts in the wall where you have to drill the holes. In order to ensure that the self-adhesives stick firmly to the back of the mirror please keep the foreseen positions clean from dust, fat or oil.

- 1. fix the exact position of the hanging-supports .
- 2. remove the protection-foil from the self-adhesive pad of the hanging-support (do not touch the adhesive surfaces).
- 3. press the hanging-support firmly onto the exact position.
 - ATTENTION: it is not possible to re-arrange the position after pressing.
- 4. wait approximately 12 hours before hanging the mirror on the wall.
- 5. the best processing temperature is between 25° +/-5° Celsius
- 6. Please avoid the contact with water, otherwise the adhesive tape loses adhesion.

User instruction for glue-mirrors


In order to ensure that the self-adhesives stick firmly to the back of the mirror please keep the foreseen positions clean from dust, fat or oil.


- 1. please place the mirror just on flat and even surfaces
- 2. remove the protection-foil from the self-adhesive pad of the hanging-support (do not touch the adhesive surfaces).
- 3. ATTENTION: it is not possible to re-arrange the position after pressing
- 4. the best processing temperature is between 25° +/-5° Celsius
- 5. Please avoid the contact with water, otherwise the adhesive tape loses adhesion.

FOR WALL MIRRORS AND GENERAL FRAME MIRRORS

Mirror with groove

Please use at least 2 screws / hooks! If you assemble a mirror with a length from 160cm and more, please use minimum 3 screws or hooks.





Important: Please do not screw the hooks more than 3 cm from the outerside of the frame.

Fitting the screws into the wall

Fitting the screws with measurement equipment into the wall

Documents / Resources



docresources mirror assembly [pdf] Instructions mirror assembly, mirror

Manuals+,