



Home » Dongguan » Dongguan WJZH-M01 Forward and Reverse Remote Control Switch Owner's Manual 75

Contents [hide]

- 1 Dongguan WJZH-M01 Forward and Reverse Remote Control Switch
- 2 Specifications
- 3 Product Usage Instructions
- 4 Remote control
- 5 Lock mode
- 6 Remote control pairing method
- 7 FCC Statement
- 8 FAQs
- 9 Documents / Resources
 - 9.1 References



Dongguan WJZH-M01 Forward and Reverse Remote Control Switch



Forward and reverse remote control switch

Specifications

Working voltage: DC3V (23032 battery)

Working current: ≤8MA

Working temperature: -20°C to +65°C

Modulation method: ASK

• Operating frequency: 433.925MHz

• Transmission rate: 2Kbit/s

• Transmit power; <1.mw

Product Usage Instructions

Powering On/Off:

Ensure the device is powered by inserting a DC3V 23032 battery. To power off, remove the battery.

• Remote Control:

Use the forward and reverse remote control switch to operate the device. Ensure the operating frequency matches (433.925MHz) for effective control.

• Temperature Considerations:

Operate the device within the specified temperature range of -20°C to +65°C to ensure optimal performance and longevity.

Modulation Method:

The device uses the Amplitude Shift Keying (ASK) modulation method for signal

transmission. Ensure compatibility with receiving equipment.

• Transmission Rate:

The transmission rate of the device is 2Kbit/s, ensuring quick and efficient data transfer.

Remote control

Instantaneous mode: press the upper button of the remote control, the motor will turn forward, and the motor will stop after release; press the lower button of the remote control, and the motor wilreverse, and the motor wil stop after release.

Lock mode

Press the up button of the remote control once, the motor will turn forward, press thestop button of the remote control again, the motor will stop, press the down button of the remotecontrol once, the motor wil reverse, press the stop button of the remote control again, the motor willstop.

Remote control pairing method

- Click: Press the study button on the controller once, and the study indicator will flash once and thenturn on. Press the remote control button of "\(\textit{\Delta} \)" again, and the study indicator will flash on three times. Please press the "\(\textit{\Delta} \) "button again, and the study indicator will flash on three times and then turn of.

FCC Statement

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, under part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This

equipment generates, uses, and can radiate radio frequency energy and, if not installed and used according tod by the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has evaluated to meet general RF exposure requirement. The device can be used be in portable exposure without restriction.

FAQs

Q: What should I do if the remote control is not working?

A: Check the battery in the remote control and ensure it is properly inserted. Also, verify that the operating frequency settings match between the remote and the device

• Q: Can the device operate outside the specified temperature range?

A: Operating the device outside the specified temperature range (-20°C to +65°C) may result in performance issues or damage to the device. It is recommended to operate

within the specified range.

Documents / Resources



Dongguan WJZH-M01 Forward and Reverse Remote Control Switch [pdf]

Owner's Manual

2BGW3-WJZH-M01, 2BGW3WJZHM01, WJZH-M01 Forward and Revers e Remote Control Switch, WJZH-M01, Forward and Reverse Remote Control Switch, Reverse Remote Control Switch, Remote Control Switch, Control Switch, Switch

References

- User Manual
- Dongguan
- ▶ 2BGW3-WJZH-M01, 2BGW3WJZHM01, Control Switch, Dongguan, Forward and Reverse Remote Control Switch, Remote Control Switch, Reverse Remote Control Switch, wJZH-M01, wJZH-M01 Forward and Reverse Remote Control Switch, Switch, wJZH-M01, wJZH-M01 Forward and Reverse Remote Control Switch

Leave a comment

email address will not be published. Required fields are marked*	
ment *	
ee	
il .	

Website	
☐ Save my name, email, and website in this browser for the next time I comment.	
Post Comment	

Search:

e.g. whirlpool wrf535swhz

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.