

dormakaba Select Multiplexer Language



dormakaba Select Multiplexer Language Installation Guide

[Home](#) » [dormakaba](#) » dormakaba Select Multiplexer Language Installation Guide 

Contents

- 1 dormakaba Select Multiplexer Language
- 2 Product Usage Instructions
- 3 Introduction
- 4 Connect the Multiplexer
- 5 Specifications
- 6 Documents / Resources
 - 6.1 References



dormakaba Select Multiplexer Language



Specifications:

- **Cables:**

- 1 x 26 AWG 6 cable (43109-3)
- 1 x 26 AWG 18 cable (41040-1) *at an additional cost

- **Environmental:**

dormakaba USA Inc. | Multiplexer Installation Guide 7038.0521 Rev B 03/22

Product Usage Instructions

Introduction:

The Multiplexer is used in multi-lock systems to connect multiple safe locks with the Keypad.

Connect the Multiplexer:

1. Mount the Multiplexer to the safe wall using the provided holes and screws. Refer to the diagram for guidance.
2. Connect each safe lock into the numbered input ports on the Multiplexer (up to 5). Ensure to input safe locks in numerical order, starting with the #1 input port.
3. Connect the Keypad cable to the side port of the Multiplexer.

FAQ:

- Q: How many safe locks can be connected to the Multiplexer?

A: Up to 5 safe locks can be connected to the Multiplexer.

- Q: What cables are included with the Multiplexer?

A: The Multiplexer comes with a 26 AWG 6 cable (43109-3) and a 26 AWG 18 cable (41040-1). An additional cost may apply for the 26 AWG 18 cable.


Introduction

The Multiplexer is used in multi-lock systems and allows multiple safe locks to connect with the Keypad.

Connect the Multiplexer

Follow these steps to connect a Multiplexer to a LA GARD safe lock system:

1. Mount the Multiplexer to the safe wall via the holes and screws provided; refer to the diagram below.



2. Connect each safe lock into the numbered input ports on the Multiplexer (up to 5).

Note: Input safe locks in numerical order, with the #1 input port on the Multiplexer always populated first.

3. Connect the Keypad cable to the Multiplexer side port.

Specifications

Cables

- 1 x 26 AWG 6” cable (43109-3)
- 1 x 26 AWG 18” cable (41040-1) *at an additional cost

Environmental

- Operating & Storage Temperature Range: For UL compliance, this product was verified for operation at 32 – 122 °F (0 – 50 °C)
- Relative Humidity Range: 0 – 95% non-condensing

Note: The Multiplexer is not UL evaluated.
dormakaba USA Inc. | Multiplexer Installation Guide 7038.0521 Rev B 03/22

Documents / Resources

Select a Language

Multiplexer Installation Guide

Guide d'installation du multiplexeur

Guía de instalación del multiplexor

Multiplexer Montageanleitung

Guia de instalação do Multiplexador

Instalacijski uputstvo multiplexera

[dormakaba Select Multiplexer Language](#) [pdf] Installation Guide
Select Multiplexer Language, Multiplexer Language, Language

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.