

DOUK AUDIO 1424 Music Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer



DOUK AUDIO 1424 Music Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer Instruction Manual

[Home](#) » [Douk Audio](#) » DOUK AUDIO 1424 Music Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer Instruction Manual 

Contents

- 1 DOUK AUDIO 1424 Music Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer
- 2 How to use
- 3 Connection
- 4 Potentiometer Function
- 5 Parameters
- 6 Packing List
- 7 Documents / Resources
 - 7.1 References

DOUK AUDIO

DOUK AUDIO 1424 Music Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer



How to use

Key operation

- Short press: M —mode switching
- ▲ — increase brightness
- ▼ —decrease brightness
- (recommended brightness value 2-4)
- M (keep pressing) + ▲ (short press)—increase spectrum speed
- M (keep pressing) + ▼ (short press)—decrease spectrum speed
- (recommended speed 3-4)
- ▲ (long press)—switch between LIN (line input) and MIC (microphone input)
- ▼ (long press)—switch between L (low gain) and H (high gain) (the best is L by default, can choose H for car spectrum MIC input)

NOTE: the setting values need to be maintained for 30 seconds before they can be automatically saved.

Connection

Audio terminal input adopts 3.5mm male headphones and connects it to the computer headphone output interface via the audio branch, the other end of the branch connects external audio equipment. Please check whether the audio cable or branch has good contact if the audio has noise or the spectrum has background noise under mute and off mode when using.

Potentiometer Function

Input adjustment potentiometer: for adjusting the input signal, for example, the input signal can be attenuated if it is too strong, or this potentiometer shields some equipment that has strong background noise. Spectrum display amplitude potentiometer: for adjusting the maximum display amplitude after the AGC (Automatic Gain) process. After setting, the automatic gain will take this setting value as the maximum amplitude to adjust automatically. (turning to the end can turn off the AGC function if you don't need it).

Parameters

- Colour: White/Black
- Dimensions: 185*90*12mm


Packing List

- 1× AS1424 Music Spectrum
- 1× USB Cable
- 1× 3.5mm Male to 2*Female Plug

Contact information

Address: Room 1329, Wang Cheng Building, Long Guan Street, Long Hua new district, Shenzhen, Guang Dong, China
Contact: LIU CHENXI
Tel: +86-177-0402-8602
Email: nobsound@doukaudio.com

Documents / Resources

	<p>DOUK AUDIO 1424 Music Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer [pdf] Instruction Manual</p> <p>1424 Music Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer, 1424, Music Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer, Spectrum Audio Spectrum Sound Level LED Level Meter Display Analyzer, Spectrum Sound Level LED Level Meter Display Analyzer, LED Level Meter Display Analyzer, Level Meter Display Analyzer, Meter Display Analyzer, Display Analyzer</p>
---	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.