



DOUK AUDIO A1 Microphone Headset Speaker Audio Switcher User Manual

[Home](#) » [Douk Audio](#) » DOUK AUDIO A1 Microphone Headset Speaker Audio Switcher User Manual 

DOUK AUDIO A1 Microphone Headset Speaker Audio Switcher



Contents

- [1 Introduction](#)
- [2 Features](#)
- [3 Warm tips](#)
- [4 Parameters](#)
- [5 Usage diagram](#)
- [6 Contact information](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

Introduction

MC1024-MINI is a 2-way speaker/headphone switcher box with full function, just need to connect audio sources such as computer, phone, game consoles, etc. to its A/B inputs, and connect headphones (also support headphones with microphone), amplifiers or speakers to its outputs. Via the A/B selector, you can quickly switch between two audio inputs without plugging in and out audio cables repeatedly.

Features

- One key mute, supports mute the microphone and headphones independently, it's practical that you can mute your mic and hear others at the same time when playing games or at meetings.
- Using 2 independent switches to select different inputs or outputs, fully isolated independent circuit, maker sure that one signal is not affected by the other channel. To solve the common ground noise caused by the connection of multiple audio sources.
- Multi-scene use: when playing games, you can switch between gaming computers and consoles at will, making it more flexible and convenient to use; for work meetings, supporting real-time interaction between multiple devices; for online chatting, you can switch between computers or mobile phones with each other.
- Compact design: with a compact structure and shape, sturdy and durable, equipped with enough cables and a set of feet for easy carrying on the desktop or outdoors; powerful and cost-effective.

Warm tips

1. When connect headphone the active speaker output will auto disconnect, if there are some noise from the active speaker, it is not caused by Mini MC1024 but because the active speaker is no-load.
2. 3.5mm headphone jack below is with priority, the 3.5mm AUX output between A and B will auto disconnect when you connect headphone to the below 3.5mm jack.


Parameters

- **Brand:** Douk Audio
- **Model:** Mini MC1024
- **Audio input:** 2 groups of stereo 3.5mm AUX
- **Audio output:** 2 groups of stereo 3.5mm AUX
- **Mute function:** support
- **Selection switch:** support

- **Dimensions (W*D*H):** 60*41*18 mm/ 2.36*1.61*0.71in
- **Net Weight:** 58.9g / 0.13lb

Usage diagram

Passive circuit design, no need for power supply, convenient to use, just connect all input and output audio devices to the interface of Mini MCI 024, just as the following picture shows:



Contact information



Website: www.doukaudio.com



Email: nobsound@doukaudio.com



WeChat/Whatsapp: +86-17704028602



Address: Room 1329, Wang Cheng Building, Long Guan East Road,
Long Hua District, Shen Zhen, Guang Dong, China, 518000



Documents / Resources



[DOUK AUDIO A1 Microphone Headset Speaker Audio Switcher](#) [pdf] User Manual
A1 Microphone Headset Speaker Audio Switcher, A1, Microphone Headset Speaker Audio Switcher, Headset Speaker Audio Switcher, Speaker Audio Switcher, Audio Switcher, Switcher

References

- [User Manual](#)