



DS18 PRO-CFX 2-Way Passive Crossover Owner's Manual

[Home](#) » [DS18](#) » DS18 PRO-CFX 2-Way Passive Crossover Owner's Manual 



OWNER'S MANUAL
MANUAL DEL USUARIO
PRO-CFX
2-WAY PASSIVE CROSSOVER
CROSSOVER PASIVO DE 2 VIAS



PRO-CFX

GENERAL SPECIFICATIONS :


Passive Crossover Ways2-Ways (High and Low Frequency) 2-Vías (Alta y Baja Frecuencia)
Frequency Crossover Point3.5KHz (@ 4 OHMS)
Power Handling Up to 300 Watts
Cut-Off Slope12 dB
Tweeter Attenuation(-3 dB/-6 dB)
Top Cover Material Steel
Bottom Cover MaterialClear Acrylic


CROSSOVER FEATURES

Capacitor TypeNP Mylar
Coil Type KSV
Terminal TypeScrew-On
Housing MaterialMetallic housing + plastic side covers + Clear Acrylic
Adjustments Tweeter Attenuation

MEASUREMENTS

Overall Length 6.3"
Overall Depth 3.5"
Overall Height 1.5"





CONNECTORS

• TW-:	Tweeter (Negative)
• 0dB:	Tweeter (Positive)
• -3dB:	Tweeter Attenuation -3dB (Positive)
• -6dB:	Tweeter Attenuation -6dB (Positive)
• W +:	Woofer (Positive) Connect to Speaker
• W-:	Woofer (Negative) Connect to Speaker
• IN +:	Input (Positive) Connect to Amp.
• IN-:	Input (Negative) Connect to Amp.



FOR MORE INFORMATION

PLEASE VISIT

[DS18.COM](https://www.ds18.com)

We LIKE IT LOUD



Contents

[1 Documents / Resources](#)

[1.1 References](#)

[2 Related Posts](#)

Documents / Resources

	DS18 PRO-CFX 2-Way Passive Crossover [pdf] Owner's Manual PRO-CFX 2-Way Passive Crossover, PRO-CFX, 2-Way Passive Crossover
	DS18 PRO-CFX 2-Way Passive Crossover [pdf] Owner's Manual PRO-CFX, 2-Way Passive Crossover, PRO-CFX 2-Way Passive Crossover

References

- [🚫 Official DS18 Pro Audio Store - Speakers, Subwoofers, Amps & More!](#)