

EATON B055-001-PS2 NetDirector PS-2 Server Interface Unit



EATON B055-001-PS2 NetDirector PS-2 Server Interface Unit Instructions

[Home](#) » [EATON](#) » EATON B055-001-PS2 NetDirector PS-2 Server Interface Unit Instructions 

Contents

- [1 EATON B055-001-PS2 NetDirector PS-2 Server Interface Unit](#)
- [2 Product Usage Instructions](#)
- [3 Description](#)
- [4 Features](#)
- [5 Package Includes](#)
- [6 Specifications](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)



EATON B055-001-PS2 NetDirector PS-2 Server Interface Unit



Specifications:

- UPC Code: 037332151490
- Accessory Type: Server Interface Unit
- Technology: Cat5/5e; PS/2; VGA/SVGA
- Accessory Class: KVM Switch Accessories
- Shipping Dimensions (hwd / in.): 1.70 x 5.10 x 4.90
- Shipping Dimensions (hwd / cm): 4.32 x 12.95 x 12.45
- Shipping Weight (lbs.): 0.50
- Shipping Weight (kg): 0.23

Description:

The NetDirector PS/2 Server Interface Unit is designed to connect a PS/2 server to a B064-Series NetDirector KVM switch using Cat5e/6 cable. It features a compact, lightweight design and is compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases.

Features:

- Eliminates the need for thicker, heavier KVM cable kits
- Compact, lightweight design
- Plug and Play; no software required
- No power supply required
- Allows a maximum distance of 164 ft. (50 m.) from KVM to Server via Cat5 cable

System Requirements:

- Server or CPU with an HD15 connector and (2) PS/2 type connections
- A B064-Series NetDirector Cat5 KVM Switch
- Cat5e/6 cable

Package Includes:

- 1 PS/2 Server Interface Unit

Warranty & Support:

- Product Warranty Period (Worldwide): 3-year limited warranty
- Trade Agreements Act (TAA) compliant

Product Usage Instructions

1. Connect the PS/2 Server Interface Unit to the PS/2 server using the provided cables.
2. Connect the other end of the interface unit to the B064-Series NetDirector KVM switch using Cat5e/6 cable.
3. Ensure the server and KVM switch are powered on.
4. You can now control the server through the KVM switch from a distance of up to 164 ft. (50 m.).

FAQ:

- Q: Can I use this unit with servers that have USB connections instead of PS/2?

A: No, this unit is specifically designed for servers with PS/2 connections and may not work with servers that have USB connections.

- Q: Is there a maximum number of servers I can connect using this unit?

A: The unit is designed to connect one server to a KVM switch. If you need to connect multiple servers, you will require additional Server Interface Units.

NetDirector PS/2 Server Interface Unit (B064- Series)

MODEL NUMBER: B055-001-PS2

Description

This PS/2 Server Interface Unit connects a server with PS/2 keyboard/mouse ports to a B064-Series NetDirector® KVM switch using Cat5e/6 cabling. Use of Cat5e/6 cables frees up space in server cabinets that would otherwise be filled by traditional, bulkier KVM cable kits. Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases.

Note: SIUs that were purchased prior to that of your KVM switch may require a firmware upgrade in order for them to work properly (see Maintenance under OSD Operation section in your B064-Series KVM Owner's Manual for details).

Features

- Eliminates the need for thicker, heavier KVM cable kits
- Compact, lightweight design
- Plug and Play; no software required
- No power supply required
- 164 ft. (50 m.) distance from KVM Switch
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Highlights

- Needed to connect a PS/2 Server to a B064-Series
- NetDirector KVM switch via Cat5e/6 cable
- Easy to install; no software needed
- Allows a maximum distance of 164 ft. (50 m.) from KVM to Server via Cat5 cable
- Compact and lightweight design
- Compliant with the Federal
- Trade Agreements Act (TAA) for
- GSA Schedule purchases

System Requirements

- Server or CPU with a HD15 connector and (2) PS/2 type connections
- A B064-Series NetDirector Cat5 KVM Switch
- Cat5e/6 cable

Package Includes

- 1 PS/2 Server Interface Unit

Specifications

OVERVIEW



- UPC Code 037332151490
- Accessory Type Server Interface Unit
- Technology Cat5/5e; PS/2; VGA/SVGA
- Accessory Class KVM Switch Accessories

PHYSICAL

- Shipping Dimensions (hwd / in.) 1.70 x 5.10 x 4.90
- Shipping Dimensions (hwd / cm) 4.32 x 12.95 x 12.45
- Shipping Weight (lbs.) 0.50
- Shipping Weight (kg) 0.23

STANDARDS & COMPLIANCE

- Product Compliance Trade Agreements Act (TAA)

WARRANTY & SUPPORT

- Product Warranty Period (Worldwide) 3-year limited warranty


1000 Eaton Boulevard Cleveland, OH 44122 United States

<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark. All other trademarks are the property of their respective owners.

Documents / Resources



[EATON B055-001-PS2 NetDirector PS-2 Server Interface Unit](#) [pdf] Instructions
B055-001-PS2 NetDirector PS-2 Server Interface Unit, B055-001-PS2, NetDirector PS-2 Server Interface Unit, PS-2 Server Interface Unit, Server Interface Unit, Interface Unit, Unit

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.