



## ECR4Kids UL2818G Double Sided Book Caddy with Countdown Timer User Guide

[Home](#) » [ECR4Kids](#) » ECR4Kids UL2818G Double Sided Book Caddy with Countdown Timer User Guide 

### ECR4Kids UL2818G Double Sided Book Caddy with Countdown Timer User Guide



Classroom furniture and furnishings are modeled to the classroom environment with a room volume of 231 m<sup>3</sup> and 0.82 air changes per hour (ACH) accommodating 27 students. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2

## Contents

### [1 GREENGUARD Gold Certification Criteria for Furniture and Mattresses](#)

### [2 Documents / Resources](#)

#### [2.1 References](#)

### [3 Related Posts](#)

## GREENGUARD Gold Certification Criteria for Furniture and Mattresses

Criteria	CAS Number	Maximum Allowable Predicted Concentration	Units
TVOC (A)	–	0.22	mg/m <sup>3</sup>
Formaldehyde	50-00-0	9 (7.3 ppb)	µg/m <sup>3</sup>
Total Aldehydes (B)	–	0.043	ppm
4-Phenylcyclohexene	4994-16-5	6.5	µg/m <sup>3</sup>
1-Methyl-2-pyrrolidinone (C)	872-50-4	160	µg/m <sup>3</sup>
Individual VOCs (D)	–	1/2 CREL or 1/100th TLV	–

**(A)** Defined to be the total response of measured VOCs falling within the C6 – C16 range, with responses calibrated to a toluene surrogate.

**(B)** The sum of all measured normal aldehydes from formaldehyde through nonanal, plus benzaldehyde, individually calibrated to a compound specific standard. Heptanal through nonanal are measured via TD/GC/MS analysis and the remaining aldehydes are measured using HPLC/UV analysis.


**(C)** Based on the CA Prop 65 Maximum Allowable Dose Level for inhalation of 3,200 µg/day and an inhalation rate of 20 m<sup>3</sup>/day.

**(D)** Allowable levels for chemicals not listed are derived from the lower of 1/2 the California Office of Environmental Health Hazard Assessment (OEHHA) Chronic Reference Exposure Level (CREL) as required per the CDPH/EHLB/Standard Method v1.2 and BIFMA level credit 7.6.2 and 1/100th of the Threshold Limit Value (TLV) industrial work place standard (Reference: American Conference of Government Industrial Hygienists, 6500 Glenway, Building D-7, and Cincinnati, OH 45211-4438).

# ECR<sub>4</sub>Kids

---

## Documents / Resources

	<a href="#">ECR4Kids UL2818G Double Sided Book Caddy with Countdown Timer</a> [pdf] User Guide UL2818G Double Sided Book Caddy with Countdown Timer, UL2818G, Double Sided Book Caddy with Countdown Timer, Book Caddy with Countdown Timer, Caddy with Countdown Timer, Countdown Timer, Timer
--	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.