

# **EJEAS EUC01 Motorcycle Handlebar Remote Controller User Manual**

Home » EJEAS » EJEAS EUC01 Motorcycle Handlebar Remote Controller User Manual



### **EJEAS EUC01 Motorcycle Handlebar Remote Controller User Manual**




EJEAS Universal Controller is a low-consumption Bluetooth remote control. It allows to keep fasten on the handlebar of your motorcycle or bicycle for controlling our brand Bluetooth intercom product. The button functions are defined by the connected host.


#### **Contents**


- 1 PRODUCT OVERVIEW
- 2 Instruction details
  - 2.1 Basic operating diagram
  - 2.2 Pairing
  - 2.3 Connection
  - 2.4 Clear Pairing Memory
  - 2.5 Phone answering
  - 2.6 Reject call
  - 2.7 Last number redial
  - 2.8 Hang up
  - 2.9 Voice Assistant
  - 2.10 Music play / pause
  - 2.11 Turn on / off FM
  - 2.12 Previous / next track
  - 2.13 Volume control
  - 2.14 Intercom switching
  - 2.15 MESH connecting
  - 2.16 Exit MESH network
  - 2.17 Low Battery
  - 2.18 Charging
  - 2.19 Test Mode
- 3 Performance parameters
- 4 Documents / Resources
- **5 Related Posts**


#### **PRODUCT OVERVIEW**













# Instruction details

## **Basic operating diagram**




**Pairing** 




#### Connection

If no operations for 1 min, the connection is disconnected, click any button to reconnect. The same is restart the machine




**Clear Pairing Memory** 




Red & Blue lights consistently on

## Phone answering



Reject call




#### Last number redial




Hang up




#### **Voice Assistant**




### Music play / pause




Turn on / off FM




Previous / next track




#### **Volume control**




Intercom switching



## **MESH** connecting



**Exit MESH network** 



# Low Battery


# Voltage is under 3.2v



## Charging




#### **Test Mode**












3. Check the button: Press each button one by one & check whether these is any useless button.



4. OR: It will automatically exit the test mode when there is no operation within 1min Exit the test mode



### **Performance parameters**

Device name: EUCBluetooth version: 4.1

• Frequency range: 2402MHz ~ 2480MHz

• Battery capacity: 80mAh

• Battery type: Rechargeable polymer li-battery

• Charging time: About 1.5 hours

### **Documents / Resources**



**EJEAS EUC01 Motorcycle Handlebar Remote Controller** [pdf] User Manual EUC01, Motorcycle Handlebar Remote Controller

Revision 2.0

