




EJEAS Q2 Motorcycle Intercom System User Manual

[Home](#) » [EJEAS](#) » EJEAS Q2 Motorcycle Intercom System User Manual 

EJEAS


Q2 Motorcycle Intercom System
User Manual




Contents

- [1 Product Details](#)
- [2 Product installation](#)
- [3 Product Operations](#)
- [4 Battery Level](#)
- [5 Factory Reset](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)

Product Details




Product installation





Product Operations


Operation Diagram




Power ON/OFF Please Charge it before using.



ON  Prompt tone

Standby  Blue light flashes slowly




OFF

Press the <Phone Button> and <Intercom Button> simultaneously.



Lights off

Battery Level



“Battery Level High”




“Battery Level Medium”



“Battery Level Low”


Low Battery Indication




Red light flashes twice



Low Battery”




Charging  Constantly red


Full  The red light out

Volume Control FM and intercom can be used at the same time.


Intercom / Calling / Music / FM



When Intercom & FM use simultaneously, FM volume control



Factory Reset



Long press the <Volume +>, <Volume ->, <Phone Button> for 5s at the same time.



The red and blue lights quickly flash four times simultaneously



Restore Default Setting"

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's

authority to operate the equipment. This device complies with Part15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. this device may not cause harmful interference, and
- 2. this device must accept any interference received, including interference that may cause undesired operation

Documents / Resources

	<p>EJEAS Q2 Motorcycle Intercom System [pdf] User Manual</p> <p>Q2 Motorcycle Intercom System, Q2, Motorcycle Intercom System, Intercom System</p>
---	--

[Manuals+.](#)