



EKVIP 022430 String Light Instruction Manual

[Home](#) » [EKVIP](#) » EKVIP 022430 String Light Instruction Manual

Contents [[hide](#)]

- [1 EKVIP 022430 String Light](#)
- [2 STRING LIGHTS](#)
 - [2.1 OPERATING INSTRUCTIONS](#)
- [3 SAFETY INST3RUCTIONS](#)
- [4 Documents / Resources](#)
- [5 Related Posts](#)

EKVIP™

EKVIP 022430 String Light



STRING LIGHTS

OPERATING INSTRUCTIONS

Original instructions


Jula AB reserves the right to make changes to the product. Jula AB claims copyright on this documentation. It is not allowed to modify or alter this documentation in any way and the manual shall be printed and used as it is in relation to the product. For the latest version of operating instructions, refer to the Jula website

WWW.JULA.COM

© JULA AB • 2022-03-14

JULA AB

BOX 363, 532 24 SKARA, SWEDEN






SAFETY INSTRUCTIONS

- Do not connect the product to a power point while the product is still in the pack.
- Designed for indoor and outdoor use.
- Check that no light sources are damaged.
- No parts of the product can be replaced, or repaired. The whole product must be discarded if any part is damaged.
- Do not use sharp or pointed objects during assembly.
- Do not subject the power cord or wires to mechanical stress. Do not hang objects on the string light.
- This is not a toy. Be careful if using the product near children.
- The product is not intended to be used as general lighting.
- Recycle products that have reached the end of their useful life according to local regulations.

WARNING!


The string of lights may only be used if all seals are fitted correctly.

SYMBOLS	
	Approved as per applicable directives.
	Class II.
	Recycle discarded product in accordance with local regulations.

TECHNICAL DATA

Rated input voltage	230 V ~ 50 Hz
Output	9.2 W
No. of LEDs	100
Protection rating	IP44

Documents / Resources

	<p>EKVIP 022430 String Light [pdf] Instruction Manual 022430 String Light, 022430, String Light, Light</p>
---	--