




# ENFORCER S-SS-075Q-10 Emergency-Push-to-Exit Buttons User Manual

[Home](#) » [ENFORCER](#) » ENFORCER S-SS-075Q-10 Emergency-Push-to-Exit Buttons User Manual 

## Contents

- [1 ENFORCER S-SS-075Q-10 Emergency-Push-to-Exit Buttons](#)
- [2 Emergency/Push-to-Exit Buttons](#)
  - [2.1 Emergency NO/NC Button SS-075CQ](#)
  - [2.2 Emergency N.O. Button SS-075Q](#)
  - [2.3 Emergency & Push-to-Exit, NO/NC Button SS-075C-PEQ](#)
- [3 Documents / Resources](#)
  - [3.1 References](#)
- [4 Related Posts](#)

**ENFORCER®**

**ENFORCER S-SS-075Q-10 Emergency-Push-to-Exit Buttons**



## Emergency/Push-to-Exit Buttons

Please visit the SECO-LARM website [www.seco-larm.com](http://www.seco-larm.com) for complete installation instructions. Please read the manual before you begin the installation.

### Emergency NO/NC Button SS-075CQ



### Features:

- Large button has “Emergency” printed on face
- NO or NC (selectable) momentary contact
- Contact rated 0.5A@12VDC
- Screw terminals
- Off-white
- Dimensions: 3"x15/16"x5/8" (76x23x15 mm)

### Emergency N.O. Button SS-075Q



#### Features:

- Large button has “Emergency” printed on face
- N.O. (push-to-close) momentary contact
- Contact rated 0.5A@12VDC
- Screw terminals
- Off-white
- Dimensions: 3"x15/16"x5/8" (76x23x15 mm)


#### Emergency & Push-to-Exit, NO/NC Button SS-075C-PEQ



#### Features:

- 3 labels included: choose between “Emergency”, “Push to Exit”, and “Presione Para Salir”
- NO or NC (selectable) momentary contact
- Contact rated 1.0A@12VDC
- Screw terminals
- Off-white
- Dimensions: 3"x15/16"x5/8" (76x23x15 mm)

#### Documents / Resources



[ENFORCER S-SS-075Q-10 Emergency-Push-to-Exit Buttons](#) [pdf] User Manual  
S-SS-075Q-10 Emergency-Push-to-Exit Buttons, S-SS-075Q-10, Emergency-Push-to-Exit Buttons, Push-to-Exit Buttons, Buttons

References

- [SECO-LARM USA Inc](#)