



ENFORCER SK-910RD3 3 Channel RF Receiver Owner's Manual

[Home](#) » [ENFORCER](#) » ENFORCER SK-910RD3 3 Channel RF Receiver Owner's Manual 

ENFORCER

SK-910RD3 3 Channel RF Receiver
Owner's Manualc



SK-910RD4 shown

5
Output
Modes

11~24
VAC/VDC

Dual
Frequency
Capability

Up to
500ft*

Three- and Four-Channel RF Receivers

SK-910RD3 315MHz, 3-Channels

SK-910RD4 315MHz, 4-Channels

The upgraded ENFORCER 3- and 4-Channel RF Receivers have increased memory, easier installation, an internal antenna, and all in a smaller case.

Contents

[1 Features](#)

[2 Specifications](#)

[3 Dimensions](#)

[4 Documents /](#)

[Resources](#)

[4.1 References](#)

[5 Related Posts](#)


Features

- Five programmable relay output modes – 0.5~99-second timed pulse, 1~99-minute timed pulse, toggle, latch, follow (validity)
- Dual frequency operation – 315MHz is standard operation. Will also do 433.92MHz with use of optional Extended Range Antenna (SK-93ERSD)
- Range*: Up to 500ft (150m), or up to 1,000ft (300m) with optional
- Extended Range Antenna (SK-91ERSD)
- Up to 60 transmitter button codes can be learned per channel Alphanumeric display indicates learn mode entered, transmitter learned, memory cleared, RF reception, and relay output mode
- Display hidden in semi-transparent case until lit
- Pushbutton programming, no need to cut jumpers
- Compatible with all ENFORCER transmitters of the same frequency
- 433.92MHz models are also available. Contact SECO-LARM for details

Specifications

Model	SK-910RD3	SK-910RD4
Operating frequency	315MHz	
Certifications	FCC. IC	
Memory capacity	60 Transmitter button codes per channel	
Operating voltage	11-24 VAC/VDC	
Current Standby	16mA@12VDC. 12mA@24VDC	
draw (max.) Active	60mA@12VDC. 50mA@24VDC (per channel)	
Relay Number	3	4
contacts Rating	Form C 10A@14VDC	
Operating humidity	0-95% non-condensing	
Operating temperature	32°-167° F (0°-75° C)	
Dimensions	43/16"x7/3"x23/8" (107x23x60 mm)	

Dimensions



* Operating range varies greatly depending on the installation and operating environment



Copyright © 2023 SECO-LARM U.S.A, Inc. All rights reserved.

All trademarks are the property of SECO-LARM U.S.A., Inc. or their respective owners.

The SECO-LARM policy is one of continual development. For that reason, SECO-LARM reserves the right to change prices and specifications without notice. SECO-LARM is not responsible for misprints.

SECO-LARM ® U.S.A., Inc.

16842 Millikan Avenue, Irvine, CA 92606

Phone: (949) 261-2999 | (800) 662-0800 Fax: (949) 261-7326

Website: www.seco-larm.com Email: sales@seco-larm.com

Copyright © 2023 SECO-LARM U.S.A, Inc. All rights reserved.

Documents / Resources

	<p>ENFORCER SK-910RD3 3 Channel RF Receiver [pdf] Owner's Manual SK-910RD3, SK-910RD4, SK-910RD3 3 Channel RF Receiver, 3 Channel RF Receiver, RF Receiver, Receiver</p>
---	---

References

- [SLI - SECO-LARM USA Inc](#)