


ergotron LX Sit Stand Wall Keyboard Arm User Guide

Home » ERGOTRON » ergotron LX Sit Stand Wall Keyboard Arm User Guide 🖺



User Guide




Contents

- 1 Safety
- 2 Tools Needed
- 3 Determine mounting location:
- 4 Documents / Resources
 - 4.1 References
- **5 Related Posts**


WARNING: Ensure that the wall structure is capable of supporting four times the total weight of mounted equipment. Mounting to wall surfaces that do not meet this criterion may result in an unstable, unsafe condition which could lead to personal injury and/or property damage. Consult a construction professional if you have any doubt about what this means in regard to your particular application.

NOTE: Product movements and spring adjustments may not work until mounted and all equipment has been attached.

Optional locking feature (customer-supplied lock)









Mounting Height for Ergonomic Workstation

This mounting height is a recommendation for an ergonomic workstation that accommodates user heights of 5'0"-5'9" (152-175cm). If user heights are different than this, you should change the mounting height to accommodate user heights. (Change the mounting height by one inch for every one-inch difference in user heights).


Determine mounting location:



Front view with arm pushed back against the wall.




Top view showing a range of motion when pulled out from the wall.




CAUTION: Make sure the wall mount bracket is level, flush, and snug to the wall surface. DO NOT OVERTIGHTEN THE BOLTS.

WOOD STUD MOUNTING






CONCRETE






ERGOTRON PRODUCT








WARNING: Mounting holes must be at least 3-1/8" (80mm) deep and must be located within solid concrete, not mortar or covering material.

If you drill into an area of concrete that is not solid, reposition mounting holes until both anchors can be fully


inserted into solid concrete!


WARNING: Anchors that are not fully set in solid concrete will not support the applied load resulting in an unstable, unsafe condition that could lead to personal injury and/or property damage. Consult a construction professional if you have any doubt about what this means in regard to your particular situation.




ERGOTRON PRODUCT; Wall Track and Brackets sold separately.










NOTE: when sliding the sleeve on to bracket, align the slot over the rotation stop.































Adjustment Step




Important! You will need to adjust this product after installation is complete. Make sure all your equipment is properly installed on the product before attempting adjustments. This product should move smoothly and easily through the full range of motion and stay where you set it. If movements are too easy or difficult or if the product does not stay in desired positions, follow the adjustment instructions to create smooth and easy movements. Depending on your product and the adjustment, it may take many turns to notice a diff erence. Any time equipment is added or removed from this product, resulting in a change in the weight of the mounted load, you should repeat these adjustment steps to ensure safe and optimum operation.

Adjustment Step





CAUTION: DO NOT overtighten fasteners. Overtightening may cause damage to your equipment.

Lift - Up and down




How to remove this tilting feature:





Yup, that's it. Really. Now your LX Arm is ready for however you work best.






Learn more about ergonomic computer use at: www.ergotron.com/ergonomics




WARNING! Stored Energy Hazard: The arm mechanism is under tension and will move up rapidly, on its own, as soon as the attached equipment is removed. For this reason, DO NOT remove equipment unless the arm has been moved to the highest position! Failure to follow this instruction may result in serious personal injury and/or equipment damage!

Warning: Because mounting surface materials can vary widely, it is imperative that you make sure the mounting surface is strong enough to handle mounted products and equipment.




Caution: Leave enough slack in the cable to allow a full range of motion.

To avoid the potential to pinch cables it is important to follow the cable routing instructions in this manual. Failure to follow these instructions may result in equipment damage or personal injury.




CAUTION: DO NOT EXCEED THE MAXIMUM LISTED WEIGHT CAPACITY. SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!

Weight Capacity:



How to remove covers:




For the latest User Installation Guide please visit: www.ergotron.com

For Warranty visit: www.ergotron.com/warranty

For Service visit: www.ergotron.com

For local customer care phone numbers visit: http://contact.ergotron.com

NOTE: When contacting customer service, reference the serial number.



ergotron®

wvay.ergotron.com

USA: 1-800-888-8458 Europe: +31 (0)3345 45 600 China: 400-120-3051

Japan: japansupport@ergotron.com

© 2017 Ergotron, Inc. All rights reserved.

While Ergotron, Inc makes every effort to provide accurate and complete information on the installation and use of its products, it will not be held liable for any editorial errors or omissions (including those made in the process of translation from English to another language), or for incidental, special or consequential damages of any nature resulting from furnishing this instruction and performance of equipment in connection with this instruction. Ergotron, Inc. reserves the right to make changes in the product design and/or product documentation without notification to its users. For the most current product information, or to know if this document is available in languages other than those herein, please contact Ergotron. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording

or otherwise without the prior written consent of Ergotron, Inc.,1181 Trapp Road, Eagan, Minnesota, 55121, USA Patents Pending and Patented U.S.& Foreign. Ergotron is a registered trademark of Ergotron, Inc.

Documents / Resources



ergotron LX Sit Stand Wall Keyboard Arm [pdf] User Guide

LX Sit Stand Wall Keyboard Arm, LX Keyboard Arm, Sit Stand Wall Keyboard Arm, Stand Wall Keyboard Arm, Wall Keyboard Arm, Keyboard Arm, LX Arm, Arm

References

- O Contact Ergotron
- @ Monitor Mounts, Computer Carts, Sit to Stand Desks | Ergotron
- © Ergonomics Guide: Tips for Comfortable Computing | Ergotron
- Product Warranty Policy | Ergotron

Manuals+,