




Contents [[hide](#)]

- [1 Ermetika A.776.16 Soft Open and Soft Close Kit](#)
- [2 Specifications](#)
- [3 Overall view](#)
- [4 SETUP](#)
- [5 FAQs](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)

Ermetika®

Ermetika A.776.16 Soft Open and Soft Close Kit



Specifications

- Model: EASYSTOP AB DUAL A.776.16
- Weight Capacity: 70 kg
- Material: Metal
- Color: Silver

Setup for Classic Sliding Systems (Evokit):

Follow steps 4-10 in the manual for setting up the system for classic sliding systems using the Evokit.


Setup for Classic Sliding Systems (Evolution):

Refer to steps 12-18 in the manual for setting up the system for classic sliding systems using the Evolution kit.


Setup for Frameless Sliding Systems (Absolute Evokit / Absolute Evo):

For frameless sliding systems, follow the instructions provided in the manual.


KIT CONTENTS










Tools








Overall view





SETUP










For wooden doors with a width between 630 and 690 mm, $P1 = 80$ mm / $P2 = 85$ mm





— [Standard track kit]




WOOD DOOR





GLASS DOOR




WOOD DOOR




GLASS DOOR













SOFT CLOSING...











... SOFT OPENING













SOFT CLOSING...



... SOFT OPENING



- T. +39 (0)883535781
- info@ermetika.it

- www.ermetika.it
- <https://www.youtube.com/c/ermetikasrl>

FAQS

Q: What is the weight capacity of the EASYSTOP AB DUAL?

A: The weight capacity of the EASYSTOP AB DUAL is 70 kg.


Q: What types of doors is this system suitable for?

A: The system is suitable for both wood and glass doors within specific width ranges. For wooden doors with a width between 630 and 690 mm, P1 = 80 mm / P2 = 85 mm. Refer to the manual for specific dimensions for glass doors.

Q: What is the purpose of the slowdown feature in opening and closing?

A: The slowdown feature is designed to provide a smooth and controlled movement when opening and closing the door, enhancing user safety and comfort.

Documents / Resources

	<p>Ermetika A.776.16 Soft Open and Soft Close Kit [pdf] Installation Guide A.776.16, 2025, A.776.16 Soft Open and Soft Close Kit, A.776.16, Soft O pen and Soft Close Kit, Soft Close Kit, Close Kit</p>
---	--

References

- [User Manual](#)

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.