EXXENTRIC kMeter II Wireless Science-Based Feedback System User Guide

EXXENTRIC kMeter II Wireless Science-Based

Feedback System User Guide

This Exxentric Flywheel Device is equipped with a built-in kMeter that connects with your Android or iOS device to provide real time feedback. Two AA batteries are preinstalled and the kMeter is ready to connect via the app directly.

The kMeter turns on and off automatically and has no manual switch.

To distinguish between your different device and kMeter units, a sticker with a unique ID number on it is included. Place this sticker on your device for future reference. This unique number corresponds to the kMeter unit installed on the device.

If multiple kMeter are in range, a drop down list with kMeter IDs will be visible when the `connect' option in the app is chosen. From here, select the device you wish to be connected to.
This is your kMeter ID sticker below

The device has been evaluated to meet general RF exposure requirement. This device should be installed and operated with a minimum distance of 5mm between the device and your body.

To learn more about the kMeter, how it works and about the different metrics, head over to our website:
exxentric.com/kMeter

http://exxentric.com/kMeter

For questions or concerns, please contact: **support@exxentric.com**

https://itunes.apple.com/se/app/exxentric-kmeter/id979885523?
mt=8

FCC Compliance Statement This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAUTION: The grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. Such modifications could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment has been tested and meets applicable limits for radio frequency (RF) exposure. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. Canadian Compliance Statement This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada license-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference. (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Follow us for the latest info, training tips and inspiration!

Contents

Documents / Resources

	EXXENTRIC kMeter II Wireless Science-Based Feedback System [pdf] User Guide KMETERII, 2AV2U-KMETERII, 2AV2UKMETERII, kMeter II, Wireless Science-Based Feedback System, kMeter II Wireless Science-Based Feedback System, Science-Based Feedback System, Feedback System

References

- **kMeter | Exxentric | Flywheel training**