

Eysltime SF1130 Smart Water Timer User Manual

Home » Eysltime » Eysltime SF1130 Smart Water Timer User Manual

Contents


- 1 Eysltime SF1130 Smart Water **Timer**
- **2 Product Description**
- 3 Work with the Smart Life App
- **4 Meet your Smart Water Timer**
- 5 How to set up your Timer 6 Documents / Resources
 - **6.1 References**




Eysltime SF1130 Smart Water Timer



Product Description



Smart Water Timer



433RF Smart Gateway



• Range: 1150ft without interference

• Working Pressure: 0.03 ~ 0.8 Mpa

• Working Temperature: $40.1^{\circ}F^{\sim} 113^{\circ}F (4.5^{\circ}C \sim 45^{\circ}C)$

• Power Supply: 4×1.5V AA Alkaline Batteries(No included)

• Waterproof: IPX5 Water Inlet: 3/4" Female

• Water Outlet: 3/4" Male

• Reducer Bushing: 3/4" Male to 1/2" Female

Work with the Smart Life App

1. Download the Smart Life App

Download the app and tap Sign Up and agree on the User Agreement and Privacy Policy to go to the Register page.



2. How to create Smart Life account

Register an account with an email address. The State/Region field value is automatically specified and can also be manually changed. However, after the account is registered, this field value cannot be changed. Tap Get Verification Code. Enter the returned verification code to navigate to the password setting page. Set a password as required and tap Done.


3. How to add the Gateway

- Make sure the phone is connected to the router network you want to bind, it must be 2.4GHz, and make sure your phone's Bluetooth is turn on.
- Use proper adapter (with USB port output 5V-1A) and the power cable in the package to power on the Smart Hub.
- After power-on, Press and hold the Gateway reset button until the LED light indicator blinks. Release the button to enter the pairing mode.
- Go to the home page of APP, click "Add Device", Searching for nearby device automatically and Successfully. Enter the Wifi password to complete the gateway add.

4. How to add the Smart Water Timer

- Press the buttons of Timer until the LED light blinks, Release the button to enter the pairing mode.
- Go to the home page of Smart Life App, click the gateway to next page, click "Add Device", Searching for nearby device automatically and Successfully, just make sure your Timer has entered pairing mode.

Meet your Smart Water Timer



How to set up your Timer

1. Manual Irrigation

10 min Your timer has the ability to allow you to manually water without disturbing the programmed schedule. Manual is used to test equipment, run an extra watering cycle in an area, or to use the hose faucet without removing the timer. Press the ON/OFF button to activate manual watering. Using the app you can set how long you want the preset manual cycle to run for.

2. Irrigation Plan

Irrigation Plan has two Schedule Type:

Normal Schedule: Watering at a specific time;

Cycle Soak: Device will be watering repeatly within this period.

3. Rain Delay

Rainy days postpone watering schedules 24H/48H/72H.

4. Irrigation Record

Keep track of your watering time.

1) Manual Irrigation



10 min

2) Irrigation Plan



3) Rain Delay



4) Irrigation Record



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

Documents / Resources



<u>EysItime SF1130 Smart Water Timer</u> [pdf] User Manual 2BL5K-SF1130, 2BL5KSF1130, SF1130 Smart Water Timer, SF1130, Smart Water Timer, Water Timer, Timer

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.