

EZ-FLO HF086 Injection System



EZ-FLO HF086 Injection System Instructions

[Home](#) » [EZ-Flo](#) » EZ-FLO HF086 Injection System Instructions 

Contents

- 1 EZ-FLO HF086 Injection System
- 2 Product Information
- 3 Product Usage Instructions
- 4 FAQs
- 5 OVERVIEW
- 6 SPECIFICATION GRADE
- 7 Documents / Resources
 - 7.1 References



EZ-FLO HF086 Injection System



Product Information

- **Specifications**
- **Model Number:** HF086
- **Capacity:** 86 Gallons
- **Refill Frequency:** Every 8 weeks
 - The EZ-Flo Injection System Model HF086 is designed for efficient and precise injection of liquid products into water supply lines.
 - With a capacity of 86 gallons, this system is suitable for various applications, including fertilization and irrigation.
 - The system features components such as fill valves, metering gauges, diversion valves for liquid and water-soluble products, and a drain/purge valve for maintenance.

Product Usage Instructions

- Locate the fill valve/fill port (02) and connect it to the water supply line (06).
- Adjust the metering gauge (05) based on the desired product concentration.
- Connect the liquid product in the diversion valve (03) and the water-soluble product in the diversion valve (04) to the appropriate containers.
- Ensure the fertilizer out shut-off valve (01) is open before operation.
- Monitor the product level using the fertilizer out/product sight tube (12).
- Refill the system with the specified liquid products as per the refill frequency.


FAQs

- **Q: How often should I refill the HF086 system?**
 - **A:** The system should be refilled every 8 weeks to maintain optimal performance.
- **Q: Can I use this system for other purposes besides fertilization?**

- **A:** Yes, the system is versatile and can be used for various applications requiring precise liquid product injection into water lines.

OVERVIEW

1. FERTILIZER OUT SHUT OFF VALVE
2. FILL VALVE / FILL PORT
3. LIQUID PRODUCT IN DIVERSION VALVE
4. WATER SOLUBLE PRODUCT IN DIVERSION VALVE
5. METERING GAUGE
6. WATER IN THE SUPPLY LINE
7. EZ-FLO CONNECTION (C-SPOOL/HFC/SADDLE KIT)
8. PVC MAIN LINE TO VALVE MANIFOLD
9. DRAIN / PURGE VALVE
10. EZ-FLO MODEL HF086 INJECTION SYSTEM 24"X66"
11. FERTILIZER OUTLINE
12. FERTILIZER OUT/ PRODUCT SIGHT TUBE




NOTES: ITEM 7 IS SOLD SEPARATELY

SPECIFICATION GRADE

- HF-86 (REFILL EVERY 8 WEEKS)
 - HYDRO MAXX 15 GAL
 - ECO MAXX 60 GAL
 - C 2023 EZ-FLO INJECTION SYSTEMS, INC.
 - EZ-FLO INJECTION SYSTEM
 - MODEL NUMBER – HF086
 - 86 GALLON CAPACITY
-

Documents / Resources

	EZ-FLO HF086 Injection System [pdf] Instructions HF086 Injection System, HF086, Injection System, System
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.