



FALCONE YES RC-5 Remote Control Instruction Manual

[Home](#) » [FALCONE YES](#) » FALCONE YES RC-5 Remote Control Instruction Manual 

Contents

- [1 FALCONE YES RC-5 Remote Control](#)
- [2 Specifications](#)
- [3 Attention](#)
- [4 FCC Warning Statement](#)
- [5 Product Overview](#)
- [6 Panel Diagram](#)
- [7 Operating Instructions](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)
- [9 Related Posts](#)

FALCONEYES

FALCONE YES RC-5 Remote Control I



Thank you for purchasing FalconEyes' products. For further details of our related products, please contact your local distributor or visit our webpage at www.falconeyes.com.hk Thank you.

Please read this manual carefully before using this product.

E-mail: info@falconeyes.com.hk

Website: www.falconeyes.com.hk

Specifications

Model no.	RC-5
Frequency	2.4GHz
Remote distance	20 M
Battery Voltage	AAx 3
LCD Display	√
Size (LxWxH)	180x55x20mm
Weight	183 g

Attention

1. Make sure the power is off after use.
2. .Since there can be high voltage inside the unit, Do NOT open or repair the unit yourself. If there is any defect, please contact an experienced technician.

3. Keep the environment dry and ventilated when using the product. Do not leave or use the flash in a humid or dusty environment.
4. .Do NOT apply pressure to the product.
5. Read this manual carefully before using the product.

FCC Warning Statement


Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:



- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Product Overview

RC-5B remote is equipped with a touch screen LCD display and equipped with an internal 2.4G anti-jamming transmitter which able to control single or multiple fixtures at the same time. By setting the ID channels, the user can set channels from 0 to 512. User can adjust the channels on the fixtures to match with the remote channels in order to remote control single or multiple units. Users can also preset different groups of fixtures in different channels and adjust the remote channels to control the corresponding group of fixtures. Users will no longer need to adjust lighting one by one and this improved the efficiency of different projects.

Panel Diagram





Operating Instructions

Please install three AA batteries and press the ON/OFF button to turn on the remote. Make sure the remote adjusts to the same channel as the light. (Distance limit: 20 m) The operation is as follows:

1. Channel adjustment:

Please the Down button and select the "CHANNEL" as Figure 1. Adjust the channel (0-512) by turning the Adjustment knob.

2. Color temperature adjustment:

Please the Down button and select the "CCT" as Figure 2. Adjust the color temperature (3000-5600K) by turning the Adjustment knob.




3. Dimming adjustment:

Please the Down button and select the "DIMMER" as Figure 3. Adjust the dimming (1-100%) by turning the Adjustment knob.

4. Special effects adjustment:

Please the Down button and select the "SCENE" as Figure 4. Select the special effects (1-9) by turning the Adjustment knob. Nine special effects: Lightning1, Lightning2, TV Screen, Candle, Paparazzi, Strobe, High and low beam bulb, Double flash, Breathing.

5. User can press the adjustment knob to switch between East and Slow adjustment (FRS)



Documents / Resources



[FALCONE YES RC-5 Remote Control](#) [pdf] Instruction Manual
0413, 2ADOY0413, RC-5 Remote Control, RC-5, Remote Control

References

-  [FalconEyes - Your Studio Professional](#)