

Fanvil

**CS40 LINKVIL
Conferencing
Speakerphone**



Fanvil CS40 LINKVIL Conferencing Speakerphone User Manual

[Home](#) » [Fanvil](#) » Fanvil CS40 LINKVIL Conferencing Speakerphone User Manual 

Contents

- [1 Fanvil CS40 LINKVIL Conferencing Speakerphone](#)
- [2 Product Usage Instructions](#)
- [3 Instructions](#)
- [4 How to Use](#)
- [5 How to Charge](#)
- [6 FAQs](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)

Fanvil

Fanvil CS40 LINKVIL Conferencing Speakerphone



Product Usage Instructions

Power ON/OFF

Hold the power button for 2 seconds to power ON or OFF. The LED bars can be turned OFF or ON.

Tips: If there is no button operation or audio output within 20 minutes, the CS40 will automatically power OFF.

Bluetooth Pairing

- Press and hold the Bluetooth button for 1 second to enter pairing mode. Select CS40 from the list of Bluetooth devices to pair it.
- **Note:** Tap the Bluetooth button to cancel pairing.

Volume Up/Down

To adjust the volume of media audio or during a call, tap the volume up or down button.

Call Control

- Answer call: Tap the call button
- Hang up: Tap the call button
- Reject call: Double-click the call button
- Redial: Double-click the call button when idle

Mute

To mute or unmute, tap the Mute button.

LED Indicator

Event	LED Bars
Power ON	Solid Cyan
Incoming call	Flashing Green
In call	Solid Green
Mute	Solid Red
Pairing	Flashing Blue
Connected	Solid Cyan

How to Charge

Charge

Connect the USB cable to a power adapter or computer to automatically power ON the speakerphone.


Tips: The speakerphone has a combined USB-A and USB-C cable for flexible connection. In corded mode, the speakerphone powers ON without using the Power button.

Charge LED Indicator

Introduction

CS40 is a loud speakerphone with vocal enhanced features design for medium meeting rooms.

- Loud speakerphone with crystal communication
- Flexible connectivity
- Modern ID
- Compatible with mainstream Softphone platforms



Features

- 5W loud speaker for medium meeting rooms
- 3-meter voice pickup range, ENC/ANS/AGC enabled
- Flexible connectivity with USB-A/C and Bluetooth
- Modern ID fits all kinds of meeting rooms
- Compatible with Apps and UC services of mainstream Softphone platforms


In the Box




- Conferencing Speakerphone CS40
- Quick Start Guide*1
- Safety Information & Declaration*1

Instructions

CS40 Conferencing Speakerphone



1. Bluetooth button
2. Volume down
3. Mute button
4. Volume up
5. Call button
6. Power button
7. USB-A/C cable
8. Kensington Nano Slot




How to Use

Power ON/OFF

Hold power button 2s to power ON/OFF, the LED bars can be turned OFF or ON.

Power ON/OFF




Tips

If there is no button operation or audio output within 20 minutes, the CS40 will automatically power OFF.

Bluetooth Pairing

Press and hold Bluetooth button for 1s to enter pairing mode. From the list of Bluetooth devices, select “CS40” to pair it.





Tap the Bluetooth button in pairing mode, the pairing will be cancelled.


Volume Up/Down

- To adjust the volume of the media audio or during a call, tap the volume up or down button.

Call Control



Mute



To mute or unmute, tap the Mute button


LED Indicator

Event	LED Bars		Call button		Bluetooth button		Mute button	
Power ON	Solid Cyan		/		/		/	
Incoming call	Flashing Green		Flashing Green		/		/	
In call	Solid Green		Solid Green		/		/	
Mute	Solid Red		/		/		Solid Red	
Pairing	Flashing Blue		/		Flashing Blue		/	
Connected	Solid Cyan		/		Solid Blue		/	
Paring failed	Flashing Blue 3s		/		Flashing Blue 3s		/	

How to Charge

Charge





Connect the USB cable to power adapter* or computer, the LED bars will light up automatically and power ON.



Tips

- The speakerphone has a combined USB-A and USB-C cable for flexible connection to either type of computer port.
- And in corded mode, the speakerphone powers ON without using the Power button.
- Excessive voltage may cause damage to the product. Using a power supply that exceeds the specified voltage can damage the device or pose other potential risks.
- To ensure the safety and proper operation of the device, be sure to use the power specifications provided in the packaging or an equivalent power supply.

Charge LED Indicator

Event	LED Status	
Full of battery	Solid Green, Turns to Solid Cyan when unplugged	 
Charging	Solid Orange	
Low battery	Flashing Red	

When the power of CS40 drops below 10%, the LED bar will flash red. Please charge CS40 as soon as possible.

Document Center

Following documents can be downloaded from our document center: Datasheet, Quick Start Guide, User manual, FAQ



<https://fanvil.com/service/doc/file/index.html>

Safe Usage Guidelines

- Do not open modify the product except for internal parts removal and replacement.
- Do not disassemble or attempt to service the product.
- This Product is safe under normal and reasonably foreseeable misuse operating conditions.
- If product is operating improperly, contact the authorized reseller.
- Product must be returned to the authorized reseller for any service or repair.
- This is not a Children's Product and is not intended for use by children under 14 years old.

About FANVIL

FANVIL Technology Co., Ltd. (FANVIL) is a leading global provider of A&V-IoT (Audio& Video- IoT) devices with three R&D centers in Beijing, Shenzhen, and Suzhou, China, and three factories in Huizhou and Shangrao, China, and Vietnam. FANVIL has focused on Unified Communication technology innovation for more than 20 years and provides SIP phones and SIP security industrial products in the global market. As the pioneer in applying standardized network communication technology and Audio & Video technologies to build A&V IoT, we are boosting the digital transformation for multiple industries.

About LINKVIL

As the sub-brand of FANVIL, LINKVIL will focus on the research and development of A&V-IoT wireless communication products. Based on Audio & Video -IoT, LINKVIL helps to achieve the full connection of wireless communication systems. LINKVIL builds a wireless communication Eco-system for multi-scenarios to help accelerate digital transformation.

Copyright

- Copyright © 2024 FANVIL Technology Co., Ltd.
- All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of FANVIL Technology Co., Ltd.

More Information

- The above specifications may be updated in the future without prior notice. All hardware/software/physical features should be based on the final shipped products.
- For more information, please visit: www.fanvil.com

Compliance



- FANVIL Technology Co., Ltd.
- Web: www.fanvil.com
- Add:10/F Block A, Dualshine Global Science Innovation Center, Honglang North 2nd Road, Bao'an District, Shenzhen, China
- Copyright © 2024 Fanvil Technology Co., Ltd.

FAQs

Q: How do I know if the CS40 is fully charged?

A: The LED indicators will show a specific pattern when the CS40 is fully charged.

Documents / Resources



USER MANUAL

[Fanvil CS40 LINKVIL Conferencing Speakerphone](#) [pdf] User Manual
CS40, CS40 LINKVIL Conferencing Speakerphone, LINKVIL Conferencing Speakerphone, Conferencing Speakerphone, Speakerphone

References

- [F Fanvil Technology Co., Ltd](#)
- [F Document](#)
- [User Manual](#)

Manuals+. [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.