Manuals+ — User Manuals Simplified.

LINKVIL CS40 Conferencing Speakerphone

Fanvil LINKVIL CS40 Conferencing Speakerphone User Guide

Contents

Fanvil LINKVIL CS40 Conferencing Speakerphone

Specifications:

- Connectivity:
  - Version: Bluetooth 5.4
  - Profiles: HSP V1.2, HFP V1.7, A2DP V1.2
  - Operating range: Up to 20m
  - Pairing list: Up to 8 devices
  - Simultaneous connections: 2

Product Information

A loud speakerphone with vocal enhanced features designed for medium meeting rooms. It offers flexible connectivity options with USB-A/C and Bluetooth support. The speakerphone features a 5W*2 loud speaker suitable for medium meeting rooms and a trio-omnidirectional mic with a 3-meter voice pickup range. It includes features like ENC (Environmental Noise Cancellation), ANS (Automatic Noise Suppression), and AGC (Automatic Gain Control). The modern ID design includes a fabric speaker cover and ambient light, suitable for various meeting room settings. Cable management is integrated to keep the desk organized.

Product Usage Instructions

1. **Connectivity:** Connect the speakerphone via USB-A/C or Bluetooth to your device.
2. **Instant Access Touch Buttons:** Use the touch buttons for functions like Pickup/Hangup, Volume Up/Down, Mute, and Bluetooth.
3. **Battery:** Enjoy a 10-hour battery runtime with a charging time of 4.5 hours.
4. **Microphone and Speaker:** Utilize the trio-omnidirectional mic for clear voice pickup and the loudspeaker for enhanced audio output.

Frequently Asked Questions

- **Q: How do I pair multiple devices with the\ speakerphone?**
  - **A:** The speakerphone supports pairing with up to 8 devices. Simply follow the pairing instructions in the user manual for each device you wish to connect.

- **Q: Can I use the speakerphone in large meeting rooms?**
  - **A:** The CS40 is designed for medium meeting rooms, but its features may still be suitable for larger spaces depending on the acoustics of the room.
- **Q: How do I know when the battery is fully charged?**
  - **A:** The speakerphone typically indicates a full charge through a specific LED light pattern or notification sound. Please refer to the user manual for detailed information.

Product Information

A loud speakerphone with vocal-enhanced features Designed for med-meeting rooms

- 5W*2 loud speaker for medium meeting rooms
- 3-meter voice pickup range, ENC/ANS/AGC enabled
- Flexible connectivity with USB-A/C and Bluetooth
- Modern ID fits all kinds of meeting rooms

FEATURES

Flexible Connectivity
USB-A/C and **Bluetooth** supported

10h battery runtime
4.5h charging time

Loud Speaker + trio-mic
5W*2 loud speaker for medium meeting rooms
Trio-omnidirectional mic for **3-meter** voice pickup range, **ENC, ANS and AGC** enabled

Elegant ID
Modern ID with **fabric speaker cover and ambience light** fits all kind of meeting rooms
Cable management keeps the desk clean

Instant Access touch buttons
Pickup/Hangup | Volume Up/Down | Mute | Bluetooth

SPECIFICATIONS

Microphone

- Type: 3 omnidirectional analog microphones
- Voice pickup range: 3 meters
- Sensitivity: -32dBFs
- Frequency: 20Hz~8KHz
- SNR:
- Environment Noise Cancellation (ENC)
- Adjustive Noise suppression (ANS)
- Automatic Gain control (AGC)

Speaker

- Speakerphone: 4Ω 5W/φ52mm*2
- Sensitivity:87dB±2dB
- Frequency range:100Hz~20KHz
- Music mode bandwidth:100Hz~20KHz
- Speak mode bandwidth:1900z~20KHz
- Maximum input power: 5W *2

Connectivity

- Connect to PC/smartphone: USB-A, Bluetooth
- Bluetooth
    - Version: Bluetooth 5.4
    - Profiles: HSP V1.2, HFP V1.7, A2DP V1.2
    - Operating range: Up to 20m
    - Pairing list: Up to 8 devices
    - Simultaneous connections: 2

Battery

- Talk time: Up to 8.5 hours
- Music time: Up to 10.5 hours
- Standby time: 13 hours
- Charging time: 4.5 hours
- Battery capacity: 4000mA

Physical Specifications

- Dimensions
    - Product: 300*120*38mm
    - Cable length: 1.2m
    - Gift-box: X
    - Carton package: X
- Weight
    - Product: 549g
    - Package Net weight/Gift-box: X/X/Box
    - Package Gross weight: X/box
    - Carton Net weight: X
    - Carton Gross weight: X
- Temperature and humidity
    - Working temperature: -10℃–60℃
    - Storage temperature: -20℃-80℃
    - Working humidity: 10%-95%

Package Contents

- CS40 Bluetooth Speakerphone
- Quick Installation Guide

About FANVIL

FANVIL Technology Co., Ltd. (FANVIL) is a leading global provider of A&V-IoT (Audio& Video- IoT) devices with three R&D centers in Beijing, Shenzhen, and Suzhou, China, and three factories in Huizhou and Shangrao, China, and Vietnam. FANVIL has focused on Unified Communication technology innovation for more than 20 years and provides SIP phones and SIP security industrial products in the global market. As the pioneer in applying standardized network communication technology and Audio & Video technologies to build A&V IoT, we are boosting the digital transformation for multiple industries.

About LINKVIL

As the sub-brand of FANVIL, LINKVIL will focus on the research and development of A&V-IoT wireless communication products. Based on Audio & Video -IoT, LINKVIL helps to achieve the full connection of wireless communication systems. LINKVIL builds a wireless communication Eco-system for multi-scenarios to help accelerate digital transformation.

Copyright

More Information

The above specifications may be updated in the future without prior notice. All hardware/software/physical features should be based on the final shipped products. For more information, please visit: **www.fanvil.com**

Compliance

- FANVIL Technology Co., Ltd.
- Web: **www.fanvil.com**
- Add:10/F Block A, Dualshine Global Science Innovation Center,
- Honglang North 2nd Road, Bao'an District, Shenzhen, China
- Copyright © 2024 Fanvil Technology Co., Ltd.

Documents / Resources

	Fanvil LINKVIL CS40 Conferencing Speakerphone [pdf] User Guide 2BCUQ-CS40, 2BCUQCS40, cs40, LINKVIL CS40 Conferencing Speakerphone, LINKVIL CS40, CS40 Conferencing Speakerphone, Speakerphone, CS40 Speakerphone, Conferencing Speakerphone

References

- [**User Manual**](#)