Home » Fastsun » Fastsun G3 Car Hud Heads Up Display Instruction Manual



Fastsun G3 Car Hud Heads Up Display Instruction Manual

Contents

- 1 GPS Speed meter:G3
 - 1.1 Warning:
 - 1.2 Display functions:
 - 1.3 Wave button

function:

- 1.4 Enter setting mode:
- 1.5 Troubleshooting
- 2 Documents / Resources
 - 2.1 References
- **3 Related Posts**

GPS Speed meter:G3

Warning:


This product working voltage is 5V, and it is forbidden to use a voltage higher than 5V for power supply.

Display functions:



- 1. Decorative atmosphere lights
- 2. Multi-function display area: display vehicle speed and driving direction angle, dial left to switch
- 3. DIR: Driving direction angle speed speed unit: MPH, KM/H
- 4. Vehicle speed icon
- 5. Compass: After the satellite is found, it will stop flashing before it can be used normally. N-North E-East W-West S-South
- 6. Satellite quantity icon
- 7. GPS-Number of GPS satellites MIN-driving time TRIP-driving distance ASL-altitude a+-100 kilometers acceleration time
- 8. Multifunctional display area: time, number of satellites, driving distance, driving time, acceleration time per 100 kilometers
- 9. Decorative atmosphere lights

Wave button function:



- a. press in
- **b.** right
- c. wave button
- **d.** left
- 1. **short press in:** switch the display mode (confirm the option after entering the setting)
- 2. long press in: enter the setting, short press in to choose menu, after adjusting, long press in to save and exit
- 3. **press left:** switch vehicle speed and driving direction angle (move option after entering setting)
- 4. long press left: when you hear Didi turn off the buzzer, again to turn on the buzzer
- 5. **press right:** switch time, satellite number, travel distance, travel time, acceleration time per 100 kilometers (move option after entering the setting)

Enter setting mode:

Long press in to enter into the setting mode, press in to choose the menu, press left or right to adjust the value. Once finishing the setting, long press in to save and exit.

m e n u	Functi on Par amete rs	Adju stme nt ra nge	Explanation	Def aul t va lue	Set para meter val ue interfa ce
·	speed	50- 150	Adjust the parameter value when there is an error between HUD and d ashboard. Ex: dashboard displays 100 KM/H, HUD displays 105 KM/H. Please adjust the parameter value to 102.(107-5)	107	8107
2.	Over s peed a larm	0-250	When the vehicle speed reach to 150, HUD will give the alarm	150	H50
3.	Fatigu e drivi ng alar m	1.0-8. 0	HUD will give fatigue driving alarm each 4 hours	4.0	
4	Bright ness a djustm ent	0-11	0=automatic sensitivity adjustment 1-11=manual adjustment 1=darkest, 11=brightest 1→11 is increasing	0	
5.	Speed unit	0-1	0=KM/H (kilometers) 1=MPH (miles)	0	
5.	Time a djustm ent	0:00- 12:00	Adjust the time zone when the satellite is not received. Default=East 8 area, only need to calibrate the local time after the satellite is found	0	800
A	Factor y reset	0-1	default=0, →1, long press in for 3 seconds to save and exit	0	

Troubleshooting

1. The screen without any display, and no power

Check whether the USB cable is damaged, replace the USB cable for testing, and prohibit the use of voltage higher than 5V for power supply

2.Without car speed

After HUD power-on, the satellite icon flashes will start to find the satellite. Please driving the car to the road. It will work after it stops flashing

3. Time adjustment

After the satellite icon is flashing and the satellite is found, long press in to enter the setting, short press in to turn to 6, adjust and calibrate the local time

4.Inaccurate speed

- a. First check the speed unit is correct or not, the speed unit including KM/Hand MPH, please refer to the setting to switch the unit.
- b. The car manufacturers usually make the dashboard speed 5-7% higher than the ECU. The international standard is based on satellite data.
- (if the dashboard shows 100, and the device shows the 105, change the default value at 102)

5. Driving direction display error

After the vehicle speed exceeds 5KM / H, the direction can be displayed normally.

6. Speed is still displayed after the car stops

Under the underground parking lot, tunnel, under the overpass, there will be unstable satellite drift when there is obstruction.

7.Turn off the buzzer

Press left for 2 seconds to turn off the buzzer, again to turn on.

Documents / Resources



Fastsun G3 Car Hud Heads Up Display [pdf] Instruction Manual

G3 Car Hud Heads Up Display, G3, Car Hud Heads Up Display, Hud Heads Up Display, Heads Up Display, Display, Display

References

• User Manual

Manuals+,