Home » Fellow » FELLOW FEAAGB Tally Pro Studio Edition Precision Scale Instruction Manual

FELLOW FEAAGB Tally Pro Studio Edition Precision Scale Instruction Manual

Contents

- 1 FEAAGB Tally Pro Studio Edition Precision Scale
- 2 TALLY™PRO
 - 2.1 TALLY™PRO Precision Scale SAFETY AND

MAINTENANCE

- 2.2 Product Overview
- 2.3 TALLY PRO
- 2.4 IMPORTANT SAFEGUARDS
- 2.5 WHAT'S IN THE BOX?
- 2.6 BATTERY
- 2.7 CARE AND CLEANING
- 2.8 HOW TO REMOVE + REINSTALL WEIGH PAN
- 2.9 SCALE CALIBRATION
- 2.10 FACTORY RESET
- 2.11 SERVICE
- 2.12 TWO-YEAR STANDARD WARRANTY
- 3 Documents / Resources
 - 3.1 References
- **4 Related Posts**

FEAAGB Tally Pro Studio Edition Precision Scale


TALLY™PRO

TALLY™PRO Precision Scale SAFETY AND MAINTENANCE



To download this safety manual in another language please visit Fellowproducts.com/tallysafetymanuals or scan this QR Code.

Product Overview



TALLY PRO

Fellow Industries Inc. Fellowproducts.com Email: hello@fellowproducts.com San Francisco, CA 94110

Product Name: Tally Pro Studio Edition Precision Scale Patents and Patents Pending: fellowproducts.com/pages/patents 2-Year Limited Warranty | Designed in San Francisco, Made in China

button

Display

Dial

Mode button

MODEL FEAAGB

SPECIFICATIONS

3.7V 1000 mAh Li-ion Battery

Weight: 591 g

Dimensions (LxWxH): 176.7 mm x 150 mm x 32.9 mm Max Capacity: 2.5 kg (2500 grams)













Do not discard as unsorted waste. To be sent to separate collection facilities for recovery and recycling.

HOUSEHOLD USE ONLY SAVE THESE INSTRUCTIONS

More info at Fellowproducts.com/pages/gear-guides

WARNING: READ ALL SAFETY WARNINGS AND INSTRUCTIONS. FAILURE TO FOLLOW THE WARNINGS AND INSTRUCTIONS MAY RESULT IN ELECTRIC SHOCK, FIRE AND/OR SERIOUS INJURY. KEEP THIS SAFETY AND MAINTENANCE MANUAL FOR FUTURE REFERENCE.

IMPORTANT SAFEGUARDS

Before use, please read these safety warnings carefully to use the scale properly. These safety warnings are indicated for the safe and proper use of this product to prevent danger to the user or others and damage to property. When using electrical appliances, basic safety precautions should always be followed, including the following:

- After unpacking the scale, dispose carefully of the plastic bags and other packaging so that children and others cannot reach them.
- The scale should be used on a flat, sturdy surface to ensure accurate measurements.
- Do not immerse any part of the scale in water or other liquid.
- The use of accessory attachments are not recommended by Fellow as it may result in fire, electric shock, or personal injury.
- Close supervision is necessary when any appliance is used by or near children.
- Do not use it within a child's reach.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.
- Do not place where the scale could touch any source of heat. For example, on or near a hot gas burner or electric burner, in a heated oven, or in a microwave.
- Disassemble your scale only as directed in the Cleaning section of this manual.
- Do not use for anything other than intended use. This appliance is intended for household use only. Use for anything other than intended use will void the warranty.
- This product is designed for indoor use.
- Handle with care. Keep the scale in a cool, dry place. Do not store the device with objects on the weigh pan. Avoid exposure to damp environments or extreme temperatures. The max load is 2.5 kg. Exceeding 2.5 kg may damage the device.
- This appliance must only be supplied at safety extra low voltage corresponding to the marking on the appliance.
- Use only with Listed/Certified Information Technology (Computer) Equipment or Listed/Certified ITE Power Supply or Listed Class 2 Power Unit for charging purpose.
- Recharge only with the charging requirement specified. A charger that is suitable for one type of battery pack may create a risk of fire when used with another battery pack.

- To prevent unintentional starting, ensure that the switch is in the off position before connecting to a battery pack, picking up or carrying the appliance. Carrying the appliance with your finger on the switch or energizing the appliance while carrying will invite accidents.
- Use appliances only with specifically designated battery packs. Use of any other battery packs may create a risk of injury and fire.
- Under abusive conditions, liquid may be ejected from the battery; avoid contact. If contact accidentally occurs, flus with water. If liquid contacts eyes, additionally seek medical help. Liquid ejected from the battery may cause irritation or burns.
- Do not use a battery pack or appliance that is damaged or modified Damaged or modified batteries may exhibit unpredictable behavior resulting in fire explosion or risk of injury.
- Do not expose a battery pack or appliance to fire or excessive temperature. Exposure to fire or temperature above 130°C may cause explosion.
- Follow all charging instructions and do not charge the battery pack or appliance outside of the temperature range specified in the instructions. Charging improperly or at temperatures outside of the specified range may damage the battery and increase the risk of fire.
- Have servicing performed by a qualified repair person using only identical replacement parts. This will ensure that the safety of the product is maintained.
- Do not modify or attempt to repair the appliance or the battery pack (as applicable) except as indicated in the instructions for use and care.
- This appliance contains batteries that are non-replaceable.
- Warning: Do not attempt to remove the battery. The appliance will be damaged by attempting to remove the battery. Never operate the appliance after the appliance has been disassembled or battery removed.
- For disposal of the entire assembly, contact your local jurisdiction for proper disposal methods for electronics devices that contain non-removable batteries as according to the local laws and regulations.

| SPECIFICATIONS | | |
|-------------------------|---|--|
| Approximate Weight | 591 g | |
| Capacity | 2500 g | |
| Units | g, oz, lbs, mL | |
| Weight Range | 0.1 g to 2500 g | |
| Unit Dimensions | 176.7 mm x 150 mm x 32.9 mm | |
| Electrical Requirements | 5 V, 1 A | |
| Power and Battery | Lithium ion rechargeable battery 3.7 V 1000 mAh | |
| Display | OLED screen, glass | |
| Warranty | 2 years | |

| OPTIMAL TEMPERATURE FOR USING AND STORING TALLY | | |
|---|---|--|
| Charging / operating ambient range: | 5-40° C / 40-104° F | |
| Charging time: | 1-2 hours | |
| Storage: | -20-60° C / -4-140° F 90% Relative Humidity | |

WHAT'S IN THE BOX?

Tally Pro scale USB-C to USB-A Charging Cable Get to Know You Guide Safety and Maintenance Manual

BATTERY

The device uses a rechargeable lithium polymer battery. You can charge the battery by plugging the USB cable into any of the power supplies listed below with an output of 5 volts and 1 amp:

- · A USB wall-charger
- A computer
- · A DC car-charger

It takes about 1-2 hours to fully charge the battery from empty. Try not to let the battery completely run out before charging. Charge the battery as needed.

When you plug in your scale the remaining battery level will flash on the screen. When the battery is at 25% or below, the scale's remaining battery level will show upon the device waking or going to sleep.

To save battery, the scale's screen will dim after 2 minutes. It will automatically turn off after 10 minutes without use unless it is in timing. When timing the scale will automatically turn off after 20 minutes.

Listed/Certified Information Technology (Computer) Equipment or Listed/Certified ITE Power Supply or Listed Class 2 Power Unit

CARE AND CLEANING

CAUTION: Do not use abrasive pads or harsh chemicals to clean. These may damage the surface of the appliance.

Tally Pro is water resistant but NOT waterproof. Do not put any part of your scale in the dishwasher. Do not immerse the scale in water or any liquid.

Always ensure that the scale is turned off before cleaning.

Only clean with mild detergent cleaner or warm water. Wipe surfaces with a damp, soft cloth or sponge.

For a more thorough clean, remove the weigh pan to wipe underneath. Use only a damp, soft cloth or sponge when cleaning underneath the weigh pan.

HOW TO REMOVE + REINSTALL WEIGH PAN

- 1. To remove, first unlock the weigh pan by turning counter-clockwise. A click will be felt.
- 2. Continue turning about 30 more degrees until the weigh pan disengages.
- 3. To reinstall, place the weigh pan back in position on the base.
- 4. Align the four engagement notches and then turn about 30 degrees until a click is felt.

SCALE CALIBRATION

In weigh mode, press both the Dial and the Timer Button for approximately 3 seconds.

IMPORTANT: Ensure you are only using a 50 gram ASTM Class 1 calibration weight for scale calibration in order to guarantee accuracy.

- 1. Follow instructions on the screen to complete scale calibration.
- 2. When the screen prompts: "Begin calibration?", select the desired response by turning the dial clockwise/counterclockwise and then press the Dial or the Timer Button to confirm the selection.
- 3. When the screen prompts: "Place 50 g Weight", place 50 gram weight on the center of the scale weigh pan.
- 4. The screen will display an animation while the scale is going through calibration.
- 5. Once calibration is complete, the screen will return you to your previous mode.

FACTORY RESET

- 1. In Brew Assist Mode, with the coffee-to-water ratio displayed, turn the dial counterclockwise until the ratio becomes
- 1:1. Next, keep turning the dial until the ratio changes to "rst".
- 2. Press the Timer Button and the display will then show: Factory Reset? (Yes/No)
- 3. Select the desired response by turning the dial clockwise/ counterclockwise.
- 4. Press the Dial or the Timer Button to confirm the selection.
- "No" returns to Brew Assist Mode.
- "Yes" will display the following: "Resetting Device".
- 5. Wait 3 seconds once displayed, the device will reset itself.

SERVICE

For service, repair, or any questions regarding your appliance, please visit bit.ly/getfellowsupport to submit a request. If you still have questions, reach out to us at help.fellowproducts.com.

Do NOT mail the product back to the manufacturer or bring it to a service center without first talking to a Fellow customer service representative.

TWO-YEAR STANDARD WARRANTY

Fellow warrants this product against any defects that are due to faulty material or workmanship for a two-year period after the original date of consumer purchase.

This warranty is valid only for:

The original consumer.

- Scales purchased through authorized retailers.
- Scales with the original sales receipt for proof of purchase.

This warranty does not include damage to the product resulting from:

- Accident, misuse, or repairs performed by unauthorized personnel.
- Operation with the wrong type of current or voltage.
- Failure to follow cleaning instructions for the scale.
- Failure to comply with any safeguards listed in the warnings and instructions of this document.

If the product should become defective within the warranty period, or you have questions regarding warranty or service, visit us at help.fellowproducts.com to submit a request.

More info at Fellowproducts.com/pages/gear-guides

10 11

Supplier's Declaration of Conformity

47 CFR § 2.1077 Compliance Information Unique Identifier: (Tally Pro)

Responsible Party – U.S. Contact Information

Fellow Industries Incorporated

Street Address 560 Alabama Street City, State San Francisco, CA. USA

Zip Code 94110

Contact: email hello@fellowproducts.com FCC Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:



Find more information at: Fellowproducts.com/pages/gear-guides

Documents / Resources



SAFETY AND MAINTENANCE SÉCURITÉ ET ENTRETEN SEGUREAU Y MANTENBEINTO SICHERHET UND WARTUNG

To download this safety manual in another language please visit processes and processes or control of code.

FELLOW FEAAGB Tally Pro Studio Edition Precision Scale [pdf] Instruction Manual FEAAGB Tally Pro Studio Edition Precision Scale, FEAAGB, Tally Pro Studio Edition Precision Scale, Pro Studio Edition Precision Scale, Studio Edition Precision Scale, Edition Precision Scale, Precision Scale, Scale

References

- Pellow Brew Ridiculously Good Coffee
- Q Gear Guides Fellow
- Patents Fellow
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.