



Ferroli FER 800 Wireless Smart Gateway User Manual

[Home](#) » [Ferroli](#) » Ferroli FER 800 Wireless Smart Gateway User Manual 

Contents

- [1 Ferroli FER 800 Wireless Smart Gateway](#)
- [2 CE Notice](#)
- [3 Product specification](#)
- [4 Product Description](#)
- [5 Preparation For Use](#)
- [6 Product Specifications](#)
- [7 Packing List](#)
- [8 FCC](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)



Ferroli FER 800 Wireless Smart Gateway



CE Notice


CE Products with the CE marking comply with the Radio Equipment Directive (2014/53/EU), the Electromagnetic Compatibility Directive (2014/30/EU), the Low Voltage Directive (2014/35/EU) – issued by the Commission of the European. Compliance with these directives implies conformity to the following European Standards: EN300328 V2.1.1 EN301489-1/-17 V2.1.1 EN62368-1:2014+A11:2017 EN55032:2015+AC:2016(ClassB); EN55035:2017 EN62311:2008

Product specification

AC/DC adapter (EU type)	INPUT:100-240VAC/Max0.25A-50/60Hz-OUTPUT:5-VDC/1.0A
----------------------------	---

Product Description

it is a mini Smart Gateway. It consists of a highly integrated Wi-Fi module, low power-consuming ZigBee/Bluetooth module, and PCBA. It can be connected to the Smart Life app for device adding, reset, third-party control, and ZigBee Bluetooth group control, meeting smart home requirements



Preparation For Use

1. In the App Store or Google Play, search for “Smart Life” or scan the QR code on the manual to download and install the smart App.
2. Open the Wi-Fi of your phone, click on the “*” in the upper right corner, and select “Wireless Gateway (Zigbee)” or “Wireless Gateway (Bluetooth)”
3. The gateway to be added will automatically appear, and please follow the instructions in the App



【Smart Life】 App

Product Specifications

Product name	Wireless Smart Gateway
Adapter output	5V \equiv 1A
Working temperature	-10°C~55°C
Working humidity	10%~90% RH (no condensation)
Wireless technology	2.4G Wi-Fi
	ZigBee/Bluetooth
Dimensions	60X60X15mm
Net weight	33g

Packing List

- Smart Gateway x 1
- Data cable x 1
- Adapter x 1
- User Manual x 1

FCC

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

Attention that changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.


Note: This product has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This product generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this product does cause harmful interference to radio or television reception, which can be determined by turning the equipment off

and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment should be installed and operated with a minimum distance 20cm between the radiator and your body

Documents / Resources

	Ferrolí FER 800 Wireless Smart Gateway [pdf] User Manual FER 800, Wireless Smart Gateway, Smart Gateway, Wireless Gateway, Gateway, FER 800 Gateway
---	--