

Fisher and Paykel HPB3619-12-N Insert Range Hood User Guide

Home » FISHER and PAYKEL » Fisher and Paykel HPB3619-12-N Insert Range Hood User Guide

Contents

- 1 Fisher and Paykel HPB3619-12-N Insert Range Hood
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 DIMENSIONS**
- **5 FEATURES & BENEFITS**
- **6 SPECIFICATIONS**
- 7 Documents / Resources
 - 7.1 References

FISHER & PAYKEL

Fisher and Paykel HPB3619-12-N Insert Range Hood



Product Information

- Model: HPB3619-12_N
- Product Name: Insert Range Hood, 36 Series 9 | Integrated Stainless Steel
- · Dimensions:
 - Height: 18 3/16 inches Width: 34 5/8 inches o Depth: 18 7/8 inches

· Features & Benefits:

- Achieve the Invisible: The range hood seamlessly blends behind cabinetry with brushed finished surfaces and no visible screws.
- Edge to Edge Extraction: Filters effectively reach edge to edge, maximizing extraction area.
- Full Surface Lighting: Even lighting provides full coverage of the cooktop with no hot or dark spots, glare, or shadows. Dimmable lights with fade in and fade out features.
- Easy to Use: Operates with fingertip control of LED-illuminated soft touch buttons. Some models come with a remote control.
- Energy Efficiency: Powered by a brushless DC motor for efficient and reliable operation with less noise.
 Fewer moving parts for longer lifetime.
- Effortless Cleaning: Stainless steel filters are easy to remove and dishwasher safe. Self-contained grease tray within the filters for easy cleaning.
- Simple Installation: Compatible with most precut cabinetry.
 Adjustable mounting system for installation with 9/16 inch cabinetry board.

Specifications:

Accessories: Remote control (included)

Fan Ratings: Maximum air movement of 1100CFM

Installation and Cleaning:

Air Outlet Size: 10 3/8 inchesDishwasher Safe Filters: Yes

Ducted: Vertical only

Performance:

Extraction Type: Surface

• Fan Speeds: 5

Filter Type: Stainless Steel Baffle

Power Requirements: Supply voltage of 120V

Control Type: Electronic

Ventilation Features:

Auto-off/Run-on Timer: Yes

Dimmable Lights: Yes

Filter Cleaning Alert: Yes

Light Type: LED

Number of Light Settings: Multiple

Over Heat Sensing: Yes

Warranty: Parts and labor warranty for 2 years

Product Usage Instructions

1. Installation:

- Ensure that the range hood is compatible with your cabinetry and the adjustable mounting system can be installed with a 9/16 inch cabinetry board.
- Follow the installation guide provided in the user manual to properly install the range hood in your kitchen.

2. Usage:


- Ensure the range hood is properly installed and connected to a power source.
- To control the range hood, use the LED-illuminated soft touch buttons located on the range hood or use the provided remote control (if applicable).
- For extraction, select the desired fan speed from the available 5 options. Choose the extraction rate that suits your cooking needs.
- The range hood is equipped with dimmable LED strip lighting.
 Adjust the lighting intensity according to your preference using the dimming feature.
- The range hood provides full surface lighting, evenly illuminating the cooktop. There are no hot or dark spots, glare, or shadows.
- If the range hood is equipped with an auto-off/run-on timer, set the timer as per your requirements.
- Clean the stainless steel filters regularly to maintain efficient performance. The filters are dishwasher safe and can be easily removed for cleaning. The self-contained grease tray within the filters makes cleaning convenient.
- Take advantage of the energy-efficient operation powered by the brushless DC motor. It operates more reliably, quietly, and with fewer moving parts, resulting in a longer lifetime.
- Refer to the user manual for any additional instructions or troubleshooting information.

With edge-to-edge extraction, this efficient, stylish range hood is perfectly hidden away in your cabinetry.

- With five fan speeds, select the perfect extraction rate for your cooking
- · With dimmable LED strip lighting
- Powerful 1100CFM maximum airflow
- · Dishwasher safe filters that are easy to remove and clean

DIMENSIONS

- Height 18 3/16"
- Width 34 5/8"
- Depth 18 7/8"



FEATURES & BENEFITS

ACHIEVE THE INVISIBLE

This high quality integrated range hood seamlessly blends behind cabinetry in a variety of kitchen layouts. Beautiful in its simplicity, this product has brushed finished surfaces with no visible screws.

EDGE TO EDGE EXTRACTION

Filters effectively reach edge to edge, which maximizes the amount of extraction area.

• FULL SURFACE LIGHTING

The even lighting provides full coverage of the cooktop, illuminating food in its true color, with no hot or dark spots and no glare or shadows. The dimmable lights have fade in and fade out features.

EASY TO USE

This easy to use range hood operates with fingertip control of LED-illuminated soft touch buttons. Selected models also come with a remote control.

ENERGY EFFICIENCY

Powered by a brushless DC motor, the Insert Range Hood operates more efficiently, more reliably and with less noise than units with AC motors. Plus, fewer moving parts mean less erosion and longer lifetime.

• EFFORTLESS CLEANING

The stainless steel filters are easy to remove and are dishwasher safe. A self-contained grease tray within the filters makes them very easy to clean.

SIMPLE INSTALLATION

The simple installation process is compatible with most precut cabinetry. The adjustable mounting system can be installed with 5%" to 9/16" cabinetry board.

SPECIFICATIONS

Accessories

Remote control Included

Fan ratings

Maximum air movement 1100CFM

· Installation and cleaning

- Air outlet size 10"
- Dishwasher safe filters 3
- Ducted Vertical only

Performance

- Extraction type Surface
- Fan speeds 5
- Filter type Stainless Steel Baffle

· Power requirements

Supply voltage 120V

Product dimensions

- Depth 18 7/8"
- Height 18 3/16"
- Width 34 5/8"

· Product information

Control type Electronic

Ventilation features

- Auto-off/Run-on timer •
- Dimmable lights •
- Filter cleaning alert •
- Light type LED
- Number of light settings 5
- Over heat sensing •

Warranty

Parts and labour 2 years

• SKU 50110

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher &

Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- User Guide
- · Service & Warranty
- User Guide / Guide d'utilisation
- Installation Guide / Guide d'installation
- · Data Sheet Insert Rangehood

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support T 1.888.936.7872 W <u>www.fisherpaykel.com</u>

Documents / Resources



<u>Fisher and Paykel HPB3619-12-N Insert Range Hood</u> [pdf] User Guide HPB3619-12-N Insert Range Hood, HPB3619-12-N, Insert Range Hood, Range Hood, Hood

References

• Home Appliances | Fisher & Paykel USA

Manuals+,