

FISHER AND PAYKEL OR30SCI6X1 4 Zone Induction Self Cleaning Range User Guide

Home » FISHER and PAYKEL » FISHER AND PAYKEL OR30SCI6X1 4 Zone Induction Self Cleaning Range User Guide ™

FISHER & PAYKEL

Contents

- 1 FISHER AND PAYKEL OR30SCI6X1 4 Zone Induction Self Cleaning Range User Guide
- **2 DIMENSIONS**
- **3 FEATURES & BENEFITS**
- **4 SPECIFICATIONS**
- 5 Documents / Resources
 - **5.1 References**
- **6 Related Posts**

FISHER AND PAYKEL OR30SCI6X1 4 Zone Induction Self Cleaning Range User Guide



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

-	-
Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Depth	25 1/4 "

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Generous Capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Quality And Durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

SPECIFICATIONS

Accessories (included)	
2-pc grill system (Broil pan and Grill rack)	
Broil pan	•
Full extension sliding shelves	2 sets (part 578776)
Full extension telescopic shelves	2 sets (part 578776)
Accessories (sold separately)	
Kick strip, stainless steel (optional)	KICKOR30X1
Wok grate included	N/A

Shelf positions	7
Total capacity	3.5 cu ft 2.9 cu ft
Usable capacity	
Cleaning	
Acid resistant graphite enamel	
Drop down broil element	
Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	
Controls	
Audio feedback	•
Automatic cooking/minute timer	
Automatic pre-set temperatures	•
Celsius/Fahrenheit temperature	•
Electronic clock	
High resolution display	

Laser etched graphics	
Precise electronic temperature control	•
Sabbath mode	:
Toughened fused glass graphics	
Turned stainless steel clock buttons	
Turned stainless steel dials with illuminated halos	•
Installation Dimensions	
Installation cutout dimensions (Width)	30 mm
Main oven functions	
Warm	
Oven features	
Automatic rapid pre-heat	
Concealed element	•
Electronic oven control	•
Full extension telescopic sliding shelves	•
Internal light	2 x 25W halogen (rear)
Soft open/close door	•
True convection	•
Turned stainless steel clock dial	•
Oven functions	
Aero Broil	•
Aero™ Bake	
Aero™ Pastry with Pizza mode	
Dele	

Bake

Auto heat reduce			
Rangetop features			
Width	29 7/8 '		
Height	35 3/4 - 37 5/8		
Depth	25 1/4		
Product Dimensions			
Self Cleaning Sf	Yes		
Product Details			
Supply frequency	60 Hz		
Amperage	51 A		
Power Requirements			
Warming drawer power	220 V		
CoolTouch door	Triple glazed		
Broil power	4050 V		
Oven performance			
True convection			
Rapid proof Roast True Aero			
		Pyrolytic self-clean	

9
· · ·
•
· · · ·
•
:
:
•
•
•
68.13 L
1/8 gallon

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Revit Induction Cooker Rhino Induction Cooker Sketchup Induction Cooker User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com

FISHER & PAYKEL

Read More About This Manual & Download PDF:

Documents / Resources



FISHER AND PAYKEL OR30SCI6X1 4 Zone Induction Self Cleaning Range [pdf] User Guide OR30SCI6X1 4 Zone Induction Self Cleaning Range, OR30SCI6X1, 4 Zone Induction Self Cleaning Range, Induction Self Cleaning Range, Cleaning Range, Range

References

- Shop Luxury Kitchen Appliances | Fisher & Paykel USA
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.