



FIT TECH 38 Modular Island User Guide

[Home](#) » [FIT TECH](#) » FIT TECH 38 Modular Island User Guide 

Contents

- [1 FIT TECH 38 Modular Island](#)
- [2 Features and Benefits:](#)
- [3 Dimensions:](#)
- [4 SETUP INSTRUCTIONS](#)
- [5 FABRIC, VINYL & UV GRAPHIC CARE GUIDELINES](#)
- [6 SETUP NOTES](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

FITTECH

FIT TECH 38 Modular Island



Hybrid Pro™ Modular Kit 38 is a commanding 20ft x 20ft island exhibit that offers the ideal layout for meetings and demonstrations. Kit 38 features a 16ft tall wall, ideal for prominently displaying your brand, as well as three demonstration areas for optimal product and service show and tell. This exhibit kit will make you stand out from the rest and is available for purchase or rent.

Features and Benefits:

- 16ft tall wall
- Two Laminate Counters (74"W x 40.5"H x 22"D) with storage (65" monitor shown, but not included)
- 17ft dia. fabric structure ring, which is attached to the backwall and kiosks
- Two demonstration kiosks: 59"W x 94"H walls + Hybrid Pro Counter 19's with graphics (50" monitor shown, but not included) One Hybrid Pro Counter 19 serves as a reception counter
- Kit includes frame, 8 SEG graphic panels, three Hybrid Pro 19 Counters, one Laminate Counter and one Woodcrate
- Flooring and monitors shown not included
- Lifetime hardware warranty against
- manufacturer defects

Dimensions:

Hardware

Assembled unit:

- 207.17"w x 188.98"h x 207.17"d
- 5962mm(w) x 4800mm(h) x 5262mm(d)

Approximate Weight:

- 1225 lbs / 556 kg

Graphics

Refer to related graphic templates for more information Visit:

<https://www.theexhibitorshandbook.com/downloads/download-graphic-templates>

Shipping

- Packing case(s): 1 WOODCRATE-H-02
- Shipping dimensions: WOODCRATE-H-02: 100"W x 50.5"D x 52.5"T 2540mm(l) x 1283mm(h) x 1334mm(d)
- Approximate shipping weight: 1834 lbs / 832 kg



This product may include the following materials for recycle: aluminum, select wood, fabric, cardboard, paper, steel, and plastics.

Additional information:

Laminate Panel Colors:



Dove
Grey



Black



Designer
White




Fusion
Maple

2 person assembly recommended:



SETUP INSTRUCTIONS

HP-K-38



PROJECT BOM

SET UP#	HARDWARE	#	DESCRIPTION
20×20	20×20	1	20×20
A1	102-100-01-01	8	100MM LENGTH OF PH2 EXTRUSION-WITH CAM LOCKS BOTH ENDS
A2	102-111-01-01	3	111MM LENGTH OF PH2 EXTRUSION-WITH CAM LOCKS BOTH ENDS
A3	102-300-01-01	4	300MM LENGTH OF PH2 EXTRUSION-WITH CAM LOCKS BOTH ENDS
A4	102-600-11	4	600MM LENGTH OF PH2 EXTRUSION WITH TENSION GLIDES
A5	242-600-01-01	2	600MM LENGTH OF PM4R8-WITH CAM LOCKS BOTH ENDS
A6	242-2310-01-01	4	2310MM LENGTH OF PM4R8-WITH CAM LOCKS BOTH ENDS
A7	242-2348-01-10	4	2348MM LENGTH OF PM4R8-WITH STOP AT 315MM ONE SIDE-WITH CAM LOCKS ONE END
A9	245-600-11	2	600MM 4-WAY INTERNAL CONNECTION EXTRUSION W/ 8 TENSION GLIDE
A10	340-100-01-01	4	100MM LENGTH OF PHFC4 EXTRUSION-WITH CAM LOCKS BOTH ENDS
A11	340-1394-01-02	8	1394MM LENGTH OF PHFC4 EXTRUSION-WITH IB2 LOCK HOLES ONE END-CAM LOCK ONE END

A12	340-1500-03-03	4	1500MM LENGTH OF PHFC4 EXTRUSION-WITH MITRE CUT BOTH ENDS
A13	340-2400-03-03	4	2400MM LENGTH OF PHFC4 EXTRUSION-WITH MITRE CUT BOTH ENDS
A14	342-2386-10-10	8	2386MM OF PMFC4-90-B EXTRUSION -WITH STOPS AT 315MM
410-1000-0-	410-1000-42	8	1000MM LENGTH OF WHITE LAMINATED P90S EXTRUSION
418-1000-0-	418-1000-42	2	1000MM LENGTH OF WHITE LAMINATED PT EXTRUSION
419-1000-0	419-1000	2	1000MM LENGTH OF PX EXTRUSION
CB9	CB9	8	90 DEGREE JOINER
C-M-01-13	C-M-01-13 2100	1	(STRUCTURE-01) 2600MM RADIUS X 450MM H X 50MM RING STRUCTURE
C1-1	COUNTER TOP	3	COUNTER TOP
C2	CT-72L-01	2	(TOP-01) 1960MM X 539MM X 30MM BLACK LAMINATE COUNTER TOP BLACK T OP (1595-60)
C3-1	C-W-02-13 2100	2	(SHELF-01) 906MM X 306MM X 15MM LAMINATE SHELF CUSTOM LAMINATE – W.D.WHITE (D354-60)
C3-2	C-W-02-13 2100	2	(SHELF-01) 906MM X 306MM X 15MM LAMINATE SHELF CUSTOM LAMINATE – W.D.WHITE (D354-60)
EXT-LG-M	EXT-LG-M B	4	Large LCD Monitor mount, 37" – 70" size, 110 Lb. max. weight, Tilting-with extrusion mounted hardware
GR MT-CA	GRMT-CA P-RNG-BLK	2	BLACK CAP & RING FOR 2 1/2" GROMMET (77-24-106)
IB2-O	IB2-O	4	JOINER BAR (OLD STYLE)
C1-2	LEG	6	LEG
A15	LP-300-1000	4	300MM W X 1000MM H LOCK PANEL
A16	LP-900-1000	4	900MM W X 1000MM H LOCK PANEL
A17	LP-CD-900-1000	4	900MM W X 1000MM V LOCK PANEL CABINET DOOR

PM FC4 -90	PMFC4-90 -B-CAP	8	PLASTIC MOLDED END CAP FOR THE PMFC4-90-B EXTRUSION
SS1 -S	SS1-S	16	SHELF SUPPORT PIN
SW- FO OT-	SW-FOOT- 650-LN	4	650MM SMART WALL FOOT
SW- FO OT-	SW-FOOT- 900-LN	2	900MM SMART WALL FOOT
TC- 50M M-	TC-50MM- SILVER	6	SILVER ANODIZE FINISH 50MM TUBE CLAMP
SET UP#	GRAPHIC S	#	DESCRIPTION
GR- A1	HP-38-A-G	1	GRAPHIC (A1) (121.68 w X 192.27 h total size) 117.68 w X 188.27 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (-WITH CUTS FOR PH2)
GR- B1	HP-38-B1- G	1	GRAPHIC (B1) (62.94 w X 98.37 h total size) 58.94 w X 94.37 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner

GR- B2	HP-38-B2- G	1	GRAPHIC (B2) (62.94 w X 98.37 h total size) 58.94 w X 94.37 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
GR- A2	HP-38-B-G	1	GRAPHIC (A2) (15.85 w X 192.27 h total size) 11.85 w X 188.27 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
GR- C1	HP-38-C1- G	1	GRAPHIC (C1) (62.94 w X 98.37 h total size) 58.94 w X 94.37 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
GR- C2	HP-38-C2- G	1	GRAPHIC (C2) (62.94 w X 98.37 h total size) 58.94 w X 94.37 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
GR- A3	HP-38-C- G	1	GRAPHIC (A3) (121.68 w X 192.27 h total size) 117.68 w X 188.27 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
GR- A4	HP-38-D- G	1	GRAPHIC (A4) (15.85 w X 192.27 h total size) 11.85 w X 188.27 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner

FABRIC, VINYL & UV GRAPHIC CARE GUIDELINES

GENERAL HANDLING FABRIC GRAPHICS

- Your fabric graphics should always be handled in a clean and dry area with clean hands. When possible, use white fabric gloves.
- Be sure fabric is clean and dry before packing.
- Machine washing and/or drying is not recommended for all fabrics. Refer to the chart below for which fabrics are washable.

EMERGENCY STAIN TREATMENT (FABRIC)

1. For dry stains, like loose dirt or pencil marks, try initially using masking tape or Magic Eraser (dry-not moistened).
2. Introduce water or liquids to treat stains, if at all possible, treat the stain with fabric off of the frame.
 - Place a clean dry cloth behind stain (to absorb stains while being treated). Moisten another cloth initially with just water (distilled water is optimal, if available).
 - Gently blot stain with moistened cloth (or small area of moistened Magic Eraser), while trying to push stain through to the back, using the dry cloth to absorb.
 - Repeat using care to keep the wet area as small as possible.
 - Grandma's Secret Spot remover can be an effective stain remover. Mix several drops in a small cup with clean water. Repeat above and using dry cloth on back of stain to absorb.

MACHINE WASHING FABRIC GRAPHICS

- Cold water/delicate cycle/tumble dry low or air dry. For stretch fabrics do not use dryer, let hang dry.
- Use caution on dryer time with graphics containing liners. It's best to put tension fabric on frame when fabric is still damp and let it air dry. Always be sure that the aluminum frame is clean when mounting the damp graphic.
- Fabric stretch graphics that are washed and machine dried may shrink up to 3/4" per every 50" of fabric in the direction of the stretch and shrink up to 1/4" in non stretch direction.

STORING & PACKING BACKLIT GRAPHICS

- To avoid cracks in the ink or having to steam graphics, Backlit fabrics should be loosely folded with bubble wrap or stored around a tube.
- Avoid folding the graphic tightly to store in a small bag or box.

GENERAL HANDLING VINYL & UV GRAPHICS

- Vinyl banners and rigid graphics should always be handled in a clean and dry area with clean hands. When possible, use white fabric gloves.
- Be sure vinyl/ UV is clean and dry before packing. Always follow material handling and packing instructions included.
- All vinyl material should be rolled with graphic facing in to protect the graphic printed side. Roll on a tube in available.
- Avoid folding material to reduce the risk of crease lines and chipped inks. If a graphic must be folded, try and fold loosely and as few times as possible.

EMERGENCY STAIN TREATMENT (UV)

- For dry stains, like loose dirt, pencil marks or adhesive, try initially using masking tape, Masking tape can be quite effective at lifting dry surface dirt. Try 'pulling' as much of stain away as you can and avoid rubbing the stain into the material.
- While using Windex® avoid scrubbing harshly. Too much pressure can fade the graphic print.

GENERAL HANDING OF ROLLABLE PVC PANELS

All mural panels, truss panels and detachables should be rolled with the graphic facing out to protect the graphic printed side. Mural panels should be stored in the original plastic sleeves that are provided with the panels.


STEAMING FABRIC GRAPHICS

- For optimal results, steam wrinkles when fabric is tensioned and installed securely on the frame.
- Fill steamer with clean drinking water or distilled water. Avoid using water containing hard minerals.
- Hold steamer upright and hold close to fabric. Avoid touching fabric with steamer.
- Do not tap steamer as water drips may cause water marks to form on graphic

SETUP NOTES

Redesign of this exhibit without approval by Orbus may result in dangerous and unsafe structures. Nimlok disclaims any responsibility for redesigned exhibits it does not approve in writing. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table for reference. "Nominal" refers to approximate size.

NOTE: PARTS MAY COME PRE-ASSEMBLED FOR PACKING PURPOSES.




HELPFUL SETUP QR CODES




SCAN QR CODES
WITH YOUR PHONE
CAMERA


Dimensions



SETUP#	#	DESCRIPTION
PMFC4-90	4	PLASTIC MOLDED END CAP FOR THE PMFC4-90-B EXTRUSION
A14	4	2384MM OF PMFC4-90-B EXTRUSION -WITH STOPS AT 315MM
A4	2	600MM LENGTH OF PH2 EXTRUSION WITH TENSION GUIDES
A11	4	1394MM LENGTH OF PHFC4 EXTRUSION-WITH IB2 LOCK HOLES ONE END-CAM LOCK ONE END
IB2-O	2	JOINER BAR (OLD STYLE)
A7	2	2348MM LENGTH OF PM4R8-WITH STOP AT 315MM ONE SIDE-WITH CAM LOCKS ONE END
A9	1	600MM 4-WAY INTERNAL CONNECTION EXTRUSION W/ 8 TENSION GUIDE



COMPONENTS IN THIS STEP: (Not to scale)				
	342 (P08)	242 (PM4R8)	102 (PH2)	245 (PM4D)




1

SETUP#	#	DESCRIPTION
A10	4	100MM LENGTH OF PHFC4 EXTRUSION-WITH CAM LOCKS BOTH ENDS
A6	2	2310MM LENGTH OF PM4R8-WITH CAM LOCKS BOTH ENDS
A1	4	100MM LENGTH OF PH2 EXTRUSION-WITH CAM LOCKS BOTH ENDS
A2	3	111MM LENGTH OF PH2 EXTRUSION-WITH CAM LOCKS BOTH ENDS
A5	2	600MM LENGTH OF PM4R8-WITH CAM LOCKS BOTH ENDS




COMPONENTS IN THIS STEP: (Not to scale)		
	242 (PM4R8)	102 (PH2)




2


SETUP#	#	DESCRIPTION
A11	4	1394MM LENGTH OF PHFC4 EXTRUSION-WITH IB2 LOCK HOLES ONE END-CAM LOCK ONE END
IB2-O	2	JOINER BAR (OLD STYLE)
PMFC4-90	4	PLASTIC MOLDED END CAP FOR THE PMFC4-90-B EXTRUSION
A14	4	2386MM OF PMFC4-90-B EXTRUSION -WITH STOPS AT 315MM
A4	2	600MM LENGTH OF PH2 EXTRUSION WITH TENSION GLIDES
SW-FOOT-	2	900MM SMART WALL FOOT
A7	2	2348MM LENGTH OF PM4R8-WITH STOP AT 315MM ONE SIDE-WITH CAM LOCKS ONE END
A9	1	600MM 4-WAY INTERNAL CONNECTION EXTRUSION W/ 8 TENSION GLIDE




CAM LOCK VIDEO




IB2 VIDEO




STOP PIN VIDEO




1- LOOSE THUMBSCREWS




2- SLIDE EXTRUSION INTO LN-100




3- GENTLY TIGHTEN SW-FOOT IN PLACE







SW-FOOT-650






COMPONENTS IN THIS STEP:
(Not to scale)


342 (P08) 242 (P14R8) 102 (PH2) 245 (P14D)


3

SETUP#	#	DESCRIPTION
GR-A2	1	GRAPHIC (A2) (15.85 w X 192.27 h total size) 11.85 w X 188.27 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
GR-A1	1	GRAPHIC (A1) (121.68 w X 192.27 h total size) 117.68 w X 188.27 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner (-WITH CUTS FOR PH2)
GR-A4	1	GRAPHIC (A4) (15.85 w X 192.27 h total size) 11.85 w X 188.27 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
GR-A3	1	GRAPHIC (A3) (121.68 w X 192.27 h total size) 117.68 w X 188.27 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner




PUSH-FIT FABRIC VIDEO






4

SETUP#	#	DESCRIPTION
EXT-LG-MB	2	Large LCD Monitor mount, 37" - 70" size, 110 Lb. max. weight, Tilting-with extrusion mounted hardware
TC-50MM	4	SILVER ANODIZE FINISH 50MM TUBE CLAMP



5



SETUP#	#	DESCRIPTION
A12	4	1500MM LENGTH OF PHFC4 EXTRUSION-WITH MITRE CUT BOTH ENDS
A13	4	2400MM LENGTH OF PHFC4 EXTRUSION-WITH MITRE CUT BOTH ENDS
CB9	8	90 DEGREE JOINER
A6	2	2310MM LENGTH OF PM4R8-WITH CAM LOCKS BOTH ENDS
TC-50MM	2	SILVER ANODIZE FINISH 50MM TUBE CLAMP




COMPONENTS IN THIS STEP: (Not to scale)	242 (PM4R8)	340 (PHFC4)
--------------------------------------------	-------------	-------------

6

SETUP#	#	DESCRIPTION
SW-FOOT-	4	650MM SMART WALL FOOT
GR-C2	1	GRAPHIC (C2) (62.94 w X 98.37 h total size) 58.94 w X 94.37 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
GR-B2	1	GRAPHIC (B2) (62.94 w X 98.37 h total size) 58.94 w X 94.37 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner





BUILD X2 UNITS




7

SETUP#	#	DESCRIPTION
GR-C1	1	GRAPHIC (C1) (62.94 w X 98.37 h total size) 58.94 w X 94.37 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner
EXT-LG-MB	2	Large LCD Monitor mount, 37"- 70" size, 110 Lb. max. weight, Tilting-with extrusion mounted hardware
GR-B1	1	GRAPHIC (B1) (62.94 w X 98.37 h total size) 58.94 w X 94.37 h finish size, Dye-sub print on Eclipse Blockout Stretch, single sided, sewn with FCE-2 silicone beading around perimeter & pull tab in bottom right corner



BUILD X2 UNITS



8

SET UP INSTRUCTIONS:



1. CONNECT BOTTOM AND TOP TUBES FOLLOWING THE LABELS
2. CONNECT SIDE TUBES
3. CLEAN THE FRAME AND PLACE THEM ON CLEAN PLACE
4. CAREFULLY REMOVE FABRIC COVER FROM BAG
5. PLACE COVER AROUND THE BOTTOM OF THE FRAME
6. PULL COVER CAREFULLY UP TO THE TOP
7. CLOSE ALL ZIPPERS
8. ADJUST FABRIC AROUND THE FRAME
9. CONNECT CABLE HARNESS TO THE EYEBOLTS
10. COMPLETELY TIGHTEN THREADED CONNECTORS

BREAK DOWN INSTRUCTIONS:

REVERSE SET-UP STEPS TO BREAKDOWN FRAME




FABRIC CARE INSTRUCTIONS:

1. UNZIP COVER ZIPPERS
2. CAREFULLY REMOVE FABRIC COVER
3. CLOSE ALL ZIPPERS
4. FOLD OR ROLL NEATLY
5. PLACE FABRIC IN COVER BAG




9

SETUP#	#	DESCRIPTION
C-M-01-13	1	(STRUCTURE-01) 2600MM RADIUS X 450MM H X 50MM RING STRUCTURE





10

SETUP#	#	DESCRIPTION
A15	4	300MM W X 1000MM H LOCK PANEL
A16	4	900MM W X 1000MM H LOCK PANEL
410-1000	4	1000MM LENGTH OF WHITE LAMINATED P90S EXTRUSION
419-1000	2	1000MM LENGTH OF PX EXTRUSION
A3	4	300MM LENGTH OF PH2 EXTRUSION-WITH CAM LOCKS BOTH ENDS
A1	4	100MM LENGTH OF PH2 EXTRUSION-WITH CAM LOCKS BOTH ENDS




COMPONENTS IN THIS STEP:			
(Not to scale)	410 (P90S)	418 (PT)	102 (PH2)



BUILD X2 UNITS




11

SETUP#	#	DESCRIPTION
A17	4	900MM W X 1000MM V LOCK PANEL CABINET DOOR
418-1000	2	1000MM LENGTH OF WHITE LAMINATED PT EXTRUSION
410-1000	4	1000MM LENGTH OF WHITE LAMINATED P90S EXTRUSION



COMPONENTS IN THIS STEP:			
(Not to scale)	410 (P90S)	418 (PT)	102 (PH2)





BUILD X2 UNITS



12

SETUP#	#	DESCRIPTION
SS1-S	16	SHELF SUPPORT PIN
C3-2	2	(SHELF-01) 906MM X 306MM X 15MM LAMINATE (D354-60)
C3-1	2	(SHELF-01) 906MM X 306MM X 15MM LAMINATE (D354-60)




BUILD X2 UNITS



13

SETUP#	#	DESCRIPTION
C2	2	(TOP-01) 1960MM X 539MM X 30MM BLACK LAMINATE COUNTER TOP BLACK TOP (1595-60)
GRMT-CA	2	BLACK CAP & RING FOR 2 1/2" GROMMET (77-24-106)





BUILD X2 UNITS



14

SETUP#	#	DESCRIPTION
C1-2	6	LEG
C1-1	3	COUNTER TOP

BUILD X3 UNITS



Documents / Resources



[FIT TECH 38 Modular Island](#) [pdf] User Guide
38 Modular Island, 38, Modular Island, Island

References

- [The Exhibitors' Handbook](#)
- [User Manual](#)

[Manuals+](#). [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.