

# Flextronics Computing AK02 Activity Key Owner's Manual

Home » Flextronics Computing » Flextronics Computing AK02 Activity Key Owner's Manual



# **FLEXTRONICS**

The following contents are described in the Owners Manual of the vehicle. In Canada, it is described in English and French

#### **Contents**

- 1 ACTIVITY KEY
- 2 Technical details (EU version only):
- 3 Battery:
- 4 Regulation/ compliance
- 5 Documents / Resources
  - 5.1 References
- **6 Related Posts**

### **ACTIVITY KEY**


The activation key is a touch screen with a wrist strap designed to support situations where the smart key might be obtrusive or difficult to keep secure. The activation key is waterproof to a depth of 131 ft (40 m) and is shockproof. Care should be taken during certain sporting activities, e.g., skiing, jet-skiing, or diving, to protect the activation key. The activity key provides full keyless entry and keyless start functionality. See KEYLESS ENTRY, KEYLESS LOCKING, and STARTING THE ENGINE. While the activation key is worn on the wrist, the smart key can remain inside the vehicle. When the activation key is activated, the vehicle locks, the alarm system arms, and any smart key remaining inside the vehicle is disabled.



Make sure any smart keys left inside the vehicle are stored out of view.



Locking preference settings are retained when locking or unlocking the vehicle using the activity key, e.g., single or double locking. See 2-STAGE UNLOCKING and GLOBAL OPENING.



Home screen: Displays the time.

2. Battery charge status.



# Notes

If the battery charge level drops below 30%, the screen displays a prompt to charge the activation key.



# **Notes**

The screen disables if the charge level drops below 15%.

3. Charge icon: Displays when the activation key is being charged.



# Notes

Charge via the supplied magnetic USB cable. Replacements are available. Contact a retailer/authorized repairer.



#### Notes

When left idle for a period of time, the activity key's touchscreen switches off to preserve battery power. Touchscreen use:

- 1. Press and hold the screen for approximately 2 seconds to wake the home screen.
- 2. Swipe right to access the menu screen.
- 3. Touch the menu item required to select.

## Locking:

- 1. Make sure the ignition is switched off.
- 2. Exit the vehicle, making sure that all of the doors and tail door are closed.

- 3. Swipe the screen upward to access the Locking menu.
- 4. Touch the Lock icon.



The hazard warning lights flash, and the power fold mirrors fold to confirm the locked status.

- 5. Touch the home icon to return to the home screen. Unlocking:
- 1. Swipe the screen upward to access the Locking menu.
- 2. Touch the Unlock icon.

### Setting the time:

- Select the Settings menu.
- Select the clock symbol and adjust the time using the up/down arrows.

Panic alarm: access the panic menu and touch the panic icon.



## **Notes**

The panic alarm cannot be canceled during the first 5 seconds of operation. Once these 5 seconds have passed, the panic function on the key will de-activate the panic alarm.

# Technical details (EU version only):

Product name: Activity key

Model: ACTIVITY KEY Trademark: flex

Ratings: 5V, === 75mA Frequency range:

• BLE:2402MHz-2480MHz, 3.57dBm

RFID:125kHz

UHF:433.589MHz-434.251MHz, 7.97dBm

• UWB: 3993.6MHz, 4492.8MHz

Manufacturer: Flextronics Computing (Suzhou) Co., Ltd.

Manufacturer Address: No.1 Guanpu Road, Guoxiang Street, Wuzhong District, Suzhou, Jiangsu, China

# **Battery:**

- the battery is non-replaceable;
- high or low extreme temperatures that a battery can be subjected to during use, storage or transportation; and
- · low air pressure at high altitude.
- replacement of a battery with an incorrect type that can defeat a safeguard (for example, in the case of some lithium battery types);
- disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion;
- leaving a battery in an extremely high temperature surrounding environment that can result in an explosion or the leakage of flammable liquid or gas;

- a battery subjected to the extremely low air pressure that may result in an explosion or the leakage of flammable liquid or gas.
- the highest specified charging temperature60±3
- the lowest specified charging temperature0±3
- Manufacturer specified the following point(s) to monitor cell temperature near R3



#### Caution:

The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

# Regulation/ compliance

### CE:

EU supplier/ importer:

Address:

#### FCC:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

### IC:

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science, and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

1) This device may not cause interference. 2) This device must accept any interference, including interference that may cause undesired operation of the device.

#### **Documents / Resources**



Flextronics Computing AK02 Activity Key [pdf] Owner's Manual AK02, 2AVSM-AK02, 2AVSMAK02, AK02 Activity Key, Activity Key

# References

- Land Rover Owner Information
- <u>Land Rover Owner Information</u>
- Eand Rover Owner Information
- Land Rover Owner Information
- <u>Land Rover Owner Information</u>

Manuals+,