



[Home](#) » [FORMING FUNCTION](#) » **FORMING FUNCTION 8101000101 LAMP 01 Adjustable work lamp User Manual** 

Contents [[hide](#)]

- [1 FORMING FUNCTION 8101000101 LAMP 01 Adjustable work lamp](#)
- [2 Specifications](#)
- [3 PARTS](#)
- [4 TOOLS](#)
- [5 GENERAL NOTES](#)
- [6 PRODUCT DATA](#)
- [7 FORMING FUNCTION](#)
- [8 INSTALLATION STEPS](#)
- [9 SETTINGS](#)
- [10 MOTION SENSOR](#)
- [11 FAQs](#)
- [12 Documents / Resources](#)
 - [12.1 References](#)

FORMING FUNCTION

FORMING FUNCTION 8101000101 LAMP 01 Adjustable work lamp




Specifications


- **Product:** Adjustable Work Lamp, Desk Screen Mounted
- **Model:** LAMP 01
- **Art. No:** 8101000109, 8101000101
- **Color Options:** Velvet Black, Soft White
- **Color Temperature:** 3000K – 4000K – 6000K
- **Color Rendering Index:** 95
- **Light Source Luminous Flow:** 1329 lm
- **Light Source Efficiency:** 63 lm/W
- **LED Life Expectancy:** 50,000 hours

PARTS

(A) ×1 PCE



(B) ×1 PCE



(C) ×1 PCE



(D1) ×1 PCE 30mm



(D2) ×1 PCE 35mm



(D3) ×1 PCE 40mm



(D4) ×1 PCE 45mm



TOOLS

(T1) ×1 PCE NOT INCLUDED



(T2) ×1 PCE



GENERAL NOTES

- BEFORE INSTALLATION, ALL MEASUREMENTS AND CONDITIONS MUST BE VERIFIED ON SITE. NEITHER FORMING FUNCTION NOR ANY OF ITS DISTRIBUTORS CAN BE HELD LIABLE FOR PRODUCT MALFUNCTION OR OTHER DEFECTS AS A RESULT OF IMPROPER INSTALLATION.

LAMP 01

- ADJUSTABLE WORK LAMP, DESK SCREEN MOUNTED, VELVET BLACK / SOFT

WHITE.

ART. NO

- **8101000109** VELVET BLACK
- **8101000101** SOFT WHITE

PRODUCT DATA


- **COLOR TEMPERATURE** 3000K – 4000K – 6000K
- **COLOR RENDERING INDEX** 95
- **LIGHT SOURCE LUMINOUS FLOW** 1329 lm
- **LIGHT SOURCE EFFICIENCY** 63 lm/W
- **LED LIFE EXPECTANCY** 50 000 h

FORMING FUNCTION


- Good design is based on human experience.
- That is why we promise to put as much love into creating technology that works, as something designed to be seamless, cherished and loved – we don't compromise on function or form.





INSTALLATION STEPS


STEP 1







STEP 2




D1		8 - 13mm
D2		13 - 18mm
D3		18 - 23mm
D4		23 - 28mm




D1		27 - 32mm
D2		32 - 37mm
D3		37 - 42mm
D4		42 - 47mm

STEP 3




- Holes in brackets for fixed installation.
- Contact info@FormingFunction.se for more information.


STEP 4



SETTINGS



MOTION SENSOR



PIONEERS IN MAKING TECHNICAL ACCESSORIES BEAUTIFUL
FORMINGFUNCTION.SE.

FAQs

Q: Can the lamp be adjusted for different heights?

A: Yes, the lamp can be adjusted to various height ranges as indicated in the user manual.


Q: How many color temperature options does the lamp offer?

A: The lamp offers three color temperature options: 3000K, 4000K, and 6000K.

Q: What is the LED life expectancy of the lamp?

A: The LED life expectancy of the lamp is 50,000 hours.

Documents / Resources

	<p>FORMING FUNCTION 8101000101 LAMP 01 Adjustable work lamp [pdf]</p> <p>User Manual</p> <p>8101000101, 8101000109, 8101000101 LAMP 01 Adjustable work lamp, 8101000101, LAMP 01 Adjustable work lamp, Adjustable work lamp, work lamp, lamp</p>
--	--

References

- [User Manual](#)

FORMING
FUNCTION

8101000101, 8101000101 LAMP 01 Adjustable work lamp, 8101000109, Adjustable work lamp, FORMING FUNCTION, lamp, LAMP 01 Adjustable work lamp, Work Lamp

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.