



Forthink Technology EH100606A04-X Social Distance Watch User Manual

[Home](#) » [Forthink Technology](#) » Forthink Technology EH100606A04-X Social Distance Watch User Manual 

Contents

- [1 Forthink Technology EH100606A04-X Social Distance Watch](#)
- [2 Introduction to Social Distance Watch](#)
- [3 Exterior](#)
- [4 Product List](#)
- [5 Specification](#)
- [6 User Instructions](#)
- [7 Wearing Method](#)
- [8 Charging Instructions](#)
- [9 Interactive Instructions](#)
 - [9.1 Operating Instructions](#)
 - [9.2 Alarm Instructions](#)
- [10 FCC Statement](#)
 - [10.1 FCC ID](#)
- [11 ForThink Technology Co., Ltd](#)
- [12 Documents / Resources](#)
 - [12.1 References](#)
- [13 Related Posts](#)

Forthink Technology

Forthink Technology EH100606A04-X Social Distance Watch



Introduction to Social Distance Watch

A system is a set of ranging systems based on Ultra-Wideband Technology, which has the characteristics of high precision, large capacity, strong multi-path resistance and low power consumption. Watches worn on the person consistently monitor the distance to the surrounding watches. When the distance is less than the safe value, an alarm signal will be generated immediately. The sound and light alarm reminds us to prevent the person from being too close and reduce the risk of the virus spreading.




Figure 1-1 Schematic diagram of application

Exterior




Figure 1-2 Front/Back views of Watch

Product List

The product list is shown in the figure1-4. From left to right, there are the watch, charger, and charging cable.




Figure 1-3 Left/Right views of Watch




Figure1-4 Product list

Specification

Product type: EH100606A04-X

Dimensions: 51×48×19.5mm

Weight: ≤85g

Maximum battery life: ≥10h

Charge/Power Interface: Pogo Pin-4

Charging time: ≤2h

Low battery indicator: Yes

Key interaction: Yes

Vibration indicator: Yes

LED indicator: Yes

Working temperature: -20°C ~ 60°C

Storage temperature: -20°C ~ 85°C

Working humidity: 0~95% non-condensing

Protection level: IP67

Material: PC+ABS , TPU

Battery type: lithium polymer battery

Battery level: 800mAh

Charging voltage/current: 5V/430mA

Ranging wireless standard: 802.15.4_2011UWB

Ranging antenna gain: $\leq 0.5\text{dbi}$

Ranging method: TOF

Typical transmitting power of ranging: -41.3dbm/MHz

Acceleration sensor: 3 axis

User Instructions

Product Components

- As shown in the figure below, the watch provides two buttons, indicator lights, and a charging interface.



Figure 2-1 Product components

Wearing Method

Schematic Diagram of Wearing




Figure 2-2 Front view




Figure 2-3 Back view

Wearing Method


1. Watchband through the arm.



2. The watchband passes through the metal buckle, then make the watchband is adjusted to the proper position. And the buckle needle passes through the watchband hole.



3. After the buckle needle passes through the watchband, fasten the buckle with the fixing ring.



Charging Instructions

Charging with Charger

- Use the charger and charging cable to complete the charging, as shown in the figure below.




Figure2-4 Schematic diagram of charging

Interactive Instructions

Operating Instructions

- **Power On:** If the product is in the power-off state, press and hold the right(red) button for more than 3 seconds. When you feel the vibration and see the LED flash, it means the product is powered on successfully.
- **Power Off:** If the product is in the power-on state, press and hold the right(red) button for more than 3 seconds. When you feel the vibration and see the LED flash, it means the product is power-off successfully.
- **Power Test:** Press the left(green) button (less than 1s) and release. If the product still has power, the vibrator will work and the LED flash; If there is no power left, there will be no response.

Alarm Instructions

Warning: When the distance between the watches is less than the safe distance, the watches will continue vibrating and the red LED will flash until the distance between the watches is greater than the safe distance.

- **Working Status Indicator:** When the watch is working normally, the LED flashes twice every 2s.
- **Low Power Indicator:** When the watch is in low power, the LED flashes twice every 5s.
- **Charging:** The LED flashes when the watch is charging, and the LED light is always on when it is fully charged.

FCC Statement

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC ID

2AWQO-EH100606A04-X

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirements. The device can be used in poor table exposure conditions without restriction.

The device must not be co-located or operating in conjunction with any other antenna or transmitter. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions : (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

ForThink Technology Co., Ltd

- **Address:** No. 898, Baicao Road, High-tech West Zone, Chengdu
- **Web** hg.ehighuwb.com
- **Telephone** 400-028-9090

Documents / Resources

