



## frontrow 2000-00062 Unity User Guide

[Home](#) » [FrontRow](#) » frontrow 2000-00062 Unity User Guide 




### frontrow 2000-00062 Unity User Guide




1. Power ON Unity, Power LED and volume LEDs turn ON (volume LEDs yellow for some seconds, then green)



2. Region switches must match between microphones and Unity. Flip region switch to US for all US/CAN and to EU for any other country (see below).

Microphone	
<p><b>Region Switch</b></p>  <p>The diagram shows the back of a microphone with a battery cover removed. A blue arrow points to a small blue switch labeled 'Region Switch'. Below the switch is a QR code and the text '39 46 08 01' and '03 42 E3 9A B8'.</p>	<p><b>Region: US/CAN</b></p>  <p>Three diagrams showing the switch in the US/CAN position (top half blue, bottom half white).</p> <p><b>Region: EU</b></p>  <p>Three diagrams showing the switch in the EU position (bottom half blue, top half white).</p>
Unity	



**Region: US/CAN**



**Region: EU**



3. Press and hold microphone mute button (see image below) until microphone beeps two times, then release. On Unity, press microphone button once. Then both wireless and battery LEDs on microphone flash green. Registration is complete, microphones are ready for testing.

Microphone	Unity
 <p>A close-up photograph of the microphone control panel. It features a microphone grille at the top, a yellow car icon, a large black triangular button, a mute button (two small circles) highlighted with an orange box and an orange arrow, another large black triangular button, and two small colored buttons (cyan and yellow) at the bottom. A white label with the text 'DO NOT MODIFY' is on the right side.</p>	 <p>A close-up photograph of the Unity control panel. It shows a green-lit rotary knob, a black button with a microphone icon highlighted with an orange box and an orange arrow, and several other buttons (blue, red) to the right.</p>

## FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the

user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

### IC Warning

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

(1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.


This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.



### Contents

- [1 Documents / Resources](#)
  - [1.1 References](#)
- [2 Related Posts](#)

### Documents / Resources

 User Guide Frontrow Unity Part #2000-00062	<a href="#">frontrow 2000-00062 Unity</a> [pdf] User Guide 2000-0006X, 2AM2V2000-0006X, 2AM2V20000006X, 2000-00062 Unity, 2000-00062, Unity
---	--

### References

- [User Manual](#)

## **Manuals+. Privacy Policy**

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.