



FURRION FSBNN30MX Aurora Bluetooth Sound Bar with Subwoofer User Guide


[Home](#) » [FURRION](#) » FURRION FSBNN30MX Aurora Bluetooth Sound Bar with Subwoofer User Guide 

Contents

- [1 FURRION FSBNN30MX Aurora Bluetooth Sound Bar with Subwoofer](#)
- [2 WHAT'S IN THE BOX](#)
- [3 CONNECT POWER](#)
- [4 INSTALL REMOTE CONTROL BATTERY](#)
- [5 BASIC OPERATION](#)
- [6 INSTALL](#)
- [7 FCC STATEMENT](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)

FURRION

FURRION FSBNN30MX Aurora Bluetooth Sound Bar with Subwoofer



The FURRION Aurora Bluetooth Sound Bar with Subwoofer is a high-quality audio device designed for home use. It is a product of Furrion Ltd., a wholly-owned subsidiary of Lippert Components, Inc. The product's patent information can be found at www.lippertcomponentsfurrion.com.

Mounting the Sound Bar

The URRION Aurora Bluetooth Sound Bar with Subwoofer can be mounted on a wall. Ensure that the wall is sturdy and able to support the weight of the sound bar.

Connecting Power

Connect the power cord of the URRION Aurora Bluetooth Sound Bar with Subwoofer to a power source. The sound bar comes with a power adapter that should be plugged into an electrical outlet.

Basic Operation

The URRION Aurora Bluetooth Sound Bar with Subwoofer comes with several buttons that can be used to control its functions. These include:

- Play and Pause buttons
- BT mode button
- Volume adjustment button
- Source selection button

Quick Start Guide

A quick start guide for the URRION Aurora Bluetooth Sound Bar with Subwoofer can be found at <https://support.lci1.com/stores/subwoofers-soundbars>. Follow the link or scan the QR code to access the guide.






Note: Product design and packaging may change without notice.

WHAT'S IN THE BOX

Front



Back




#8 – 3/8" x 4 pcs


#10 – 3/8" x 2 pcs

NOTE: Product design and packaging may change without notice.


Mount on wall



CONNECT POWER



INSTALL REMOTE CONTROL BATTERY






CONNECT

Open the protective cover on the back by removing the screws then connect the cables.

Note: All external devices and cables shown in the diagram are for reference only and not included in the package.


Connect Soundbar with TV and Subwoofer

- Power on the soundbar by plugging it in and pressing the power button on the soundbar or on the remote.
- Power on the Subwoofer by plugging it in.
- The subwoofer will auto-pair to the soundbar. The indicator light on the front of the Subwoofer will illuminate RED. Pairing begins when the Indicator light begins flashing BLUE. Pairing is complete when the Indicator Light illuminates solid BLUE.











BASIC OPERATION

Soundbar Buttons



Soundbar Remote Control Operation

Remote Control Button	Function
	Power on/off.
	Short press to switch the source mode to Bluetooth; Press and hold it for 3s to unpair and launch pairing again. (BT Name: Furrion SB 2.0/ Furrion SB 2.1)
Source	Select the audio source (OPT, HDMI, AUX, BLUE).
	Mute or un-mute the audio output.
	Skip to the previous track in BT mode.
	Start or pause playback in BT mode.
	Skip to the next track in BT mode.
	Adjust volume.
BASS/TREBLE 	Adjust the EQ balance of treble and bass




Tip: See the complete user manual online for detailed functional explanation.

TV Remote Control Operation


When the Soundbar is connected to the TV via HDMI, the TV remote may be used to control the soundbar. TV remotes differ based on brand and model, but general functionality is based on buttons found on most remotes.

- Power Button – Turns soundbar on/off with TV.
- Volume UP/DOWN – Adjusts the soundbar volume
- Mute – Mutes or unmutes the audio output.

Connect Soundbar with other devices





After the connections are completed, close the protective cover and tighten the screws for the best weatherproof effect.



INSTALL

IMPORTANT: Before final installation, check by powering the Soundbar on to make sure the unit operates properly.

Install Soundbar to the compatible Furrion Aurora™ TV



SCAN ME



FCC STATEMENT

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does not cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

1. Reorient or relocate the receiving antenna.
2. Increase the separation between the equipment and the receiver.
3. Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
4. Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

To comply with FCC RF Exposure requirements, users of this device must ensure that the device is installed and/or configured to operate with a separation distance of 20cm or more from all persons. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

To view the multi-language user manual, please access the link or scan the QR code.

<https://support.lcl1.com/stereo-subwoofers-soundbars>

Furion Ltd. (Furion) is a wholly-owned subsidiary of Lippert Components. Inc. (Lippert) Furion Innovation Center & Institute of Technology 22244 Innovation Drive, Elkhart. IN 46514-5514, USA

Toll free: 1-800-789-3341

Email: support@furion.com

©2007-2023 Furion Ltd. Furion® and the Furion logo are trademarks licensed for use by Furion Ltd. and registered in the U.S. and other countries.

For Patent Info: www.Lippert.com/patentsFurion.com


The contents of this manual are proprietary and copyright protected by Lippert. Lippert prohibits the copying or dissemination of portions of this manual unless prior written consent from an authorized Lippert representative has been provided. Any unauthorized use shall void any applicable warranty. The information contained in this manual is subject to change without notice and at the sole discretion of Lippert. Revised editions are available for free download from lippert.com. Please recycle all obsolete materials. For all concerns or questions. please contact Lippert

Ph:432-LIPPERT (432-547-7378)

Web. lippert.com

Email: customerservice@ci1.com

Documents / Resources

	<p>FURRION FSBNN30MX Aurora Bluetooth Sound Bar with Subwoofer [pdf] User Guide 2ABH3-FSBNN30MST, 2ABH3FSBNN30MST, fsbnn30mst, FSBNN30MX, FSBNN30MX Aurora Bluetooth Sound Bar with Subwoofer, FSBNN30MX Sound Bar with Subwoofer, Aurora Bluetooth Sound Bar with Subwoofer, Bluetooth Sound Bar with Subwoofer, Aurora Sound Bar with Subwoofer, Aurora Bluetooth Sound Bar, Aurora Bluetooth Subwoofer, Sound Bar with Subwoofer, Sound Bar, Subwoofer</p>
---	---