GAKO GL-12T LED Mobile Phone Bluetooth Controller User Manual

GAKO GL-12T LED Mobile Phone Bluetooth Controller User Manual



Contents

Scan two-dimensional code download APP

1. Connect LED color strip and controller, power on controller.
2. **Scan two-dimensional code download APP:**

3. Start APP, search and connect controller.
4. Enjoy the Bluetooth wireless control experience.

APP Program Usage



Notes: detailed operating instructions, enter the menu **"Guide":**



Product Features

- **LED** Bluetooth controller is directly via mobile phone control remote distance can reach 20m without the need

to set up, easy to connect open the software within 5 seconds you can automatically connect the controller.
- Flow the rhythm of the music changes.
- Group control.
- Brightness, speed addition and subtraction.
- Maximum can be 10 meters RGB(W) strip.
- The software shows that the text is based on the language of the mobile phone set up automatic transformation of Chinese and English.

Animation Effect

- Colorful gradient.
- All kinds of monochrome, double color gradient.
- All kinds of monochrome, double color, color full flashing.
- Colorful jump
- Follow the thythm of the music chagnes

Product Paramters

- **Bluetooth:** BLE V4.0
- **Input Voltage:** 4.5-26V
- **Working Temp:** -25-75°C
- **Size:** 43*22*11mm
- **Weight:** 30g
- **Max Power:** 144W(24V)

FCC Warning Statement: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. –
- Consult the dealer or an experienced radio/TV technician for help

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and **(2)** this device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement
The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located for operating in conjunction with any other antenna or transmitter.

Documents / Resources

	GAKO GL-12T LED Mobile Phone Bluetooth Controller [pdf] User Manual GL-12T LED Mobile Phone Bluetooth Controller, GL-12T, LED Mobile Phone Bluetooth Controller, Mobile Phone Bluetooth Controller, Phone Bluetooth Controller, Bluetooth Controller

References

- User Manual