

GCteq GF-17 Series Embedded 3 in 1 Wireless Charging Board for Apple User Manual

Home » GCteq » GCteq GF-17 Series Embedded 3 in 1 Wireless Charging Board for Apple User Manual



Contents


- 1 GCteq GF-17 Series Embedded 3-in-1 Wireless Charging Board for **Apple**
- **2 Product Introduction**
- 3 Installation
- 4 Specification
- **5 Feature**
- 6 Common product faults
- **7 FCC STATEMENT**
- 8 Nonwarranty regulations
- 9 Documents / Resources
 - 9.1 References
- **10 Related Posts**




GCteq GF-17 Series Embedded 3-in-1 Wireless Charging Board for Apple



Product Introduction




GF-17-01 Series




GF-17-03 Series

Installation



- 1. The size of the opening on the furniture surface should be 252 x 122.5mm. Leave a reasonable amount of space at the bottom to facilitate heat dissipation of the product as shown below.
- 2. Place the product into the opened square hole, press it tightly, and fix it with screws, as shown below:



Specification

Product Name		Embedded 3-in-1 Wireless Charging Board for Apple					
Model		GF-17-01	GF-17-03				
Input		DC 24-36V					
Input Interface		01 male connector or 5-pin male connector	01 male connector				
Wireless Charging Output	Mobile phone	15W Max					
	Airpods, iWatch	5W Max					
Type-C Output		30W Max					
USB-A Output		18W Max					
A+C Combined Output		15W Max					
Wireless charging protection		over-temperature protection, over-voltage protection, over-current protection, FOD foreign object detection					
Motor Control Logic		-Press the button to start the motor Press the button during operation to stop the motor Press the button again to run the	N/A				
Dimensions		278*141.8*47.2mm					

Precautions

Please read and follow the following precautions carefully before installing and using this product:

- 1. Use a safety-standard adapter to power the device.
- 2. The wireless charging distance is 3-8mm.
- 3. Ensure no metal objects between the charger and the phone during charging.
- 4. Do not place magnetic cards in the charging area.
- 5. Do not exceed the maximum charging distance for the best experience.

Feature

- 1. Easy and fast installation process.
- 2. Three-in-one charging for iPhone, iWatch, and Airpods.
- 3. Wood grain water transfer process for stylish application.
- 4. Supports QI wireless charging and fast charging protocols.
- 5. Provides Max. 18W A port and Max. 30W C port wired charging interfaces.
- 6. Intelligent power distribution for different applications.

Common product faults

Phenomenon	Cause	Troubleshooting		
Wireless charging not working	Power supply doesn't meet requirements. Poor contact in power interface.	 Use an adapter that meets requirements. Ensure secure connection of power port. 		
Wireless charging slow	Product body temperature too high. Misaligned wireless charging area.	Let the product cool to room temperature. Place the phone in the center of the charging area for better alignment.		

FCC STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, under Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used by the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful

interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the

interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Expo

The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. During the operation of the device, a distance of 15 cm surrounding the device and 20 cm above the top surface of the device must be respected.



Hazardous Substance Declaration

This mark is the product pollution control mark, the number of which represents the environmental service life. In this period, under normal conditions, harmful substances will not cause greater pollution to the environment or damage to human life and property.

	Hazardous substance						
Name of parts	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent -Chromium (Cr(VI))	Polybrominated -Biphenyls (PBB)	Polybrominated diphenyl ethers (PBDE)	
Electronic components	X	0	0	0	0	0	
Plastic casing	0	0	0	0	0	0	
Electroplated aluminum alloy parts	0	0	0	0	0	0	
Non-electroplated metal parts	0	0	0	0	0	0	
Double faced adhesive tape	0	0	0	0	0	0	
Synthetic cork	0	0	0	0	0	0	
Silicon parts	0	0	0	0	0	0	

This form is in term of Stipulation SJ/T 11364

Product Warranty Instructions

Wireless charger product after-sales service is strictly by the Law of the PRC on the Protection of the Rights and Interests of Consumers, and the Product Quality Law of the People's Republic of China Adopted to provide Aftersales service.

The services are as follows

- 1. Within 7 days from the next day after purchase (sign for), if this product has performance failure, you can enjoy free return or exchange service after being tested and determined by the after-sales service center;
- 2. Within 15 days from the next day after your purchase (sign for), if this product has performance failure, you can

O It means that the content of the harmful substance in a part of the part is lower than the limit requirements specified in GB/T 26572.

X It means that the content of the harmful substance in a part of the part exceeds the limit requirements specified in GB/T 26572.

enjoy free exchange or repair service after being tested and determined by the after-sales service center;

3. Within 1 year from the next day after you purchase (sign for), if this product has performance failure, you can enjoy free repair service after being tested and determined by the after-sales service center.

Nonwarranty regulations

In one of the following cases, we don't offer three guarantees and only charging maintenance will be provided:

- 1. Damage caused by improper use, maintenance, and storage of consumers;
- 2. Damage caused by unauthorized service provider;
- 3. There is no valid invoice or proof of purchase;
- 4. Damage caused by majeure.

Manufacturer: GCteq Wireless (Shenzhen) Co., Ltd.

Website: http://www.gcteq.com

Documents / Resources



GCteq GF-17 Series Embedded 3 in 1 Wireless Charging Board for Apple [pdf] User Manual

2ATX3-GF-17-01B, 2ATX3GF1701B, gf 17 01b, GF-17 Series Embedded 3 in 1 Wireless Charging Board for Apple, GF-17 Series, GF-17 Series 3 in 1 Wireless Charging Board for Apple, Embedded 3 in 1 Wireless Charging Board for Apple, 3 in 1 Wireless Charging Board, Wireless Charging Board, Wireless Charging Board, Wireless Charging Board, Wireless Board, Charging Board, Board

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.